QUICK REFERENCE GUIDE > RS3084FLJ1

30" Series 9 Integrated Column Freezer, Ice

Series 9 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with white interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84 "

 Width
 29 3/4 "

 Depth
 24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only ½" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

| Door panel stainless steel Left hinge 84" | RD3084L4D | In-use energy carbon emissions estimate | 180.0kgCO2e/ | Power Requirements | | |
|--|-------------|---|--------------|--|--------------|--|
| Door panel stainless steel Right hinge 84" | RD3084R4D | | year | Rated current | 10 A | |
| Handle kit Classic | AHCLRDSF | | | Supply frequency | 60 Hz | |
| Handle kit Contemporary round, aluminium | AHSRDSF | Features | | Supply voltage | 115 V | |
| Handle kit Contemporary square fine, aluminium | AHD5RDSF | Adjustable door shelves | 4 | | | |
| Handle kit Contemporary square fine, black | AHD5RDSFB | Adjustable glass cantilevered shelves | • | Product Dimensions | | |
| Handle kit Professional round flush | AHP3RDSF | Door alarm | • | | | |
| Handle kit Professional round flush, Brass off-stands | AHP3RDSFBA | | | Depth Height | 24 " 84 " | |
| Handle kit Professional round flush, Dark Copper off-stands | AHP3RDSFDC | Freezer Features | | Width | 29 3/4 " | |
| Joiner Kit | AJ-RS84LR | Automatic ice maker | • | | | |
| Stainless steel door panel | RD3084L4D | Bottle chill | • | Safety and compliance | | |
| Toe kick stainless steel 30" | AKRS3084 | Door alarm | • | | | |
| Toe kick stainless steel 48" | AKRS4804 | Fast freeze | • | ADA compliant | • | |
| Toe kick stainless steel 54" | AKRS5404 | Freezer bins | 4 | | | |
| Toe kick stainless steel 60" | AKRS6004 | Ice Boost | • | Warranty | | |
| Toe kick stainless steel 66" | AKRS6604 | LED bin lighting | • | • | | |
| Toe kick stainless steel 72" | AKRS7204 | LED ceiling lighting | • | Parts and labor | 2 years | |
| Toe kick stainless steel 78" | AKRS7804 | LED side lighting | • | Sealed system parts only | 5 years | |
| Toe kick stainless steel 84" | AKRS8404 | SmartTouch interface at counter height | • | | | |
| Capacity | | Performance | | SKU | 26131 | |
| Total gross capacity | 15.6 cu ft | ActiveSmart™ Foodcare | • | | | |
| Volume | 15.6 cu ft | Adaptive defrost | • | The product dimensions and specifications in this page apply to the specific | | |
| Volume freezer | 15.6 cu ft | Dual evaporator | • | product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel | | |
| | | Frost free | • | | | |
| | _ | Inverter controlled compressor | • | Appliances Ltd 2020 | - | |
| Consumption | | Sabbath mode | • | | | |
| Energy rating | Energy star | Variable temperature zones | 2 | | | |
| Energy usage | 491kWh/year | | | Other product downloads available at fisherpaykel.com | | |

QUICK REFERENCE GUIDE > RS3084FLJ1 Date: 17.12.2024 > 3

- ↓ 2D-DWG Integrated Column Freezer
- ↓ 2D-DXF Integrated Column Freezer

- Data Sheet Integrated Column Freezer Dual Install (24" + 30")
- Energy Label
- ightharpoonup Water Filter Replacement Instructions Parts 847200 and 847201 EN
- ↓ Installation Guide
- $\underline{\downarrow}$ Water Filter Replacement Instructions Parts 847200 and 847201 FR
- ↓ Installation Guide FR
- ↓ Installation Guide
- Key Purchase Decisions Integrated Columns
- ↓ Revit Freezer
- J. Rhino Freezer
- ↓ Rhino Freezer
- J. Rhino Freezer
- ↓ Rhino Freezer
- J. Rhino Freezer
- ↓ Sketchup Freezer
- ↓ Sketchup Freezer
- ↓ Sketchup Freezer
- J. Sketchup Freezer
- ↓ Sketchup Freezer
- ↓ User Guide EN
- ↓ User Guide Integrated Refrigerator Freezer EN
- J. User Guide FR
- User Guide

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com

Where applicable: