

# 24" Series 9 Integrated Triple Zone Freezer, Ice

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Triple Zone Refrigerator for the ultimate kitchen solution – this model features three independent food zones taking cooling flexibility to a new level.

- Three independent food zones, each with adjustable temperature to store different foods
- Panel ready, flush fit design with 3/16" gaps and custom height installation
- Internal ice maker with boost for busy times

- Easy-to-use touch-control panel and Wi-Fi capability

## DIMENSIONS

Height	73 5/8 "
Width	23 5/16 "
Depth	22 11/16 "

## FEATURES & BENEFITS

### Three Levels Of Freshness

When it comes to optimal food preservation, one temperature does not fit all. Three independent food zones give you full control over the way you care for food. The Freezer zone has adjustable temperature from -6 to 7°F, while the top two compartments can be converted into a Chill (29 to 32°F), Soft-Freeze (14 to 18°F) or Freezer zone (-6 to 7°F), to best suit different types of food. Adjust temperature for everyday convenience, or to provide additional chilling capacity for special occasions.

### Perfect Fit

These models fit flush, with only 3/16" pathum gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

### Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

### Chill Mode

Keep ready-to-eat food fresher for longer with Chill mode (29 to 32°F). Chill mode is a perfect solution for everyday life. It keeps meats, poultry and fish as cool as possible without freezing, retaining vital freshness and helps food retain its condition. It's also great for entertaining. Set one of the top two compartments to Chill mode to quickly bring beverages down to serving temperature.

### Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

## SPECIFICATIONS

### Accessories (included)

Hinge change (from left hinge to right hinge)	•
Joiner kit	AJRS74LR

### Accessories (sold separately)

Door panel set stainless steel	<b>(Right &amp; left hinge) RD2474</b>
Handle kit Classic	<b>AHCLRDSF</b>
Handle kit Contemporary round, aluminium	<b>AHSRDSF</b>
Handle kit Contemporary square fine, aluminium	<b>AHD5RDSF</b>
Handle kit Contemporary square fine, black	<b>AHD5RDSFB</b>
Handle kit Professional round flush	<b>AHP3RDSF</b>
Handle kit Professional round flush, Brass off-stands	<b>AHP3RDSFBA</b>
Joiner Kit	<b>AJRS74LR</b>
Toe kick stainless steel 23"	<b>AKRS2304</b>
Toe kick stainless steel 47"	<b>AKRS4704</b>
Toe kick stainless steel 71"	<b>AKRS7104</b>

**Capacity**

Total gross capacity	<b>10.7 cu ft</b>
Volume freezer	<b>10.7 cu ft</b>

**Consumption**

Energy rating	<b>Energy star</b>
Energy usage	<b>379kWh/year</b>
In-use energy carbon emissions estimate	<b>46.7kgCO2e/year</b>

**Features**

Adjustable door shelves	<b>2</b>
Adjustable glass cantilevered shelves	<b>•</b>
Door alarm	<b>•</b>
LED lighting	<b>•</b>
Smart appliance	<b>•</b>

SmartTouch control panel **•**

**Freezer Features**

Automatic ice maker	<b>•</b>
Bottle chill	<b>•</b>
Door alarm	<b>•</b>
Fast freeze	<b>•</b>
Freezer bins	<b>4</b>
Ice Boost	<b>•</b>
Ice making rate per day	<b>2.2 lbs</b>
LED bin lighting	<b>•</b>
LED ceiling lighting	<b>•</b>
LED side lighting	<b>•</b>

**Installation Dimensions**

Minimum inside width of cabinetry frame	<b>23 5/8 "</b>
Minimum internal depth of cabinetry	<b>24 "</b>
Minimum internal height of cabinetry	<b>74 "</b>

**Performance**

ActiveSmart™ Foodcare	<b>•</b>
Adaptive defrost	<b>•</b>
Frost free	<b>•</b>
Inverter controlled compressor	<b>•</b>
Sabbath mode	<b>•</b>
Triple evaporator	<b>•</b>
Variable temperature zones	<b>3</b>

**Power requirements**

Rated current	<b>10 A</b>
Supply frequency	<b>60 Hz</b>
Supply voltage	<b>115 V</b>

**Product dimensions**

Depth	<b>22 11/16 "</b>
Height	<b>73 5/8 "</b>
Width	<b>23 5/16 "</b>

**Warranty**

Parts and labor	<b>2 years</b>
Sealed system parts only	<b>5 years</b>

SKU **26204**

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Other product downloads available at fisherpaykel.com**

- [↓](#) 2D-DWG Integrated Refrigeration - K08 Hinge
- [↓](#) 2D - DWG Freezer
- [↓](#) 2D - DWG Freezer with Custom Panel

- [↓ 2D-DXF Integrated Refrigeration - K08 Hinge](#)
- [↓ 2D - DXF Freezer](#)
- [↓ 2D - DXF Freezer with Custom Panel](#)
- [↓ 2D-DXF Integrated Refrigeration - Panel Preparation](#)
- [↓ ArchiCAD 23 Freezer](#)
- [↓ Energy Label](#)
- [↓ Service & Warranty](#)
- [↓ Installation Guide Integrated Refrigeration EN](#)
- [↓ Guide d'installation FR](#)
- [↓ Planning Guide Integrated Refrigeration](#)
- [↓ Revit 18 Freezer](#)
- [↓ Rhino 5 Freezer](#)
- [↓ Rhino 5 Freezer with Custom Panel](#)
- [↓ Rhino 5 Freezer Door with Classic Round Handle](#)
- [↓ Rhino 5 Freezer Door with Contemporary Round Handle](#)
- [↓ Rhino 5 Freezer Door with Professional Round Flush Handle](#)
- [↓ Rhino 5 Freezer Door with Square Fine Black Handle](#)
- [↓ Rhino 5 Freezer Door with Square Fine Handle](#)
- [↓ Sketchup 8 Freezer](#)
- [↓ Sketchup 8 Freezer with Custom Panel](#)
- [↓ Sketchup 8 Freezer Door with Classic Round Handle](#)
- [↓ Sketchup 8 Freezer Door with Contemporary Round Handle](#)
- [↓ Sketchup 8 Freezer Door with Professional Round Flush Handle](#)
- [↓ Sketchup 8 Freezer Door with Square Fine Black Handle](#)
- [↓ Sketchup 8 Freezer Door with Square Fine Handle](#)
- [↓ User Guide Integrated Refrigerator & Freezer EN](#)
- [↓ Guide d'utilisation FR](#)
- [↓ Guía del usuario ES](#)

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
 T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

Where applicable: