QUICK REFERENCE GUIDE > DD24STI9 N

# Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Designed to fit your full-sized dinner plates, this DishDrawer™ can be placed anywhere in your kitchen, integrating seamlessly.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

 American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading

#### **DIMENSIONS**

Height	17 7/8 "
Width	23 9/16 "
Depth	21 3/4 "



# **FEATURES & BENEFITS**

## Seamless integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

#### Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

### **Quick, Sanitize and Extra Dry options**

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

#### Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

#### Quiet performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

#### **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

•

#### Accessories (sold separately)

Door panel stainless steel

Door panel recessed handle matte black glass

Door panel recessed handle stainless steel ADDD24STNX

ADDD24STPX

Handle kit Classic	AHCL-DDDW-24X	Energy saving delay start option of up to 12	•	Width	23 9/16 "
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	hours			
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Internal wash selector Keylock	•	Safety and compliance	
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB	Knock to pause Rinse aid indicator light	•	ADA compliant	•
Handle kit Contemporary square, aluminium	m <b>AHD3-OBDD-60S</b>	Smart appliance			
Handle kit Professional round flush	AHP3-DWDD-SX	Smart appliance			
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA			Warranty Parts and labor	Limited 2 years
Handle kit Professional round flush, Dark AHP3DDDW24DC Copper off-stands		Features		raits and labor	Limited 2 years
		Fan assisted drying	•		
		Flood protection	•	Wash Program Modifiers	
Capacity and loading		Flow through detergent dispenser	•	Extra Dry	
Capacity and loading		Quiet operation	•	Quick	
Accommodates round plates up to	12.25"	SmartDrive <sup>™</sup> technology	•	Sanitise	
Adjustable height, foldable cupracks	•			Wash modifiers	3
Fold down tines	•			wash mounters	3
Pitch adjustable tines	•	Performance			
Place settings	7	Noise emissions	43 dBA	Wash Programs	
Place settings	7			-	
				Delicate	•
		Power requirements		Eco	•
Consumption		Amperage	5A	Fast	•
Energy rating	Energy star	Electric circuit	3 wire	Heavy	•
Energy usage	144kWh/year	Rated current	15 A	Medium	•
In-use energy carbon emissions estimate	17.8kgCO2e/year	Supply frequency	60Hz	Rinse	•
Water usage (per wash cycle)	1.64 gal	Supply voltage	100 - 120V	Wash programs	6
Controls				Water connection	
		Product dimensions		Inlet water temperature	Max 140 °F
Electronic fault/Diagnostic indicator	•	Depth	21 3/4 "	Supplied hose to suit 3/8" (9mm) male	1 Idx 140 F
End of cycle beeps	•	Height	17 7/8 "	compression fitting	•

QUICK REFERENCE GUIDE > DD24STI9 N Date: 17.12.2024 > 3

Water pressure	30kPa - 1000 kPa
Water supply	3/8" to suit Male Compression Fitting

SKU 82341

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Single DishDrawer™ Dishwasher
- 2D-DXF Integrated Single DishDrawer™ Dishwasher
- Data Sheet Integrated Single DishDrawer™ Dishwasher
- ↓ Energy Label Single DishDrawer™ Dishwasher
- ↓ Service & Warranty
- L Installation Guide DishDrawer™ Dishwasher Venting Kit EN
- J. Installation Guide EN
- Planning Guide Integrated Single DishDrawer™
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- J. Quick Start Guide
- ↓ Guide De Démarrage Rapide FR
- L Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Sketchup Single DishDrawer™ Dishwasher

- $\downarrow$
- Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- User Guide DishDrawer™ Dishwasher EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com