

61cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge




<p>Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm



FEATURES & BENEFITS

Mix & Match
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit
These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever Energy
Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination
Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality
The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)	
Joiner kit	AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm	RD6121L10D	Freezer Features		Power requirements	
Door panel stainless steel Right hinge 610mm	RD6121R10D	Automatic ice maker	•	Rated current	10 A
Handle kit Classic	AHCLRDSF	Bottle chill	•	Supply frequency	50 Hz
Handle kit Contemporary round, aluminium	AHSRDSF	Door alarm	•	Supply voltage	230 - 240 V
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Fast freeze	•		
Handle kit Contemporary square fine, black	AHD5RDSFB	Freezer bins	4	Product dimensions	
Handle kit Professional round flush	AHP3RDSF	Ice Boost	•	Depth	610 mm
Joiner Kit	AJ-RS21LR	LED bin lighting	•	Height	2134 mm
Toe kick stainless steel 1220mm	AKRS12210	LED ceiling lighting	•	Width	603 mm
Toe kick stainless steel 1372mm	AKRS13710	LED side lighting	•		
Toe kick stainless steel 1828mm	AKRS18310	SmartTouch interface at counter height	•		
Toe kick stainless steel 1981mm	AKRS19810			Product information	
Toe kick stainless steel 610mm	AKRS06110	Installation Dimensions		Packaged weight	137 kg
Water filter replacement	847200 - FWC3	Minimum inside width of cabinetry frame	610 mm	Unpackaged weight	117 kg
		Minimum internal depth of cabinetry	635 mm		
		Minimum internal height of cabinetry	2134 mm		
Capacity				Warranty	
Total gross capacity	368 L	Performance		Parts and labour	2 years
Total net volume	295L	ActiveSmart™ Foodcare	•	Sealed system parts only	3 years
Volume	336 L	Adaptive defrost	•		
Volume freezer	336 L	Dual evaporator	•		
Volume variable temperature compartment	295 L	Frost free	•	SKU	26142
		Frost free freezer	•		
		Inverter controlled compressor	•		
Features		Noise emissions	42 dBA		
Adjustable door shelves	4	Noise emissions class	D		
Adjustable glass cantilevered shelves	•	Sabbath mode	•		
Adjustable glass shelves	4	Variable temperature zones	2		
Adjustable half width door shelves	3				
Front levelling feet	•				
				</	

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DWG Integrated Column Freezer
- [↓](#) 2D-DWG Integrated Column Freezer - Hinge
- [↓](#) 2D-DWG Integrated Column Freezer - Panel Prep
- [↓](#) 2D-DXF Integrated Column Freezer
- [↓](#) 2D-DXF Integrated Column Freezer - Hinge
- [↓](#) 2D-DXF Integrated Column Freezer - Panel Prep
- [↓](#) Data Sheet Integrated Column Freezer
- [↓](#) Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)
- [↓](#) Data Sheet Integrated Column Freezer Dual Install (610mm + 610mm)
- [↓](#) Data Sheet Integrated Column Freezer Dual Install (610mm + 762mm)
- [↓](#) Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit
- [↓](#) Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit
- [↓](#) Service & Warranty
- [↓](#) Installation Guide Toe Kick
- [↓](#) Installation Guide Integrated Column Refrigerator
- [↓](#) Key Purchase Decisions Integrated Columns
- [↓](#) Planning Guide
- [↓](#) Revit Integrated Column Freezer
- [↓](#) Rhino Integrated Column Freezer
- [↓](#) Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- [↓](#) Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- [↓](#) Sketchup Integrated Column Freezer
- [↓](#) Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- [↓](#) Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- [↓](#) Specification Guide
- [↓](#) User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

**A PEACE OF MIND SALE****24 Hours 7 Days a Week Customer Support**T +65 6741 0777 W www.fisherpaykel.com