QUICK REFERENCE GUIDE > DD60STX6I1

Series 11, Integrated Tall Single DishDrawer Dishwasher

Series 11 | Integrated

Panel Ready




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel interior.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware

- With soft-close drawers, and knock to pause convenience
- Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

Height 454 mm
Width 599 mm
Depth 553 mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 43dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

		Controls		Supply voltage	220 - 240V
Accessories (included)		Electronic fault/Diagnostic indicator	•		
Cutlery basket	•	End of cycle beeps	•	5	
Knife clip and multipurpose clip	•	Energy saving delay start option of up to 12	•	Product dimensions	
		hours		Depth	553 mm
		Internal wash selector	•	Height	454 mm
Accessories (sold separately)		Intuitive capacitive touch controls	•	Width	599 mm
Assisted opening accessory kit	OPEX1	Keylock	•		
Door panel black stainless steel	ADDD60STPB	Knock to pause	•		
Door panel stainless steel	ADDD60STPX	Rinse aid indicator light	•	Warranty	
Handle kit Contemporary round, aluminium		Smart appliance	•	Parts and labour	2 years
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Spray arm sensing	•		
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB	Features		Wash Program Modifiers	
Handle kit Contemporary square, aluminium AHD3-OBDD-60S		Fan assisted devine	_	Dry +	•
Handle kit Contemporary square, black	AHD3-OBDD-60B	Fan assisted drying		Quiet	•
		Flood protection	•	Sanitise	•
		Flow through detergent dispenser	•	Wash modifiers	3
Capacity and loading		Internal tub material	Stainless steel		
Accommodates round plates up to	310mm	Quiet operation	•		
Adjustable height, foldable cupracks	•	SmartDrive [™] technology	•	Wash Programs	
Fold down tines	•	Soft close drawer	•	60 min	•
Pitch adjustable tines	•			Auto	•
Place settings	7	Performance		Eco	•
Place settings	7	renormance		Glassware	•
Wine glass supports with stemware grippers	•	Noise emissions	43 dBA	Heavy	•
wille glass supports with stelliware grippers	,			Light	•
				Medium	•
Consumption		Power requirements		Rinse	•
		Amperage	5A	Wash programs	8
Water efficiency (WELS) rating	3 ticks	Supply frequency	50Hz		
Water usage (per wash cycle)	0.8L/place setting				

QUICK REFERENCE GUIDE > DD60STX6I1 Date: 19.10.2024 > 3

Water connection

Water pressure 30kPa - 1000 kPa
Water supply 3/4" BSP (20mm)
Connector Water
Inlet Hose

SKU 82182

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ Archicad Integrated Single DishDrawer™ Dishwasher
- J. Service & Warranty
- ↓ Installation Guide
- ↓ Revit Integrated Single DishDrawer™ Dishwasher
- ↓ Rhino Integrated Single DishDrawer™ Dishwasher
- , Sketchup Integrated Single DishDrawer™ Dishwasher
- Specification Guide Integrated Single DishDrawer™
 Dishwasher
- User Guide DishDrawer™ Dishwasher
- Wash Program Data DishDrawer™

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com