QUICK REFERENCE GUIDE > RS4621FLJK1 Date: 02.07.2024 > 1

# Integrated Column Freezer, 45.7cm, Ice

Series 11 | Integrated

Panel Ready | Left hinge




Install it separately or pair with another Column for true design freedom - this model is left hinge with stainless steel interior.

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## **DIMENSIONS**

Height 2134 mm
Width 451 mm
Depth 610 mm



# **FEATURES & BENEFITS**

#### Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

#### Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

## Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

## Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

# **Design Quality**

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

## Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

# **SPECIFICATIONS**

### Accessories (included)

Joiner kit

AJ-RS21LR

### Accessories (sold separately)

QUICK REFERENCE GUIDE > RS4621FLJK1 Date: 02.07.2024 > 2

Door panel stainless steel Left hinge 457mm	RD4621L10D	Fast freeze	•	Rated current	10 A
Door panel stainless steel Right hinge 457mm	RD4621R10D	Freezer bins	4	Supply frequency	50 Hz
Handle kit Contemporary square fine, black	AHD5RDSFB	Ice Boost	•	Supply voltage	230 V
Handle kit Contemporary square, aluminium	AHD3-RD21	LED bin lighting	•		
Toe kick stainless steel 1067mm	AKRS10710	LED ceiling lighting	•	Due de et dies en eiene	
Toe kick stainless steel 1220mm	AKR\$12210	LED side lighting	•	Product dimensions	
Toe kick stainless steel 1676mm	AKRS16810	SmartTouch interface at counter height	•	Depth	610 mm
Toe kick stainless steel 1828mm	AKRS18310			Height	2134 mm
Toe kick stainless steel 457mm	AKR\$16510 AKR\$04610			Width	451 mm
		Installation Dimensions			
Water filter replacement	847200 - FWC3	Minimum inside width of cabinetry frame	457 mm		
		Minimum internal depth of cabinetry	635 mm	Product information	
Capacity		Minimum internal height of cabinetry	2134 mm	Packaged weight	118 kg
				Unpackaged weight	100 kg
Total gross capacity	242 L				
Total net volume	188L	Performance			
Volume	220 L	ActiveSmart™ Foodcare	•	Warranty	
Volume freezer	220 L	Adaptive defrost	•	Parts and labour	2 years
		Dual evaporator	•	Sealed system parts only	additional 3 years
Features		Frost free	•		
		Frost free freezer	•		
Adjustable door shelves	4	Inverter controlled compressor	•	CI/II	00170
Adjustable glass cantilevered shelves	•	Noise emissions	42 dBA	SKU	26139
Adjustable glass shelves	3	Noise emissions class	D		
SmartTouch interface at counter height	•	Sabbath mode	•	The product dimensions and specifications	in this page apply to the specific
Water Filter	847200	Variable food modes	Soft freeze; Freeze; Deep Freeze	product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page	
Freezer Features		Variable temperature zones	rreeze 2	correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Automatic ice maker	•				
Bottle chill	•	Power requirements		Other product described as 22-1-1-	t fishernaukal so-
Door alarm	•			Other product downloads available a	п пъпеграукет.сот

QUICK REFERENCE GUIDE > RS4621FLJK1 Date: 02.07.2024 > 3

- ↓ 2D-DWG Freezer
- ↓ 2D-DWG Freezer
- 2D-DWG Freezer
- ↓ 2D-DWG Integrated Column Freezer
- ↓ 2D-DWG Integrated Column Freezer Hinge
- ↓ 2D-DWG Integrated Column Freezer Panel Prep
- ↓ 2D-DXF Freezer
- J. 2D-DXF Freezer
- ↓ 2D-DXF Freezer
- ↓ 2D-DXF Integrated Column Freezer
- ↓ 2D-DXF Integrated Column Freezer Hinge
- ↓ 2D-DXF Integrated Column Freezer Panel Prep
- ↓ Data Sheet Integrated Column Freezer
- Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)
- Data Sheet Integrated Column Freezer Dual Install (457mm +762mm)
- Data Sheet Integrated Column Freezer with Contemporary
   Square Handle Kit
- Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit
- Energy Label
- ↓ Service & Warranty

- J. Key Purchase Decisions Integrated Columns
- J. Planning Guide
- Revit Integrated Column Freezer
- ↓ Rhino Integrated Column Freezer
- Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle

- Specification Guide
- ↓ User Guide Integrated Refrigerator Freezer EN

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com