30" Series 9 Classic 4 Zone Induction Self-Cleaning Range

Series 9 | Classic

Red



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero[™] Pastry with Pizza Bake.

Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Generous Capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578776)
Full extension telescopic shelves	2 sets (part 578776)

Accessories (sold separately)

Kick strip, black (optional)	KICKOR30B1
Kick strip, red (optional)	KICKOR30R1
Kick strip, stainless steel (optional)	KICKOR30X1
Kick strip, white (optional)	KICKOR30W1
Wok grate included	N/A

Capacity

Shelf positions	7
Total capacity	3.5 cu ft
Usable capacity	2.9 cu ft

QUICK REFERENCE GUIDE > OR30SCI6R1

Cleaning

Acid resistant graphite enamel	
Drop down grill element	
Flat easy clean glass surface	
Pyrolytic proof shelf runners	
Pyrolytic self-clean	
Removable oven door	
Removable shelf runners	

٠

.

٠

Controls

Audio feedback
Automatic cooking/minute timer
Automatic pre-set temperatures
Celsius/Fahrenheit temperature
Electronic clock
High resolution display
Laser etched graphics
Precise electronic temperature control
Sabbath mode
Toughened fused glass graphics
Turned stainless steel clock buttons
Turned stainless steel dials with illuminated halos

Main oven functions

Warm

Oven features

Automatic rapid pre-heat	•
Electronic oven control	•
Full extension telescopic sliding shelves	•
Internal light	2 x 25W halogen (rear)
Soft open/close door	•
True convection	•
Oven functions	
Aero Broil	•
Aero™ Bake	•
Aero™ Pastry with Pizza mode	•
Bake	•
Number of functions	9
Pyrolytic self-clean	•
Rapid proof	•
Roast	•
True Aero	•
True convection	•
Oven performance	
Broil power	4050 W
CoolTouch door	Triple glazed

Warming drawer power	220 W
Power Requirements	
Connection	4-prong [NEMA 14-50P power cord]
Service	40 A

Supply	120 / 240 V o 120 / 208 V, 60 H:
Product Details	
Self Cleaning Sf	Ye
Product Dimensions	
Depth	25 1/4
Height	35 3/4 - 37 5/8
Width	29 7/8
Rangetop features	
Rangetop features Auto heat reduce	
Auto heat reduce	S

Rangetop Performance

PowerBoost	
Safety	
ADA compliant	
Advanced cooling system	
Anti-tilt bracket	
Balanced oven door	
Catalytic venting system	
Child lock	

Date: 17.12.2024 > 2

FISHER & PAYKEL

QUICK REFERENCE GUIDE > OR30SCI6R1

CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



81964

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Service & Warranty

SKU

- ↓ Installation Guide EN
- ↓ Revit Induction Range
- ↓ Rhino Induction Range
- ↓ Sketchup Induction Range
- ↓ User Guide Freestanding Range EN

Where applicable:

Date: 17.12.2024 > 3