QUICK REFERENCE GUIDE > OR90SCI6B1 Date: 17.12.2024 > 1

90cm Series 9 Classic 5 Zone Induction Pyrolytic Freestanding Cooker, 2 SmartZones

Series 9 | Classic

Black



Classic styling with a large capacity oven, this is the perfect choice for those who love to cook.

- Five cooking zones that can be paired to form SmartZones
- Convection oven with 140L total capacity, and nine functions plus Rotisserie

- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning oven cycle breaks down food residue for an easy clean

DIMENSIONS

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable hob and glowing halo dials all add up to an exceptional, premium range.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Complementary Design

Combining traditional aesthetics and modern performance, this Classic style freestanding range cooker is the perfect centrepiece for your unique kitchen design.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Multi-Function Flexibility

No matter what you are cooking, you have the right heat to match thanks to nine oven functions plus Rotisserie, including Pastry Bake with Pizza Mode and Rapid Proof for making bread.

Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

SPECIFICATIONS

Accessories (included)

Flat wire shelf

Full extension telescopic shelves

2 sets (part 578744)

Grill rack

Rotisserie set

1 set

Step down wire shelf

Accessories (sold separately)

Kick strip, black (optional) KICKOR90B1

Capacity

QUICK REFERENCE GUIDE > OR90SCI6B1 Date: 17.12.2024 > 2

Shelf positions	6	Toughened fused glass graphics	•	Pastry Bake with Pizza mode	•
Total capacity	140 L	Turned stainless steel clock buttons	•	Rapid proof	•
Usable capacity	120 L	Turned stainless steel clock crown (dial)	•	Roast	•
				Rotisserie	•
				True convection	•
Cleaning		Installation Dimensions			
Acid resistant graphite enamel	•	Installation cutout dimensions (Depth)	600 mm		
Drop down grill element	•	Installation cutout dimensions (Width)	900 mm	Oven performance	
Flat easy clean glass surface	•			CoolTouch door	Quadruple glazed
Pyrolytic proof shelf runners	•			Grill power	4500W
Pyrolytic self-clean	•	Oven features		Warming drawer power	202 W
Removable oven door	•	AeroTech™ technology	•		
Removable oven door inner glass	•	Automatic rapid pre-heat	•		
Removable shelf runners	•	Bright chromed, cast zinc dials with illuminated halos	•	Power requirements	68 A
		Convection	•	Amperage Supply frequency	50 Hz
Consumption		Electronic oven control	•	Supply requericy Supply voltage	220 - 240 V
Energy rating	А	Internal light	4 x 25W halogen (2 side & 2 top)	Supply voltage	220 - 240 V
Energy usage	1.62kWh/cycle	Soft open/close door	•		
		True convection	•	Product dimensions	
Controls		Twin cavity fans	•	Depth	600 mm
		Warming drawer	•	Height	898 - 946 mm
Audio feedback	•			Width	897 mm
Automatic cooking/minute timer	•				
Automatic pre-set temperatures	•	Oven functions			
Celsius/Fahrenheit temperature	•	Bake	•	Rangetop features	
Electronic clock	•	Fan bake	•	Auto heat reduce	•
High resolution display	•	Fan forced	•	Dual colour display	•
Laser etched graphics	•	fanGrill	•	Gentle heat	•
Precise electronic temperature control	•	Grill	•	Heat settings	9
Sabbath mode	•	Number of functions	9	Hob rail	•

QUICK REFERENCE GUIDE > OR90SCI6B1 Date: 17.12.2024 > 3

Hob rear trim	60 mm
Induction cooking technology	•
Zone bridging	•

SKU 82226

Rangetop Performance

Centre	2300 W
Left front zone rating	1600 (1850) W
Left rear zone rating	2100 (3000) W
Number of cooking zones	
PowerBoost all zones	up to 3000 W
Right front zone rating	1600 (1850) W
Right rear zone rating	2100 (3000) W

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Safety

ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

Other product downloads available at fisherpaykel.com

\underline{ullet}	2D-DWG Induction Range
\underline{ullet}	2D-DXF Induction Range
$\underline{\downarrow}$	Service & Warranty
\overline{ullet}	Installation Guide Freestanding Cooker
$\underline{\downarrow}$	User Guide Freestanding Cooker
$\underline{\downarrow}$	Declaration of Conformity
\overline{ullet}	Energy Label

Where applicable:

Parts and labour

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



5 years

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com

Warranty