QUICK REFERENCE GUIDE > RIV3-915

91cm Series 9 Professional 5 Zone Induction Pyrolytic Cooker, 2 SmartZones

Series 9 | Professional

Stainless Steel



With intuitive touchscreen, induction cooktop and a convection oven with 15 functions, this is a perfect choice for those who have a passion for cooking

- Five induction cook zones, with options to pair zones to create up to two larger SmartZones
- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.

- 136L total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

 Height
 908 - 933 mm

 Width
 911 mm

 Depth
 740 mm

FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Featuring a large 136L total capacity convection oven, with enough room to fit a scrumptious family-sized roast with all the trimmings that is sure to impress.

Cooking Flexibility

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

Cooktop Power

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer to perfection. Since heat is generated directly in the cookware through electromagnetism, induction offers an energy-efficient cooking option

Design Quality

This freestanding cooker has craftsmanship in every detail, with real stainless steel, high-quality glass, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this freestanding cooker is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function. The durable induction cooktop surface only needs a quick wipe after use to keep it clean.

SPECIFICATIONS

Accessories (included)	
Adjustable feet covers	•
Branded coin end cap	•
Chromed shelf runners	1 set
Enamel baking tray	1
Full extension telescopic shelves	2
Grill rack	1

Capacity

Shelf positions	5
Total capacity	136 L
Usable capacity	108 L

QUICK REFERENCE GUIDE > RIV3-915

Cleaning		Oven functions		Rangetop features
Pyrolytic self-clean	•	Air fry	•	Dual zones •
Removable oven door	•	Bake	•	Gentle heat •
Removable shelf runners	•	Classic bake	•	Induction cooking technology •
		Dehydrate	•	PowerBoost Yes
		Number of functions	14	SmartZone 2
Controls		Pastry bake	•	
Celsius/Fahrenheit temperature	•	Pizza bake	•	
Dial with illuminated halo	•	Rapid proof	•	Recommended Back Guards Ventilation
Dual control oven dials	•	Roast	•	Recommended hood Integrated Insert
Electronic clock	•	Self-clean function	•	Rangehood, 120cm and 90cm
High resolution display	•	Slow cook	•	(HPB12048-2, HPB9048-2)
Metal illuminated dials	•	True convection	•	111 233 16 27
Multi-language interface	•	Warm	•	
Precise cooking with food probe	•			
Precise electronic temperature control	•			SKU 83029
Recipe and food based functions	•	Oven performance		
Sabbath mode	•	CoolTouch door	Triple glazed	The product dimensions and specifications in this page apply to the specific
Smart appliance	•			product and model. Under our policy of continuous improvement, these
Tilting touch screen interface	•			dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page
		Power requirements		correctly describes the model currently available. © Fisher & Paykel
		Connection	Terminal Block	Appliances Ltd 2020
Oven features		Service	40A	
Concealed element	•	Supply	220-240 V, 50Hz	Other product downloads available at fisherpaykel.com
Convection	•			other product downloads available at historipayken.com
Electronic oven control	•			↓ 2D-DWG Induction Range
Food probe	•	Product dimensions		
Full extension telescopic sliding shelves	•	Depth	740 mm	
True convection	•	Depth (excluding handles)	740 mm	
		Height	908 - 933 mm	
		Width	911 mm	Planning Guide Freestanding Induction Cooker

QUICK REFERENCE GUIDE > RIV3-915

Date: 08.10.2024 > 3

- $\overline{\mathbf{\Lambda}}$
- Revit 19 Induction Range
- $\underline{\downarrow}$
 - Rhino 5 Induction Range
- - User Guide Professional Freestanding Cooker

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com