QUICK REFERENCE GUIDE > OR90SCI4X1 Date: 10.07.2024 > 1

Freestanding Cooker, Induction, 90cm, 5 Zones with SmartZone

Series 7 | Classic

Stainless Steel




Heritage styling with contemporary performance in the large convection oven and induction cooktop, with SmartZone capability.

- Five cooking zones, with the ability to pair zones to create SmartZones
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake with pizza mode and rapid proof for making bread

Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech $^{\text{m}}$ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

SPECIFICATIONS

Grill rack

Roasting dish

Accessories (included) Chromed shelf runners Flat wire shelf Full extension sliding shelves 1 set (part 578744) Full extension telescopic shelves 1 set (part 578744)

Step down wire shelf

true

Accessories (sold separately)

Kick strip, stainless steel (optional)	KICKOR90X1	Installation Dimensions		Oven performance	
		Installation cutout dimensions (Depth)	600 mm	CoolTouch door	Triple glazed
Capacity		Installation cutout dimensions (Width)	900 mm		
Shelf positions	6			Power requirements	
Shelf positions (main oven)	6	Oven features		Amperage	67 A
Total capacity	140 L	AeroTech™ technology	•	Supply frequency	50 Hz
Jsable capacity (main oven)	121 L	Automatic rapid pre-heat	•	Supply voltage	220-240 V
		Bright chromed, cast zinc dials with illuminated halos	•	-	
leaning		Electronic oven control	•	Product dimensions	
Acid resistant graphite enamel	•	Full extension telescopic sliding shelves	•	Depth	600 mm
Drop down grill element	•	Internal light	4 x 25W halogen (2 side & 2 top)	Height	898 - 946 mm
Flat easy clean glass surface	•	Soft open/close door	•	Width	897 mm
Removable oven door	•	Storage drawer	•		
Removable oven door inner glass	•	True convection	•		
Removable shelf runners	•	Twin cavity fans	•	Rangetop features	
				Auto heat reduce	•
Controls				Dual colour display	•
		Oven functions		Gentle heat	•
Audio feedback	•	Bake	•	Heat settings	9
Automatic cooking/minute timer	•	Classic bake	•	Hob rail	•
Automatic pre-set temperatures	•	Fan bake	•	Hob rear trim	60 mm
Celsius/Fahrenheit temperature	•	Fan forced	•	Induction cooking technology	•
Electronic clock	•	fanGrill	•	SmartZone	1
aser etched graphics	•	Grill	•	Zone bridging	•
Precise electronic temperature control	•	Number of functions	9		
Sabbath mode	•	Pastry Bake with Pizza mode			
Toughened fused glass graphics	•	Rapid proof	•	Rangetop Performance	
Turned stainless steel clock buttons	•	Roast	•	Centre	2300 W
		True convection	·	Left front	1600 W

QUICK REFERENCE GUIDE > OR90SCI4X1

Left rear	2100 W	
PowerBoost	•	
Safety		
Advanced cooling system	•	
Anti-tilt bracket	•	
Balanced oven door	•	
Child lock	•	
CoolTouch door	•	
Full extension telescopic shelves	1 set (part 578744)	
Full extension telescopic sliding shelves	•	
Non-tip shelves	•	
Pan detection system	•	
Safety time out	•	
Spill containment	12 L	
Spillage auto off	•	
Surface hot indicators	•	
Warranty		
Parts and labour	2 years	
SKU	81684	

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1300 650 590 Wwww.fisherpaykel.com

Other product downloads available at fisherpaykel.com

✓ Service & Warranty
 ✓ Installation Guide Freestanding Cooker
 ✓ Installation Guide - Kick Strip
 ✓ Revit Induction Cooker
 ✓ Rhino Induction Cooker
 ✓ Sketchup Induction Cooker
 ✓ User Guide Freestanding Cooker
 ✓ User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.