QUICK REFERENCE GUIDE > RS2435V2RT1 Date: 11.11.2024 > 1

24" Series 9 Integrated Wine Cabinet

Series 9 | Integrated


Panel Ready | Right Hinge

Designed for wine lovers, this under-counter wine cabinet seamlessly blends into any space of the evolving home. With dual temperature zones and specialized modes, it provides optimal conditions for all wine types.

- With two independent temperature zones to cater for different wine varieties
- Four specialized wine modes for Red, White, Sparkling, and Cellar wines
- Accommodates up to 35 bottles, providing ample space for a diverse collection
- Designed to fit flush, with only 3/16" gaps and no visible hinges or grilles

DIMENSIONS

Height	33 13/16 "
Width	23 5/16 "
Depth	22 11/16 "



FEATURES & BENEFITS

Complete Design Freedom

This sleek under-counter wine cabinet enhances any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it is a sophisticated, space-efficient solution for wine enthusiasts looking to add elegance and accessibility to their home. Pairs perfectly with our Beverage Center to create an entertainer's dream set-up.

Optimal Wine Care

To provide the perfect storage environment for your wine collection, this cabinet has been engineered to maintain a consistent temperature across two independently-controlled zones. An activated carbon filter in each compartment clears the air of pollutants, ensuring your wine is perfectly preserved.

Precise Temperature Control

Four tailored wine modes offer optimal temperatures for serving and cellaring different types of wine: Red, White, Sparkling, and Cellar. These modes ensure each variety can receive the care it needs to be enjoyed at its best. Manual temperature adjustments are possible in 1.8°F increments between 43-64°F.

Reduced Vibration

Vibration can dull flavor and cause other unwanted issues in wine. This cabinet features a quiet, low-vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials to help carefully maintain the flavor profile of every drop.

Customizable Lighting

The tinted glass door effectively filters out UV light, allowing your wine to mature naturally. LED lighting offers four beautiful illumination options to highlight your collection, from a candlelit ambience to brilliant display lighting.

Seamless Fit

These panel-ready models are designed to fit flush, with only 3/16" gaps between the wine cabinet and surrounding cabinetry, and no visible hinges or grilles. The tinted glass door puts your collection proudly on display, or hide your collection seamlessly behind cabinetry with our solid door model.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place under your counter – a perfect fit for European-design kitchens.

SPECIFICATIONS

QUICK REFERENCE GUIDE > RS2435V2RT1 Date: 11.11.2024 > 2

Accessories (sold separately)		Installation Dimensions	
Door panel stainless steel	Left (Framed) RD2435VL, Right (Framed) RD2435VR	Minimum inside width of cabinetry frame	23 5/8
		Minimum internal depth of cabinetry	23 5/8
		Minimum internal height of cabinetry	34
Handle kit Classic	AHCLRD35		
Handle kit Contemporary round	AHSRD35		
Handle kit Contemporary square fine, aluminium	AHD5RD35	Performance	
Handle kit Contemporary square fine, black	AHD5RD35B	ActiveSmart™ wine care	
Handle kit Professional round flush	AHP3RD35	Door opening	right hand hing
Joiner kit	AJRS35LR	Dual evaporator	
Toe kick stainless steel 23"	AKRS2304	Dual Zone	
Toe kick stainless steel 47"	AKRS4704	Noise emissions	34 dB/
		Sabbath mode	
		Temperature range	43-64 degree Fahrenhei
Capacity		Variable temperature zones	
Number of bottles	35	Variable wine modes	Red, White Sparkling, Cella
eatures		Power Poguiromente	
Air filter lower compartment	•	Power Requirements	
Air filter upper compartment	•	Rated current	10 /
Door alarm	•	Supply frequency	60 H
Full extension storage racks	5	Supply voltage	115
_ED lighting	•		
ow vibration compressor	•		
Removable solid oak shelves	5	Product Dimensions	
Smart appliance	•	Depth	22 11/16
martTouch interface at counter height	•	Height	33 13/16
Telescopic slide out oak shelves	5	Width	23 5/16
UV tempered glass door	•		

Warranty

Parts and labor 2 years

SKU 26704

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG

2D-DXF

2D-DXF Integrated Refrigeration - Panel Preparation

Service & Warranty

Installation Guide EN

Installation Guide FR

Installation Guide SP

Planning Guide Wine Cabinet & Beverage Center EN

Revit 19

Rhino 6

Sketchup 8

User Guide EN

User Guide FR

User Guide SP

Where applicable:

QUICK REFERENCE GUIDE > RS2435V2RT1 Date: 11.11.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com