QUICK REFERENCE GUIDE > DD60STI9

Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

 Customise with your own front panel and handle to match your kitchen cabinetry

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer $^{\text{TM}}$ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket
Knife clip and multipurpose clip

Accessories (sold separately)

Handle kit Contemporary square, black

Door panel black stainless steel ADDD60STPB

Door panel stainless steel ADDD60STPX

Handle kit Contemporary round, aluminium AHS-OBDD-60S

Handle kit Contemporary square fine, aluminium OBDD-60SX

Handle kit Contemporary square fine, black AHD5-OBDD-60SB

Handle kit Contemporary square, aluminiumAHD3-OBDD-60S

AHD3-OBDD-60B

QUICK REFERENCE GUIDE > DD60STI9

Capacity and loading		Performance		Heavy	•
Accommodates round plates up to	310mm	Noise emissions	43 dBA	Medium	•
Adjustable height, foldable cupracks	•			Rinse	•
Fold down tines	•			Wash programs	6
Pitch adjustable tines	•	Power requirements			
Place settings	7	Amperage	5A	Water commention	
Place settings	7	Supply frequency	50Hz	Water connection	
		Supply voltage	220 - 240V	Water pressure	30kPa - 1000 kPa
				Water supply	3/4" BSP (20mm) Connector Water
Consumption					Inlet Hose
Water efficiency (WELS) rating	2 ticks	Product dimensions			
Water usage (per wash cycle)	1.2L/place setting	Depth	553 mm		
		Height	454 mm	SKU	82368
		Width	599 mm	Sixo	02000
Controls					
Electronic fault/Diagnostic indicator	•		_		ations in this page apply to the specific
End of cycle beeps	•	Warranty		product and model. Under our policy dimensions and specifications may c	of continuous improvement, these hange at any time. You should therefore
Energy saving delay start option of up thours	• •	Parts and labour	2 years	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel	
Internal wash selector	•			Appliances Ltd 2020	
Keylock	•	Wash Program Modifiers			
Knock to pause	•	Extra Dry	•	Other product downloads avail	able at fisherpaykel com
Rinse aid indicator light	•	Quick	•	Canon product dominional area.	ua.o ut nono paynonoo
		Sanitise	•	↓ 2D-DWG Integrated Single	e DishDrawer™ Dishwasher
		Wash modifiers	3		
Features		Washinganiers	J		gle DishDrawer™ Dishwasher
Fan assisted drying	•			Service & Warranty Service & War	
Flood protection	•	Wash Programs		Quick Start Guide	
Flow through detergent dispenser	•	Delicate	_	Revit Single DishDrawer™	
Quiet operation	•		•	Rhino Single DishDrawer™	
SmartDrive [™] technology •		Eco	•	→ Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle	
		Fast	•	<u>↓</u>	
	_			-	

QUICK REFERENCE GUIDE > DD60STI9	Date: 18.10.2024 > 3	
	Sketchup Single DishDrawer™ Dishwasher	
	FISHER & PAYKEL	_



Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle



Specification Guide Single DishDrawer™ Dishwasher



User Guide DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com