QUICK REFERENCE GUIDE > RDV3-486GD-N Date: 17.12.2024 > 1

# 48" Series 9 Professional 6 Burner Griddle Dual Fuel Range, Natural Gas

Series 9 | Professional

Stainless Steel | Natural Gas



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with griddle and a top burner heat up to 23,500 BTU, for seriously fast boiling
- · 6.9 cu ft total oven capacity across two oven cavities

Use the food probe to monitor your cooking real time

## **DIMENSIONS**

Height 35 3/4 - 36 3/4 "
Width 47 7/8 "
Depth 29 1/8 "

# **FEATURES & BENEFITS**

#### **Cook With Confidence**

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

# **Generous Capacity**

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

#### Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

## **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

## **Cooktop Power**

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

## Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

# **SPECIFICATIONS**

### Accessories (included)

Adjustable feet covers

Branded coin end cap

Telescopic sliding runners

true

#### Burner ratings

Maximum burner power	23500 BTU
Power back centre	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Power griddle	18000BTU
Total cooktop power	134000 BTU

QUICK REFERENCE GUIDE > RDV3-486GD-N Date: 17.12.2024 > 2

Capacity		Concealed Element	•	Full extension telescopic sliding shelves	•
Shelf positions (main oven)	5	Electronic oven control	•	Internal light	true
Shelf positions (second oven)	5	Food probe	•	Large broil pan	•
Total capacity (main oven)	4.8 cu ft	Full extension telescopic racks	•	Self-clean proof side racks	•
Total capacity second oven	2.1 cu ft	Internal light	•	True convection	•
Usable capacity (main oven)	3.8 cu ft	Large broil pan	•		
		Self-clean proof side racks	•		
		True convection	•	Oven functions	
Cleaning				Air fry	•
Easy clean porcelain basepan	•			Bake	•
Pyrolytic proof shelf runners	•	Main oven functions		Classic bake	•
		Air fry	•	Clean	•
		Bake	•	Convection bake	•
Controls		Classic bake	•	Convection Broil	•
Dial with illuminated halo	•	Clean	•	Dehydrate	•
Dual control oven dials	•	Convection broil	•	Dehydrate	•
High resolution display	•	Maxi broil	•	Maxi Broil	•
Multi-language interface	•	Number of oven functions	15	Number of functions	15
Precise cooking with food probe	•	Pizza bake	•	Pastry bake	•
recipeAndFoodBasedFunctions	•	Rapid proof	•	Pizza bake	•
Sabbath mode	•	Roast	•	Rapid proof	•
Smart appliance	•	Slow cook	•	Roast	•
Tilting touch screen interface	•	True convection	•	Slow cook	•
		Warm	•	True convection	•
				Warm	•
Gas Requirements					
Fitting and pipe	½ NPT, min. 5⁄8″ 🛚	Oven features			
ricing and pipe	flex line	Auto re-ignition system	•	Power Requirements	
Supply Pressure (natural gas)	6" to 9" W.C	Concealed element	•	Connection	4-prong
		Electronic oven control	•		grounding type [NEMA 14-50P
		Food probe	•		plug]
Main oven features				Service	50 A

QUICK REFERENCE GUIDE > RDV3-486GD-N Date: 17.12.2024 > 3

Supply	120 / 240 V, 60 Hz	Secondary oven features	
	112	3/4 Extension racks	2
		Concealed element	•
Product Dimensions		Electronic oven control	•
Depth	29 1/8 "	Food probe	•
Height	35 3/4 - 36 3/4 "	Internal light	•
Width	47 7/8 "		
		Secondary oven functions	
Rangetop features		Air fry	•
Sealed range top	•	Bake	•
Vent trim included	•	Classic bake	•
		Convection bake	•
		Convection broil	•
Rangetop Performance		Maxi broil	•
Number of burners	6	Number of secondary oven functions	11
	•	Pastry bake	•
	_	Pizza bake	•
Recommended Back Guards Ventila	ation	Rapid proof	•
Combustible situation	BGRV3-3048H	Roast	•
Non combustible situation	BGRV2-3048 / BGRV2-1248	Warm	•
Recommended hood	HCB48-12_N (48" Professional Range Hood,	Warranty	
	Dual Blower)	Parts and labor	Limited 2 years
Safety			
ADA compliant	•	SKU	82385
Child lock	•		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > RDV3-486GD-N

