QUICK REFERENCE GUIDE > DD60DHI9

Series 9, Integrated Double DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.


- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 553 mm



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers, making loading dishes simple. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

KNOCK TO PAUSE

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

QUIET PERFORMER

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

		Consumption		Power requirements	
Accessories (included)		Energy rating	E	Amperage	10A
Cutlery basket	•	Energy usage	54kWh/100	Supply frequency	50Hz
Kickstrip	true		cycles per drawer	Supply voltage	220 - 240V
Knife clip and multipurpose clip	•	Water usage (per wash cycle)	7.8L per drawer		
				Product dimensions	
Accessories (sold separately)		Controls		Depth	553 mm
Door panel black stainless steel	ADDD60DPB	Electronic fault/Diagnostic indicator	•	Height	820 - 880 mm
Door panel recessed handle black stainless	ADDD60DNB	End of cycle beeps	•	Width	599 mm
steel		Energy saving delay start option of up to 12 hours	•		
Door panel recessed handle matte black glass	ADDD60DZB	Internal wash selector	•		
Door panel recessed handle stainless steel	ADDD60DNX	Keylock	•	Warranty	
Door panel stainless steel	ADDD60DPX	Knock to pause	•	Parts and labour	2 years
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Rinse aid indicator light	•		
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Smart appliance	•	Wash Program Modifiers	
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB			Extra Dry	•
Handle kit Contemporary square, aluminium AHD3-OBDD-60S		Features		Quick	•
• • •	AHD3-OBDD-60B	Built-in water softener	•	Sanitise	•
, , , , , , , , , , , , , , , , , , ,		Fan assisted drying	•	Wash modifiers	3
		Flood protection	•		
Capacity and loading		Flow through detergent dispenser	•		
Accommodates round plates up to	280mm	Motor type	BLDC	Wash Programs	
Adjustable height, foldable cupracks	•	Quiet operation	•	Delicate	•
Fold down tines	•	SmartDrive™ technology	•	Eco	•
Pitch adjustable tines	•			Fast	•
Place settings	12			Heavy	•
Place settings per drawer	6	Performance		Medium	•
		Noise on standard cycle top drawer	43 dBA	Rinse	•
				Wash programs	6

QUICK REFERENCE GUIDE > DD60DHI9 Date: 17.12.2024 > 3

Water connection

Water pressure 100kPa - 1000kPa
Water supply 3/4" BSP (20mm)
Connector Water
Inlet Hose

SKU 82360

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG DishDrawer™ Dishwasher
- 2D-DXF Integrated Double DishDrawer™ Dishwasher
- J 2D-DXF DishDrawer™ Dishwasher
- Energy Label DishDrawer™ Dishwasher
- ↓ Service & Warranty
- Installationsvejledning DA
- ↓ Installationsanleitung DE
- Tristaliationsamenturing Di
- ↓ Installatiehandleiding NL
- Installation Guide EN
- J. Asennusopas FI

- Guida D'Installazione IT
 - Installasjonsveiledning NOR
- Guía de instalación ES
- Installationsguide SV

- Planning Guide Integrated Double DishDrawer™ Dishwasher EN
- ↓ Product Information Sheet Double DishDrawer™ Dishwasher
- Quick Start Guide DishDrawer™ Dishwasher EN
- Quick Start Guide DishDrawer™ Dishwasher DUT
- Quick Start Guide DishDrawer™ Dishwasher ES
- Quick Start Guide DishDrawer™ Dishwasher FIN
- Quick Start Guide DishDrawer™ Dishwasher HEB
- Quick Start Guide DishDrawer™ Dishwasher ITA
- Revit Integrated Double DishDrawer™ Dishwasher
- Rhino Integrated Double DishDrawer™ Dishwasher
- → Rhino Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- Sketchup Integrated Double DishDrawer™ Dishwasher
- Sketchup Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- User Guide Integrated DishDrawer™ Dishwasher
- Wash Program Data DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000886605 Wwww.fisherpaykel.com