QUICK REFERENCE GUIDE > DD60STI9

Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving

 Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60STPB Door panel recessed handle black stainless ADDD60STNB Door panel recessed handle matte black ADDD60STZB Door panel recessed handle stainless steel ADDD60STNX Door panel stainless steel ADDD60STPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5aluminium **OBDD-60SX**

QUICK REFERENCE GUIDE > DD60STI9 Date: 17.12.2024 > 2

Handle kit Contemporary square fine, blac		Rinse aid indicator light	•	Wash Program Modifiers	
OBDD-60SB Handle kit Contemporary square, aluminiumAHD3-OBDD-60S		Smart appliance	•	Extra Dry	•
				Quick	•
Handle kit Contemporary square, black	AHD3-OBDD-60B			Sanitise	•
Handle kit Professional round flush	AHP3-DWDD-60S	Features		Wash modifiers	3
		Fan assisted drying	•		
Capacity and loading		Flood protection	•		
		Flow through detergent dispenser	•	Wash Programs	
Accommodates round plates up to	310mm	Quiet operation	•	Delicate	•
Adjustable height, foldable cupracks	•	SmartDrive™ technology	•	Eco	•
Fold down tines	•			Fast	•
Pitch adjustable tines	•			Heavy	
Place settings	7	Performance		Medium	
Place settings	7	Noise emissions	43 dBA		•
				Rinse	•
				Wash programs	6
Consumption		Power requirements			
Energy rating	3.5 star	Amperage	5A	Water connection	
Energy usage	136kWh/year		50Hz		
In-use energy carbon emissions estimate	88.6kgCO2e/year	Supply frequency		Water pressure	30kPa - 1000 kPa
Water consumption (per wash cycle)	6.9L	Supply voltage	220 - 240V	Water supply	3/4" BSP (20mm) Connector Water
Water rating	4.5 star (WELS)	-			Inlet Hose
		Product dimensions			
Controls		Depth	553 mm		
Electronic feeth (Die en esticio die dec		Height	454 mm	SKU	82320
Electronic fault/Diagnostic indicator	•	Width	599 mm		
End of cycle beeps	•				in this ways and to the the sweeting
Energy saving delay start option of up to 1 hours	•			The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these	
Internal wash selector	•	Warranty		dimensions and specifications may change at any time. You should therefore	
Keylock	•	Parts and labour	2 years	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel	
Knock to pause	•		-	Appliances Ltd 2020	
Mison to pudde	-				

QUICK REFERENCE GUIDE > DD60STI9 Date: 17.12.2024 > 3

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Integrated Single DishDrawer™ Dishwasher

2D-DXF Integrated Single DishDrawer™ Dishwasher

Data Sheet Integrated Single DishDrawer™ Dishwasher

↓ Energy & Water Label DishDrawer™ Dishwasher

↓ Energy and Water Label

↓ Service & Warranty

↓ Installation Guide Single DishDrawer™ Dishwasher

↓ Planning Guide Integrated Single DishDrawer™ Dishwasher

↓ Quick Start Guide

↓ Revit Single DishDrawer™ Dishwasher

↓ Rhino Single DishDrawer™ Dishwasher

J Sketchup Single DishDrawer™ Dishwasher

↓ User Guide DishDrawer™ Dishwasher

Wash Program Data DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

