

61cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge




<p>Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB

Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Stainless steel door panel	RD6121R10D
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110

Installation Dimensions	
Minimum inside width of cabinetry frame	610 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm

Product information	
Packaged weight	137 kg
Unpackaged weight	117 kg

Performance	
ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Noise emissions	42 dBA
Noise emissions class	D
Sabbath mode	•
Variable temperature zones	2

Warranty	
Parts and labour	2 years
Sealed system parts only	3 years

Capacity	
Total gross capacity	383 L
Volume	351 L
Volume refrigerator	351 L

SKU	26136
-----	--------------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Consumption	
Energy consumption	179kWh/year
Energy rating	3 ticks

Power requirements	
Rated current	10 A
Supply frequency	50 Hz
Supply voltage	220 - 240 V

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DWG Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DWG Integrated Column Fridge
- [↓](#) 2D-DXF Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DXF Panel Preparation
- [↓](#) 2D-DXF Integrated Column Fridge
- [↓](#) Service & Warranty
- [↓](#) Installation Guide Toe Kick
- [↓](#) Installation Guide Integrated Column Refrigerator
- [↓](#) Planning Guide Integrated Refrigeration EN
- [↓](#) Revit Integrated Column Refrigerator
- [↓](#) Revit 20 Refrigerator

Features	
Adjustable door shelves	4
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
Stackable bottle holders	4

Product dimensions	
Depth	610 mm
Height	2134 mm
Width	603 mm

- [↓](#) Rhino Integrated Column Refrigerator
- [↓](#) Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- [↓](#) Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- [↓](#) Rhino 6 Refrigerator
- [↓](#) SketchUp Refrigerator
- [↓](#) Sketchup Integrated Column Refrigerator
- [↓](#) Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- [↓](#) Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- [↓](#) User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T +65 6741 0777 W www.fisherpaykel.com