# 60cm Series 9 Minimal Pyrolytic Oven

Series 9	Minima
----------	--------

#### Black



A highlight of the Fisher & Paykel collection, this Series 9 oven with touchscreen ensures that every dish is cooked to perfection.

- Touchscreen guided cooking capability offers helpful tips for different food types as well as full recipes
- 85L total capacity with 16 oven functions including Roast and Pastry Bake
- Moisture level control with ActiveVent<sup>™</sup> technology

· Pyrolytic self-cleaning function breaks down food residue for an easy clean

# DIMENSIONS

Height	598 mm
Width	596 mm
Depth	565 mm

# FEATURES & BENEFITS

#### **Cook With Confidence**

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favourite method, a hero ingredient, or a go-to cooking function or recipe.

#### **Generous Capacity**

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

#### **Exceptional Performance**

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech circulates heat evenly for a consistent temperature.

#### Multi-Function Flexibility

The cooking functions have each been tailored, tested, tweaked and perfected to ensure that no matter what you're cooking, you've got the right heat to match. A Wireless Temperature Sensor precisely monitors cooking in real time, giving you complete control.

## Self-Cleaning

Our pyrolytic self-cleaning technology breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

#### **Design Freedom**

Available in an elegant black or a stylish black with stainless steel, this oven is designed to fit seamlessly into your kitchen. Premium materials and detailing to support a cohesive, considered kitchen design.

## SPECIFICATIONS

#### Accessories (included)

Full extension sliding shelves	2 sets
Grill rack	1 set
Roasting dish	1
Smokeless grill tray	1
Step down wire shelf	1
Wired temperature sensor	1

#### Capacity

Shelf positions	6
Total capacity	85 L
Usable capacity	72 L

#### Cleaning

Acid resistant graphite enamel	•
Pyrolytic self-clean	•
Removable oven door	•
Removable oven door inner glass	•

### QUICK REFERENCE GUIDE > OB60SDPTB1

Removable shelf runners	•
Controls	
Adjustable audio and display settings	
Automatic cooking/minute timer	•
Automatic pre-set temperatures	•
Celsius/Fahrenheit temperature	•
Certified Sabbath mode	•
Electronic clock	•
Electronic oven control	•
Food probe	•
Guided cooking by food type and recipes	•
Intuitive touchscreen display	•
Multi-language display	UK English, US English, Simplified
	Chinese, Français,
Soft close doors	Chinese, Français, Español •
Functions	
Functions	
Functions Air fry	
<b>Functions</b> Air fry Bake	
<b>Functions</b> Air fry Bake Classic bake	
<b>Functions</b> Air fry Bake Classic bake Dehydrate	
<b>Functions</b> Air fry Bake Classic bake Dehydrate Fan bake	
Functions Air fry Bake Classic bake Dehydrate Fan bake Fan forced	
Functions Air fry Bake Classic bake Dehydrate Fan bake Fan forced Fan grill	
Functions Air fry Bake Classic bake Dehydrate Fan bake Fan forced Fan grill Grill	Español • • • • • • • • • • • • • • • • • • •

Pizza bake	•
Pyrolytic self-clean	•
Rapid proof	•
Roast	•
Slow cook	
Vent bake	•
Warm	•
Performance	
ActiveVent™ system	
AeroTech™ technology	•
Automatic rapid pre-heat	•
Grill power	3000 W
Whisper quiet cooking	•
Power requirements	
Amperage Supply frequency Supply voltage	50 Hz
Supply frequency Supply voltage	50 Hz
Supply frequency Supply voltage	50 Hz 220 - 240 V
Supply frequency Supply voltage Product dimensions	15 A 50 Hz 220 - 240 V 565 mm 598 mm
Supply frequency Supply voltage Product dimensions Depth	50 Hz 220 - 240 V 565 mm 598 mm
Supply frequency Supply voltage Product dimensions Depth Height	50 Hz 220 - 240 V 565 mm

Catalytic venting system	•
Control panel key lock	•
CoolTouch door	
Non-tip shelves	•
Warranty	
Parts and labour	1 year
SKU	8191
The product dimensions and specifications in this page	apply to the specific
product and model. Under our policy of continuous imp dimensions and specifications may change at any time.	You should therefore
check with Fisher & Paykel's Customer Care Centre to e correctly describes the model currently available. © Fisl	

# Other product downloads available at fisherpaykel.com

$\overline{1}$	2D-DWG Oven
$\overline{1}$	2D-DXF Oven
$\overline{1}$	Data Sheet Oven
$\overline{1}$	Service & Warranty
$\overline{1}$	Installation Guide
$\overline{1}$	Revit Oven
₹	Rhino Oven
$\overline{1}$	Restriction of Hazardous Substances
$\overline{1}$	Restriction of Hazardous Substances
$\overline{1}$	Sketchup Oven
$\overline{1}$	Specification Guide Oven

\_\_\_\_

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.