QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 18.10.2024 > 1

46cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.


- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Depth

Height 2134 mm
Width 451 mm



FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

Mix & Match

610 mm

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 18.10.2024 > 2

Perfect Fit		Total net volume	188L	Performance	
These models fit flush, with only 3mm gaps around them and		Volume	220 L	ActiveSmart™ Foodcare	•
no visible hinges or grilles. Our Integrated Column models can		Volume freezer	220 L	Adaptive defrost	•
be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.				Dual evaporator	
parenase car etaimese etcer acci parien				Frost free	•
SPECIFICATIONS		Features		Frost free freezer	•
		Adjustable door shelves	4	Inverter controlled compressor	•
Accessories (included)		Adjustable glass cantilevered shelves	•	Noise emissions	42 dBA
Joiner kit	AJ-RS21LR	Adjustable glass shelves	3	Noise emissions class	D
		SmartTouch interface at counter height	•	Sabbath mode	•
		Water Filter	847200	Variable food modes	Soft freeze;
Accessories (sold separately)					Freeze; Deep Freeze
Door panel stainless steel Left hinge 457mm	RD4621L10D	Freezer Features		Variable temperature zones	2
Door panel stainless steel Right hinge 457mm	RD4621R10D	Automatic ice maker	•		
Handle kit Classic	AHCLRDSF	Bottle chill	•	Power requirements	
Handle kit Contemporary round, aluminium	AHSRDSF	Door alarm	•	Rated current	10 A
Handle kit Contemporary square fine,	AHD5RDSF	Fast freeze	•	Supply frequency	50 Hz
aluminium		Freezer bins	4	Supply voltage	230 V
Handle kit Contemporary square fine, black	AHD5RDSFB	Ice Boost	•	Supply voltage	230 V
Handle kit Professional round flush	AHP3RDSF	LED bin lighting	•		
Joiner kit	AJ-RS21LR	LED ceiling lighting	•	Product dimensions	
Toe kick stainless steel 1067mm	AKRS10710	LED side lighting	•	D	610
Toe kick stainless steel 1220mm	AKRS12210	SmartTouch interface at counter height	•	Depth	610 mm
Toe kick stainless steel 1676mm	AKRS16810			Height	2134 mm
Toe kick stainless steel 1828mm	AKRS18310			Width	451 mm
Toe kick stainless steel 457mm	AKRS04610	Installation Dimensions			
Water filter replacement	847200 - FWC3	Minimum inside width of cabinetry frame	457 mm	Product information	
		Minimum internal depth of cabinetry	635 mm	Dadraged weight	110 1
Capacity		Minimum internal height of cabinetry	2134 mm	Packaged weight	118 kg
Capacity				Unpackaged weight	100 kg

242 L

Total gross capacity

QUICK REFERENCE GUIDE > RS4621FRJK1 Date: 18.10.2024 > 3

Warranty

Parts and labour	2 years
Sealed system parts only	5 years

SKU 26140

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Column Freezer
- 2D-DWG Integrated Column Freezer Hinge
- 2D-DWG Integrated Column Freezer Panel Prep
- ↓ 2D-DXF Integrated Column Freezer
- 2D-DXF Integrated Column Freezer Hinge
- 2D-DXF Integrated Column Freezer Panel Prep
- J. DataSheet Chest Freezer with 30inch Trim
- Data Sheet Integrated Column Freezer Dual Install (457mm + 610mm)
- Data Sheet Integrated Column Freezer Dual Install (457mm +762mm)
- Data Sheet Integrated Column Freezer with Contemporary Square Handle Kit
- → Data Sheet Integrated Column Freezer with Contemporary Round Handle Kit
- ↓ Energy Label
- Service & Warranty

- Water Filter Replacement Instructions & Installation Guide EN
- Installation Guide Toe Kick
- ↓ Installation Guide Integrated Column Refrigerator
- Key Purchase Decisions Integrated Columns
- Planning Guide
- Revit Integrated Column Freezer
- Rhino Integrated Column Freezer
- → Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- ↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com