QUICK REFERENCE GUIDE > DD60DHI9

# Integrated Double DishDrawer Dishwasher, Sanitise

Series 9 | Integrated

Panel Ready



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes


 Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

#### **DIMENSIONS**

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 553 mm



# **FEATURES & BENEFITS**

# **Seamless Integration**

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers, making loading dishes simple. Flexible racking allows you to make adjustments to fit in a variety of dishes.

### Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer $^{\text{TM}}$  Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

#### True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

#### QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

#### **Knock To Pause**

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

#### **Quiet Performer**

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

# **SPECIFICATIONS**

## Accessories (included)

Cutlery basket

nic fault/Diagnostic indicator cycle beeps saving delay start option of up to 12  I wash selector to pause id indicator light appliance onnectivity  s water softener	· · · · · · · · · · · · · · · · · · ·	Depth Height Width  Warranty Parts and labour  Wash Program Modifiers  Extra Dry Quick Sanitise	553 mm 820 - 880 mm 599 mm 5 years
saving delay start option of up to 12  I wash selector  to pause id indicator light appliance onnectivity	· · · · · · ·	Warranty Parts and labour  Wash Program Modifiers Extra Dry Quick	599 mm
I wash selector  to pause id indicator light appliance onnectivity	· · · · · · ·	Warranty Parts and labour  Wash Program Modifiers  Extra Dry Quick	
to pause id indicator light appliance onnectivity	· · · · ·	Parts and labour  Wash Program Modifiers  Extra Dry  Quick	5 years
to pause id indicator light appliance onnectivity	· · · · ·	Parts and labour  Wash Program Modifiers  Extra Dry  Quick	5 years  •
id indicator light appliance onnectivity	· · ·	Wash Program Modifiers  Extra Dry  Quick	5 years
appliance onnectivity s	•	Wash Program Modifiers  Extra Dry  Quick	•
onnectivity	•	Extra Dry Quick	
s	•	Extra Dry Quick	
		Quick	
			•
		Sanitise	
water softener			•
	•	Wash modifiers	3
sisted drying	•		
protection	•		
rough detergent dispenser	•	Wash Programs	
peration	•	Delicate	
Prive™ technology	•		
			•
			•
nance		•	•
on standard cycle top drawer	43 dBA		•
		Wash programs	6
		,	
equirements			
age	10A	Water connection	
frequency	50Hz	Water pressure	100kPa - 1000kPa
voltage	220 - 240V	·	3/4" BSP (20mm)
			Connector Water Inlet Hose
	protection prough detergent dispenser peration prive™ technology  pance peration prive™ technology  prive™	orotection  nrough detergent dispenser  operation  orive™ technology  nance  on standard cycle top drawer  requirements  age  10A  frequency  50Hz	water softener sisted drying  orotection  orough detergent dispenser operation Orive™ technology  on standard cycle top drawer  on standard cycle top drawer  determinents  age  10A  Wash Programs  Wash Programs  Eco  Fast  Heavy  Medium  Rinse  Wash programs  Wash programs

QUICK REFERENCE GUIDE > DD60DHI9

SKU 82351

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG Integrated Double DishDrawer™ Dishwasher

J 2D-DWG Double DishDrawer™ Dishwasher

2D-DXF Integrated Double DishDrawer™ Dishwasher

2D-DXF Double DishDrawer™ Dishwasher

Declaration of Conformity Double DishDrawer™ Dishwasher

Energy Rating DishDrawer™ Dishwasher EN

Service & Warranty

↓ Installation Guide Double DishDrawer™ Dishwasher

L Installation Guide Double DishDrawer™ Dishwasher

Planning Guide Integrated Double DishDrawer™ Dishwasher EN

L Quick Start Guide

Revit Integrated Double DishDrawer™ Dishwasher

Rhino Integrated Double DishDrawer™ Dishwasher

Rhino Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

Sketchup Integrated Double DishDrawer™ Dishwasher

Sketchup Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

J Specification Guide Double DishDrawer™ Dishwasher EN

User Guide DishDrawer™ Dishwasher

User Guide Integrated DishDrawer™ Dishwasher

↓ Wash Program Data DishDrawer™ Dishwasher EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1800 625174 Wwww.fisherpaykel.com