QUICK REFERENCE GUIDE > OS60NDB1

Combination Steam Oven, 60cm, 9 Function

Series 9 | Contemporary

Stainless Steel




Reduce the need for oils and fats with steam cooking. Its compact size makes this perfect to pair with a warming drawer.

- · 36L total capacity
- Steam cooking allows you to cook a food in its own juices, to retain nutrients and flavour
- Cooking flexibility with nine oven functions, including five steam functions, plus Grill and Fan Forced.

 Designed to match aesthetically with companion products such as warming drawers, for flexible cooking configurations.

DIMENSIONS

Height	458 mm
Width	596 mm
Depth	562 mm



FEATURES & BENEFITS

Healthy Eating

The Steam Oven allows you to cook food in its own juices to retain nutrients and flavour, with the steam moisture reducing the need for additional oils or fats.

Sized To Suit

This compact 60cm Steam Oven can be placed almost anywhere. All companion products can be installed at a convenient height to suit your kitchen design and preference.

Simple To Use

An easy to use, intuitive display shows the time and provides useful information about functions along with a refill alert.

Easy Cleaning

Cleaning and care of the Steam Oven is easy. After each use, simply wipe the smooth stainless steel interior with a dry cloth.

Safe And Sound

Keep those inquisitive little hands safe. A child lock has been included in the design of this Built-in Steam Oven

Easy Installation

Plug in and cook straight away. The Steam Oven is easy to install, with no plumbing needed.

SPECIFICATIONS

Accessories (included)

Baking pan	1
Perforated baking tray	1
Wire shelf	1
Wired temperature sensor	1

Accessories (sold separately)

al round handle
rt 81883
t 81662 ptional)
t 81648

QUICK REFERENCE GUIDE > OS60NDB1

Capacity		Steam 130 (130°C / 265°F)	•
Shelf positions	3	Steam assist	•
Total capacity	36 L	Steam clean (oven)	•
Usable capacity	29 L		
		Performance	
Cleaning		Grill power	1500 W
Easy clean stainless steel interior	•	Steam generator	1800 W
Easy to clean formed side racks	•		
Removable water tank	•	Power requirements	
		Amperage	15 A
Controls		Supply frequency	50 Hz
Audio feedback	•	Supply voltage	220 - 240 V
Automatic cooking/minute timer	•		
Celsius/Fahrenheit temperature	•		
Electronic capacitive touch controls	•	Product dimensions	
Electronic oven control	•	Depth	562 mm
Halogen lights	•	Height	458 mm
Intuitive touchscreen display	•	Width	596 mm
Functions		Safety	
Fan forced	•	Control panel key lock	•
Fan grill		CoolTouch door	•
Grill	•		
Number of functions	9		
Recipe function	•	CIVII	01077
Ring + grill	•	SKU	81933
Steam + ring	•		

Steam 100 (100°C / 210°F)

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Combination Steam Oven 2D-DXF Combination Steam Oven Archicad Combination Steam Oven Archicad Combination Steam Oven with 600mm Trim Archicad Combination Steam Oven with 760mm Trim Data Sheet Combination Steam Oven Service & Warranty Installation Guide Installation Guide Revit Combination Steam Oven Revit Combination Steam Oven with 600mm Trim Revit Combination Steam Oven with 760mm Trim Rhino Combination Steam Oven Rhino Combination Steam Oven with 600mm Trim Rhino Combination Steam Oven with 760mm Trim Restriction of Hazardous Substances Sketchup Combination Steam Oven Sketchup Combination Steam Oven with 600mm Trim Sketchup Combination Steam Oven with 760mm Trim User Guide

Where applicable:

QUICK REFERENCE GUIDE > OS60NDB1 Date: 02.07.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.