QUICK REFERENCE GUIDE > DD24DAX9 N

Double DishDrawer Dishwasher

Series 7 | Contemporary

Stainless Steel



With a contemporary stainless steel finish, each drawer washes independently and fits a half load, so you can run one while you load the other.


- Six wash programs to suit any load, from Delicate to Heavy
- American Disabilities Act (ADA) compliant, this Double DishDrawer™ sits at an accessible height

DIMENSIONS

Height 32 5/16- 34 5/8 "

Width 23 9/16 "

Depth 22 9/16 "



FEATURES & BENEFITS

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Easy to load

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket • Kickstrip true

Capacity and loading

Accommodates round plates up to	11" (top drawer) 11" (bottom drawer)
Fixed height, foldable cupracks	•
Fold down tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Consumption

Energy usage 265kWh/year
In-use energy carbon emissions estimate 32.7kgCO2e/year

Water usage (per wash cycle)	3.44 gal running both tubs	Supply voltage	100 - 120V	Water supply	3/8" to suit Male Compression Fitting	
Controls		Product dimensions Depth	22 9/16 "			
Electronic fault/Diagnostic indicator	•	Height	32 5/16- 34 5/8 "	SKU	82328	
End of cycle beeps	•	Width	23 9/16 "			
Energy saving delay start option of up to 12 hours	•				ations in this page apply to the specific	
Rinse aid indicator light	•	Safety and compliance		product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore		
Smart appliance	•	Salety and compliance		check with Fisher & Paykel's Custom	· -	
Wi-Fi connectivity	•	ADA compliant	 correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 			
Features		Warranty		Other product downloads avail	able at fisherpaykel.com	
Fan assisted drying	•	Parts and labor	Limited 2 years			
Flood protection	•				wer™ Dishwasher	
Flow through detergent dispenser	•				er™ Dishwasher	
Motor type	BLDC	Wash Programs		Data Sheet Double DishD	rawer™ Dishwasher	
Quiet operation	•	Delicate	•	Energy Label Double Dish	Drawer™ Dishwasher	
SmartDrive™ technology	•	Fast	•	Service & Warranty		
		Heavy	•	<u>▼</u>	DishDrawer™ Dishwasher EN	
-		Medium	•	<u>*</u>	DishDrawer™ Dishwasher EN	
Performance		Normal eco	•			
Noise on standard cycle top drawer	43 dBA	Rinse	•	↓ Quick Start Guide EN↓ Guide De Démarrage Rap	ide FR	
	10 45/1	Wash programs	6	Revit Double DishDrawer		
				▼ Revit Double DishDrawer¹		
Power requirements				Rhino Double DishDrawer	™ Dishwasher	
·	10.4	Water connection		→ Rhino Double DishDrawer	™ Dishwasher	
Amperage	10A	Supplied hose to suit 3/8" (9mm) male	•		wer™ Dishwasher	
Electric circuit	3 wire	compression fitting	,	Sketchup Double DishDra	wer™ Dishwasher	
Rated current	15 A	Water pressure	30kPa - 1000 kPa	Specification Guide Doub	le DishDrawer™ Dishwasher	
Supply frequency	60Hz			User Guide DishDrawer™	Dishwasher EN	

QUICK REFERENCE GUIDE > DD24DAX9 N

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com