

# Integrated Column Refrigerator, 24"

Series 11 | Integrated


Panel Ready | Left hinge



- <p>Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.</p>
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
  - Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
  - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "



## FEATURES & BENEFITS

- Variable Temperature Zones**
- Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.
- Mix & Match**

- Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.
- Clever Energy**
- Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.
- Appealing Illumination**
- Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.
- Design Quality**
- The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.
- Easy Install**
- Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.
- Perfect Fit**
- These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.
- SPECIFICATIONS**
- Accessories (sold separately)

Handle kit Contemporary round, aluminium	AHSRDSF	<b>Features</b>  Adjustable door shelves4 Adjustable glass cantilevered shelves• Covered door shelves1 Door alarm• Fruit and vegetable bins4 Gallon door shelves1 LED bin lighting• LED ceiling lighting• LED lighting• LED side lighting• SmartTouch interface at counter height• Soft-close fruit and vegetable bins• Stackable bottle holders4	<b>Product dimensions</b>  Depth24 " Height84 " Width23 3/4 " <hr/>			
Handle kit Contemporary square fine, aluminium	AHD5RDSF		<b>Product information</b>  Packaged weight275 lbs Unpackaged weight258 lbs <hr/>			
Handle kit Contemporary square fine, black	AHD5RDSFB					
Handle kit Professional round flush	AHP3RDSF					
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA					
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC					
Joiner Kit	AJ-RS84LR					
Stainless steel door panel	24" Left hinge RD2484L4D					
Toe kick stainless steel 24"	AKRS2404					
Toe kick stainless steel 42"	AKRS4204					
Toe kick stainless steel 48"	AKRS4804		<b>Warranty</b>  Parts and labor2 years Sealed system parts & laboradditional 3 years <hr/>			
Toe kick stainless steel 54"	AKRS5404					
Toe kick stainless steel 60"	AKRS6004					
Toe kick stainless steel 66"	AKRS6604					
Toe kick stainless steel 72"	AKRS7204					
Toe kick stainless steel 78"	AKRS7804					
Toe kick stainless steel 84"	AKRS8404					
<b>Capacity</b>  Total gross capacity12.4 cu ft Volume12.4 cu ft Volume refrigerator12.4 cu ft						
<b>Consumption</b>  Energy ratingEnergy star Energy usage232kWh/year In-use energy carbon emissions estimate28.6kgCO2e/year		<b>Performance</b>  ActiveSmart™ Foodcare• Dual evaporator• Frost free• Humidity control system• Inverter controlled compressor• Sabbath mode• Variable food modesPantry; Fridge; Chill  Variable temperature zones2		<b>SKU</b> 26120  <hr/> The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020  <b>Other product downloads available at fisherpaykel.com</b>  <a href="#">↓</a> 2D-DWG Integrated Column Refrigerator <a href="#">↓</a> 2D-DXF Integrated Column Refrigerator <a href="#">↓</a> Data Sheet Integrated Column Refrigerator <a href="#">↓</a> Data Sheet Integrated Column Refrigerator Dual Install (18" + 24")		
		<b>Power requirements</b>				
		Rated current	10 A			
		Supply frequency	60 Hz			
		Supply voltage	115 V			

- ↓ Data Sheet Integrated Column Refrigerator Dual Install (24" + 24")
- ↓ Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")
- ↓ Energy Label
- ↓ Service & Warranty
- ↓ Installation Guide
- ↓ Installation Guide Toe Kick
- ↓ Guide d'installation - Instructions de Remplacement du Filtre à Eau FR
- ↓ Guide d'installation FR
- ↓ Installation Guide
- ↓ Guide d'installation FR
- ↓ Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- ↓ Planning Guide Integrated Columns
- ↓ Revit Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- ↓ SketchUp Refrigerator
- ↓ SketchUp Refrigerator
- ↓ SketchUp Refrigerator
- ↓ SketchUp Refrigerator
- ↓ SketchUp Refrigerator
- ↓ Specification Guide Integrated Column Refrigerator
- ↓ User Guide EN
- ↓ Guide d'utilisation FR
- ↓ User Guide
- ↓ Guide d'utilisation FR

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

Where applicable: