QUICK REFERENCE GUIDE > RS2484SLK1

Integrated Column Refrigerator, 24"

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.
p>


- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Depth

 Height
 84 "

 Width
 23 3/4 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

24 "

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

Handle kit Contemporary round, aluminiur	n AHS-RD84	Features		Product dimensions
Handle kit Contemporary square fine, aluminium	AHD5RDSF 25863	Adjustable door shelves	4	Depth 24 "
Handle kit Contemporary square fine, blac	k AHD5RDSFB	Adjustable glass cantilevered shelves	•	Height 84 "
	25908	Covered door shelves	1	Width 23 3/4 "
Handle kit Contemporary square, aluminiu	m AHD3-RD84	Door alarm	•	
Handle kit Professional round	AHC-RD84	Fruit and vegetable bins	4	
Handle kit Professional round flush	AHP3RDSF	Gallon door shelves	1	Product information
Handle kit Professional square	AHV2-RD84	LED bin lighting	•	Packaged weight 275 lbs
Joiner Kit	AJ-RS84LR	LED ceiling lighting	•	Unpackaged weight 258 lbs
Stainless steel door panel	24" Left hinge RD2484L4D	LED lighting	•	
Toe kick stainless steel 24"	AKRS2404	LED side lighting	•	
Toe kick stainless steel 42"	AKRS4204	SmartTouch interface at counter height	•	Warranty
Toe kick stainless steel 48"	AKRS4204 AKRS4804	Soft-close fruit and vegetable bins	•	Parts and labor 2 years
Toe kick stainless steel 46	AKRS5404	Stackable bottle holders	4	Sealed system parts & labor additional 3 years
	AKRS6004			
Toe kick stainless steel 60"				
Toe kick stainless steel 66"	AKR\$6604	Performance		SKU 26120
Toe kick stainless steel 72"	AKR\$7204	ActiveSmart™ Foodcare	•	560 20120
Toe kick stainless steel 78"	AKR\$7804	Dual evaporator	•	
Toe kick stainless steel 84"	AKRS8404	Frost free	•	The product dimensions and specifications in this page apply to the specific
-		Humidity control system	•	product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore
Capacity		Inverter controlled compressor	•	check with Fisher & Paykel's Customer Care Centre to ensure this page
	12.4 cu ft	Sabbath mode	•	correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Total gross capacity Volume	12.4 cu ft	Variable food modes	Pantry; Fridge;	Appliances Eta 2020
			Chill	
Volume refrigerator	12.4 cu ft	Variable temperature zones	2	Other product downloads available at fisherpaykel.com
Consumption		Power requirements		
Energy rating	Energy star	Rated current	10 A	
Energy usage	232kWh/year	Supply frequency	60 Hz	Data Sheet Integrated Column Refrigerator
In-use energy carbon emissions estimate	28.6kgCO2e/year	Supply voltage	115 V	Data Sheet Integrated Column Refrigerator Dual Install (18" + 24")
		cappi, voitage	115 V	

QUICK REFERENCE GUIDE > RS2484SLK1 Date: 19.06.2024 > 3

- Data Sheet Integrated Column Refrigerator Dual Install (24" + 24")
- Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")
- ↓ Energy Label
- ↓ Service & Warranty
- ↓ Installation Guide Toe Kick
- ↓ Guide d'installation Instructions de Remplacement du Filtre à Eau FR
- J. Installation Guide
- ↓ Guide d'installation FR
- ↓ Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- ▶ Planning Guide Integrated Columns
- ↓ Revit Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- Rhino Refrigerator
- ↓ Rhino Refrigerator
- ↓ Rhino Refrigerator
- J. SketchUp Refrigerator
- J. SketchUp Refrigerator
- SketchUp Refrigerator
- SketchUp Refrigerator
- ↓ SketchUp Refrigerator
- Specification Guide Integrated Column Refrigerator
- ↓ User Guide EN
- J. Guide d'utilisation FR
- User Guide
- ↓ Guide d'utilisation FR

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com

Where applicable: