QUICK REFERENCE GUIDE > OR36SDG6X1

36" Series 9 Contemporary 5 Burner Dual Fuel Self-Cleaning Range

Series 9 | Contemporary

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop with powerful burners is paired with a large convection oven with nine functions.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Convection oven with 4.9 cu.ft total capacity, nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for making bread

- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height 35 3/4 - 37 1/4 "

Width 35 7/8 "

Depth 25 1/4 "

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials with glowing halo all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension telescopic shelves

2 sets (part 578744)

Grill rack

true

Small pot support

1 (part 533981 cast)

Accessories (sold separately)

Kick strip, stainless steel (optional)

Wok grate included

Yes

Burner ratings

Dual wok burner inner/outer (LPG)

Dual wok burner inner/outer (natural gas)

Maximum burner power

Semi-rapid burner (LPG)

Semi-rapid burner (natural gas)

Total cooktop power

Triple ring wok burner (LPG) x2

1000 - 18000BTU

1500 - 18000BTU

1500 - 7600BTU

1500 - 8000BTU

62000 BTU

| Triple ring wok burner (natural gas) x2 | 6100 - 14000BTU | Sabbath mode | • | Oven functions | |
|---|-----------------|---|--|------------------------------|-------------------|
| | | Turned stainless steel clock buttons | • | Aero Broil | • |
| | | Turned stainless steel clock crown (dial) | • | Aero™ Bake | • |
| Capacity | | Turned stainless steel dials with illuminated | • | Aero™ Pastry with Pizza mode | • |
| Shelf positions | 7 | halos | | Bake | • |
| Total capacity | 4.9 cu ft | | | Broil | • |
| Usable capacity | 4.3 cu ft | Gas Requirements | | Maxi Broil | • |
| | | • | 44". \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Number of functions | 9 |
| | | Supply Pressure (LPG) | 11" W.C.P | Pyrolytic self-clean | • |
| Cleaning | | Supply Pressure (natural gas) | 4" W.C.P | Rapid proof | • |
| Acid resistant graphite enamel | • | | | Roast | • |
| Dishwasher proof trivets | • | Main oven functions | | True Aero | • |
| Drop down broil element | • | | | | |
| Flat easy clean glass surface | • | Warm | • | | |
| Pyrolytic proof shelf runners | • | | | Oven performance | |
| Pyrolytic self-clean | • | Oven features | | Broil power | 4300 W |
| Removable oven door | • | | | CoolTouch door | Quadruple glazed |
| Removable shelf runners | • | AeroTech™ technology | • | Warming drawer power | 220 W |
| | | Automatical and least | • | | |
| | | Automatic rapid pre-heat | • | | |
| Controls | | Concealed element | • | Power Requirements | |
| Audio feedback | • | Electronic oven control | • | Amperage | 30 A |
| Automatic cooking/minute timer | • | Full extension telescopic sliding shelves | 4 25 \ | Supply frequency | 60 Hz |
| Automatic pre-set temperatures | • | Internal light | 4 x 25W halogen (2 side & 2 top) | Supply voltage | 120 - 240 V |
| Celsius/Fahrenheit temperature | • | Soft open/close door | • | | |
| Electronic capacitive touch controls | • | True convection | • | | |
| Electronic clock | • | Turned stainless steel clock dial | • | Product Dimensions | |
| High resolution display | • | Twin cavity fans | • | Depth | 25 1/4 " |
| Laser etched graphics | • | Warming drawer | • | Height | 35 3/4 - 37 1/4 " |
| Metal illuminated dials | • | | | Width | 35 7/8 " |
| Precise electronic temperature control | • | | | | |

QUICK REFERENCE GUIDE > OR36SDG6X1 Date: 17.10.2024 > 3

Rangetop features

Brass burner spreader (power burner)

Embossed brass burner cap (power burner)

Hob rail

LPG / Natural Gas compatible

Sealed range top

Rangetop Performance

Number of burners 5

Safety

ADA compliant

Advanced cooling system

Anti-tilt bracket

Balanced oven door

Catalytic venting system

CoolTouch door

Full extension telescopic shelves

Spill containment

•

Anti-tilt bracket

•

Catalytic venting system

•

Spill containment

•

Spill containment

•

Spill containment

•

Advanced cooling system

•

Spill containment

•

Spill containment

•

Spill containment

Warranty

Parts and labor 2 years

SKU 82762

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ Service & Warranty

↓ Installation Guide EN

↓ Guide d'installation FR

Revit Dual Fuel Range

, Rhino Dual Fuel Range

Sketchup Dual Fuel Range

User Guide Freestanding Range EN

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

