QUICK REFERENCE GUIDE > OR90SDG6X1 Date: 17.10.2024 > 1

# 90cm Series 9 Contemporary 5 Burner Dual Fuel Pyrolytic Cooker

Series 9 | Contemporary

Stainless Steel



Get the best of both worlds with dual fuel performance. A spacious gas cooktop is paired with a large convection oven with rotisserie.

- · Gas cooktop with five burners including wok burners
- Convection oven with 140L capacity and nine oven functions including Pastry Bake with pizza mode, and Rapid Proof
- Non-tip full-extension shelves for safe removal of hot dishes


- Pyrolytic self-clean that breaks down food residue for an easy clean
- Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth

### **DIMENSIONS**

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



#### **FEATURES & BENEFITS**

## Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

#### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, precise electric temperature control and chromed cast zinc dials all add up to an exceptional, premium freestanding cooker.

#### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Easy Cleaning

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

#### Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

#### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### **SPECIFICATIONS**

#### Accessories (included)

Flat wire shelf	
Full extension sliding shelves	2 sets (par 578744)
Full extension telescopic shelves	2 sets (par 578744)
Grill rack	true
Roasting dish	
Rotisserie set	1 se

Small pot support	1 (part 533981 cast)	Removable oven door inner glass	•	Soft open/close door	•
6	Cast)	Removable shelf runners	•	True convection	•
Step down wire shelf	•			Twin cavity fans	•
				Warming drawer	•
Accessories (sold separately)		Controls			
		Audio feedback	•		
Kick strip, stainless steel (optional)	KICKOR90X1	Automatic cooking/minute timer	•	Oven functions	
		Automatic pre-set temperatures	•	Bake	•
Burner ratings		Celsius/Fahrenheit temperature	•	Fan bake	•
burner racings		Electronic clock	•	Fan forced	•
Dual wok burner inner/outer (LPG)	14.9MJ/h	High resolution display	•	Fan grill	•
Dual wok burner inner/outer (natural gas)	16.2MJ/h	Laser etched graphics	•	Grill	•
Maximum burner power	16.2MJ/h	Precise electronic temperature control	•	Number of functions	9
Semi-rapid burner (LPG) x2	5.8MJ/h	Sabbath mode	•	Pastry Bake with Pizza mode	•
Semi-rapid burner (natural gas) x2	6.5MJ/h	Turned stainless steel clock buttons	•	Rapid proof	•
Total cooktop power	58.0MJ/h	Turned stainless steel clock crown (dial)	•	Roast	•
Triple ring wok burner (LPG) x2	14.4MJ/h	Turned stainless steel dials with illuminated	•	Rotisserie	•
Triple ring wok burner (natural gas) x2	14.4MJ/h	halos		True convection	•
Capacity		Installation Dimensions		Oven performance	
Shelf positions (main oven)	6	Installation cutout dimensions (Depth)	600 mm	·	
Total capacity	140 L	Installation cutout dimensions (Width)	900 mm	CoolTouch door	Quadruple glazed
Usable capacity (main oven)	120 L			Warming drawer power	202 W
		Oven features		Power requirements	
Cleaning		AeroTech™ technology	•	•	27.1
Acid resistant graphite enamel	•	Automatic rapid pre-heat	•	Amperage	23 A
Drop down grill element	•	Electronic oven control	•	Supply frequency	50 Hz
Pyrolytic proof shelf runners	•	Full extension telescopic sliding shelves	•		
Pyrolytic self-clean	•	Internal light	4 x 25W halogen	Product dimensions	
Removable oven door	•		(2 side & 2 top)		

QUICK REFERENCE GUIDE > OR90SDG6X1 Date: 17.10.2024 > 3

Depth	600 mm
Height	898 - 946 mm
Width	897 mm

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



## Rangetop features

Brass burner spreader (power burner)	
Embossed brass burner cap (power burner)	
Hob rear trim	60 mm
LPG / Natural Gas compatible	
Sealed range top	

# Rangetop Performance

Number of burners

## Safety

Advanced cooling system	
Anti-tilt bracket	
Balanced oven door	
Catalytic venting system	
CoolTouch door	
Flame failure system	
Full extension telescopic sliding shelves	
Non-tip shelves	
Spill containment	26 I

SKU 81687

#### Other product downloads available at fisherpaykel.com

$\underline{ullet}$	Service & Warranty
$\underline{ullet}$	Installation Guide
$\underline{\downarrow}$	Installation Guide - Kick Strip
$\underline{\downarrow}$	Revit Dual Fuel Cooker
$\underline{\downarrow}$	Rhino Dual Fuel Cooker
$\underline{\downarrow}$	Sketchup Dual Fuel Cooker
$\underline{\downarrow}$	User Guide
1	User Guide Dual Fuel Cooker

#### Where applicable:

5

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.