QUICK REFERENCE GUIDE > RS6019BRU1 Date: 17.10.2024 > 1

# 60cm Series 9 Integrated Refrigerator Freezer, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 4mm gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

· Easy-to-use touch-control panel and Wi-Fi capability

# **DIMENSIONS**

Height 1870 mm
Width 592 mm
Depth 576 mm

# **FEATURES & BENEFITS**

#### Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

## Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

## Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

# Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

## Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

#### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

#### **SPECIFICATIONS**

### Accessories (included)

Hinge change (from right hinge to left hinge)

### Accessories (sold separately)

Door panel set stainless steel Right hinge RD6019BR, Left hinge RD6019BL

Handle kit Classic AHCLRDB

Handle kit Contemporary round, aluminium AHSRDB19

Handle kit Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort fourth control ponel   Sobobut mode   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort fourth control ponel   Sobobut mode   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS   Smort applicance   Investment of the Contemporary squeme fine, Black   AHOSROBINS							
Amale let Contemporary square fine, black   AHDSRDB198   Smart appliance   Smart a		AHD5RDB19	LED side lighting	•	Humidity control system	•	
Handle kit Professional round fluid   AHP3RDB19   AJRS181   AJRS181   Valer tank capacity   1		ν ΔΗΝ5DNR1QR	Smart appliance	•	Inverter controlled compressor	•	
Stackable bottle holders			SmartTouch control panel	•	Sabbath mode	•	
Toe kick stainless steel 1800mm         AKRS12010         Water tank capacity         11         Power requirements           Toe kick stainless steel 1800mm         AKRS12010         Freezer Features         Supply Yeltagen         10 A         10 A           Water filter replacement         847200 - FWC3         Automatic lor maker         Supply Yeltage         320 V         320 V           Capacity         Bottle chill         -         Product dimensions         Product dimensions         Freezer bins         3 Depth         576 mm           Volume         303 L         Ice Boost         -         Height         1870 mm           Volume refrigerator         180 L         Ice making rate per day         1 kg         Width         592 mm           Volume refrigerator         180 L         Ice De celling lighting         -         Warranty         Parts and labour         5 years           Energy rating         D         Installation Dimensions         Sealed system parts only         5 years           Energy valuese energy carbon emission estimate         40.6kgCO2e/year         Minimum internal height of cabinetry         600 mm         KU         AC         AC         The product dimensions in his page apply to the specifications in his page apply to the specific produce and model. Under our palloy of continuous improvement, these dimensions and specificat			Stackable bottle holders	2			
Toe kick stainless steel 1800mm			Water tank capacity	1 L			
Total gross capacity   328 L   Freezer Features   Supply voltage   Suppl					Power requirements		
Water filter replacement  847200 - FWC3  Automatic lee maker  Bottle chill  Door alarm  Feat freeze  Fast freeze  Fast freeze  Forduct dimensions  Total gross capacity  328 L Freezer bins  108 Doors  109 Doors					Rated current	10 A	
Automatic ice maker  Bottle chill  Capacity  Capacity  Total gross capacity  328 L Freezer bins  10e Boost  10			Freezer Features		Supply frequency	50 Hz	
Door alarm   Fast freeze   F	Water filter replacement	84/200 - FWC3	Automatic ice maker	•	Supply voltage	230 V	
Total gross capacity 328 L Total gross capacity 328 L Volume 303 L Volume 303 L Volume 123 L Volume 123 L Volume receze 123 L Volume refrigerator 180 L Volume refrigerator 180 L LED bin lighting 1 LED bin lighting 1 LED side l			Bottle chill	•			
Features  Adjustable door shelves  Covered d	Capacity		Door alarm	•			
Volume (123 L) Volume freezer 123 L Volume refrigerator 123 L Volume refrigerator 126 L LED bin lighting			Fast freeze	•	Product dimensions		
Volume freezer 123 L Volume refrigerator 180 L LED bin lighting LED ceiling lighting LED side lighting			Freezer bins	3	Depth	576 mm	
Consumption   LED bin lighting   LED bin lighting   LED ceiling lighting   LED ceiling lighting   LED side lighting   LED si			Ice Boost	•	Height	1870 mm	
LED bin lighting  LED celling lighting  Parts and labour  Sealed system parts only  Sealed sys			Ice making rate per day	1 kg	Width	592 mm	
LED side lighting Barranty  Consumption  Energy rating D  Energy usage 204kWh/year Installation Dimensions  In-use energy carbon emissions estimate 40.6kgCO2e/year Minimum instemal depth of cabinetry frame 600 mm  Minimum internal depth of cabinetry 600 mm  Minimum internal height of cabinetry 800 mm  Features  Adjustable door shelves 4  Adjustable glass cantilevered shelves 1  ActiveSmart™ Foodcare Covered door shelves 1  Adaptive defrost Adaptive defrost Internal water dispenser 1  LED bin lighting • Foot free • Fo	Volume refrigerator	180 L	LED bin lighting	•			
Consumption  Energy rating  D  Installation Dimensions  Insue energy carbon emissions estimate  Adjustable door shelves  Covered door shelves  Covered door shelves  Door alarm  Door alarm  Internal water dispenser  LED bin lighting  D  ACTIVES ARREL  D  D  ACTIVES ARREL  D  D  Adaptive defrost  Doul evaporator  Frost free  Parts and labour  Sealed system parts only  Sealed syste			LED ceiling lighting	•			
Energy rating D	Consumption		LED side lighting	•	Warranty		
Energy usage 204kWh/year Installation Dimensions In-use energy carbon emissions estimate 40.6kgCO2e/year Minimum inside width of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal height of cabinetry 1880 mm  Features  Adjustable door shelves 4 Adjustable glass cantilevered shelves • Performance  Covered door shelves 1 ActiveSmart™ Foodcare 1 ActiveSmart™ Foodcare 1 Adaptive defrost  • Adaptive defrost • Dual evaporator • Dual evaporator • Dual evaporator • Frost free	•	_			Parts and labour	5 years	
In-use energy carbon emissions estimate 40.6kgCO2e/year  Minimum inside width of cabinetry frame 600 mm Minimum internal depth of cabinetry 600 mm Minimum internal height of cabinetry 1880 mm  Features  Adjustable door shelves  Adjustable glass cantilevered shelves  Covered door shelves  1 ActiveSmart™ Foodcare  Door alarm  Internal water dispenser  Dual evaporator  Frost free  Minimum inside width of cabinetry frame 600 mm Minimum internal height of cabinetry 1880 mm  SKU  SKU  26210  The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020  LED bin lighting					Sealed system parts only	5 years	
Minimum inside width of cabinetry frame 600 mm  Minimum internal depth of cabinetry 600 mm  Minimum internal height of cabinetry 1880 mm  Adjustable door shelves  Adjustable glass cantilevered shelves  Covered door shelves  1 ActiveSmart™ Foodcare  Door alarm  Internal water dispenser  LED bin lighting  Minimum internal depth of cabinetry frame 600 mm  Minimum internal depth of cabinetry frame 600 mm  Minimum internal depth of cabinetry frame 600 mm  SKU  26210  SKU  26210  The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page or correctly describes the model currently available. © Fisher & Paykel Internal water dispenser  LED bin lighting  Yerich for a product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page or correctly describes the model currently available. © Fisher & Paykel Suctomer Care Centre to ensure this page or correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific attention and the product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific attention and the product and model. Under our policy of continuous improvement, these dimensions and specifications in this page apply to the specific attention and the product and model.			Installation Dimensions				
Features  Adjustable door shelves  Adjustable glass cantilevered shelves  Covered door shelves  1 ActiveSmart™ Foodcare  Door alarm  Internal water dispenser  LED bin lighting  Minimum internal height of cabinetry  Minimum internal height of cabinetry  1880 mm  SKU  26210  SKU  26210  The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Internal water dispenser  LED bin lighting  SKU  26210  SKU  26210  The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020  Appliances Ltd 2020	In-use energy carbon emissions estimate	40.6kgCO2e/year	Minimum inside width of cabinetry frame	600 mm			
FeaturesMinimum internal height of cabinetry1880 mmAdjustable door shelves4The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this pageCovered door shelves1ActiveSmart™ Foodcare•check with Fisher & Paykel's Customer Care Centre to ensure this pageDoor alarm•Adaptive defrost•correctly describes the model currently available. © Fisher & PaykelInternal water dispenser•Dual evaporator•Appliances Ltd 2020LED bin lighting•Frost free•			Minimum internal depth of cabinetry	600 mm	01/41	00010	
Adjustable glass cantilevered shelves  • Performance  Covered door shelves  Door alarm  Internal water dispenser  LED bin lighting  • Performance  • ActiveSmart™ Foodcare  • Adaptive defrost  • Dual evaporator  • Dual evaporator  • Frost free  • Frost free  • Performance  • Internal water dispenser Adaptive defrost  • Dual evaporator  • Performance  • Covered door shelves  • Adaptive Dodare  • Adaptive defrost  • Adaptive defrost  • Dual evaporator  • Performance  • Covered door shelves  • Correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020  • Appliances Ltd 2020  • Performance  • Performance  • Adaptive defrost  • Dual evaporator  • Performance  • Covered door shelves  • Covered with Fisher & Paykel's Customer Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Adaptive defrost  • Adaptive defrost  • Adaptive defrost  • Appliances Ltd 2020  • Performance  • Performance  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Centre to ensure this page  • Covered year Care Care Centre to ensure t	Features		Minimum internal height of cabinetry	1880 mm	SKU	26210	
Adjustable glass cantilevered shelves  Covered door shelves  1 ActiveSmart™ Foodcare  Adaptive defrost Internal water dispenser  LED bin lighting  Performance  Performance  Adjustable glass cantilevered shelves  ActiveSmart™ Foodcare  ActiveSmart™ Foodcare  ActiveSmart™ Foodcare  ActiveSmart™ Foodcare  ActiveSmart™ Foodcare  Adaptive defrost Dual evaporator  Frost free  Poodcare  ActiveSmart™ Foodcare  Check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020  Frost free  Frost free  ActiveSmart™ Foodcare  Correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020  Appliances Ltd 2020	Adjustable door shelves	4			The considerate discount of the little of th		
ActiveSmart™ Foodcare  Door alarm  Internal water dispenser  LED bin lighting  ActiveSmart™ Foodcare  Adaptive defrost  Dual evaporator  Frost free  ActiveSmart™ Foodcare  Adaptive defrost  Dual evaporator  Frost free  ActiveSmart™ Foodcare  Check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020  Frost free  Check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel's Customer Care Centre to ensure the page correctly available. © Fisher & Paykel's Customer Care Centre to ensure the page correctly available. © F	Adjustable glass cantilevered shelves	•	Performance				
Door alarm  Adaptive defrost Internal water dispenser  Dual evaporator  Frost free  Adaptive defrost  Dual evaporator  Frost free  Correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020  *  Correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020  *  *  Correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020  *  *  Correctly describes the model currently available. © Fisher & Paykel  Appliances Ltd 2020  *  *  *  *  *  *  *  *  *  *  *  *  *	Covered door shelves	1	ActivoSmart™ Foodcara	_			
Internal water dispenser  LED bin lighting  Adaptive defrost  Dual evaporator  Frost free  Appliances Ltd 2020   Appliances Ltd 2020   Company of the defrost of the defros	Door alarm	•		•			
LED bin lighting  • Frost free  • • • • • • • • • • • • • • • • • •	Internal water dispenser	•		•	Appliances Ltd 2020		
	LED bin lighting	•	·	•			
	LED ceiling lighting	•	Frost tree	•			

QUICK REFERENCE GUIDE > RS6019BRU1 Date: 17.10.2024 > 3

#### Other product downloads available at fisherpaykel.com

- 2D-DWG Refrigerator Freezer
- ↓ 2D-DWG Refrigerator Freezer with Custom Panel
- ↓ 2D-DXF Refrigerator Freezer
- ↓ 2D-DXF Refrigerator Freezer with Custom Panel
- ↓ ArchiCAD 23 Refrigerator Freezer
- ↓ Declaration of Conformity Refrigeration with WiFi Capability
- Declaration of Conformity
- Energy Label Integrated Refrigerator and Freezer with Ice and Water
- ↓ Service & Warranty
- Installation Guide Integrated Refrigerator
- ↓ Planning Guide Refrigeration
- Product Information Sheet Integrated Refrigerator and Freezer
- Revit 18 Refrigerator Freezer
- Rhino 5 Refrigerator Freezer
- ↓ Rhino 5 Refrigerator Freezer with Custom Panel
- L Rhino 5 Refrigerator Freezer Door with Classic Round Handle
- Rhino 5 Refrigerator Freezer Door with Contemporary Round
- Rhino 5 Refrigerator Freezer Door with Professional Round Flush Handle
- Rhino 5 Refrigerator Freezer Door with Square Fine Black Handle
- ↓ Rhino 5 Refrigerator Freezer Door with Square Fine Handle
- Sketchup 8 Refrigerator Freezer
- Sketchup 8 Refrigerator Freezer with Custom Panel
- Sketchup 8 Refrigerator Freezer Door with Contemporary Round Handle
- Sketchup 8 Refrigerator Freezer Door with Professional Round Flush Handle
- Sketchup 8 Refrigerator Freezer Door with Square Fine Black Handle
- Sketchup 8 Refrigerator Freezer Door with Square Fine Handle



User Guide Integrated Refrigerator & Freezer

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com

FISHER & PAYKEL