

# 61cm Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated

Panel Ready | Right Hinge



<p>Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm

## FEATURES & BENEFITS

### VARIABLE TEMPERATURE ZONES

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

### Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

### Internal water dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

### Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customised with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

### Clever energy

ActiveSmart™ makes your refrigerator more energy efficient - adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

### Appealing illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

### Design quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

## SPECIFICATIONS

### Accessories (sold separately)

Door panel stainless steel Left hinge 610mm	RD6121L10D
Door panel stainless steel Right hinge 610mm	RD6121R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710

Toe kick stainless steel 1220mm	<b>AKRS12210</b>
Toe kick stainless steel 1372mm	<b>AKRS13710</b>
Toe kick stainless steel 1524mm	<b>AKRS15210</b>
Toe kick stainless steel 1828mm	<b>AKRS18310</b>
Toe kick stainless steel 1981mm	<b>AKRS19810</b>
Toe kick stainless steel 610mm	<b>AKRS06110</b>
Toe kick stainless steel 762mm	<b>AKRS7610</b>

Soft-close fruit and vegetable bins	•
Stackable bottle holders	<b>4</b>

SKU 26645

**Capacity**

Total gross capacity	<b>383 L</b>
Volume	<b>351 L</b>
Volume refrigerator	<b>351 L</b>

**Consumption**

Energy rating	<b>C</b>
Energy usage	<b>104kWh/year</b>

**Features**

Adjustable door shelves	<b>4</b>
Adjustable glass cantilevered shelves	•
Adjustable glass shelves	<b>3</b>
Covered door shelves	<b>1</b>
Door alarm	•
Gallon door shelves	<b>1</b>
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch control panel	•

**Performance**

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes lower compartment	<b>Pantry; Fridge; Chill</b>
Variable temperature zones	<b>2</b>

**Power requirements**

Rated current	<b>10 A</b>
Supply frequency	<b>50 Hz</b>
Supply voltage	<b>230 V</b>

**Product dimensions**

Depth	<b>610 mm</b>
Height	<b>2134 mm</b>
Width	<b>603 mm</b>


**Warranty**

Parts and labour	<b>5 years</b>
Sealed system parts only	<b>5 years</b>

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Other product downloads available at fisherpaykel.com**

- [↓](#) 2D-DWG Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DXF Integrated Refrigeration - K05 Hinge
- [↓](#) Declaration of Conformity Refrigeration with WiFi Capability
- [↓](#) Energy Label
- [↓](#) Service & Warranty
- [↓](#) Water Filter Replacement Instructions - Parts 847200 and 847201 - EN
- [↓](#) Installation Guide Toe Kick
- [↓](#) Installation Guide Integrated Column Refrigerator
- [↓](#) Planning Guide Integrated Refrigeration DA
- [↓](#) Planning Guide Integrated Refrigeration DEU
- [↓](#) Planning Guide Integrated Refrigeration DUT
- [↓](#) Planning Guide Integrated Refrigeration FIN
- [↓](#) Planning Guide Integrated Refrigeration FR
- [↓](#) Planning Guide Integrated Refrigeration HEB
- [↓](#) Planning Guide Integrated Refrigeration ITA
- [↓](#) Planning Guide Integrated Refrigeration NOR
- [↓](#) Planning Guide Integrated Refrigeration SWE
- [↓](#) Revit Refrigerator
- [↓](#) Rhino Refrigerator
- [↓](#) Rhino Refrigerator with Door Panel and Contemporary Round Handle
- [↓](#) Rhino Refrigerator with Door Panel and Contemporary Square Handle

- ↓ Sketchup Refrigerator
- ↓ Sketchup Refrigerator with Door Panel and Contemporary Round Handle
- ↓ Sketchup Refrigerator with Door Panel and Contemporary Square Handle
- ↓ Brugervejledning DA
- ↓ User Guide Integrated Refrigerator Freezer EN
- ↓ Käyttöopas FI
- ↓ HE

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 08000886605 W [www.fisherpaykel.com](http://www.fisherpaykel.com)