39cm Series 11 2 Zone Induction Cooktop, with Smart7one

Series 11 | Minimal

Black




Create the ultimate culinary solution. Designed to seamlessly integrate with the auxiliary cooktop and teppan modules, this primary cooktop features an intuitive 6" touchscreen and precision induction technology, for effortless control and perfect results.

- Select and distribute modular cooktops according to your patterns of use
- Choose from a grey or black glass finish to suit your kitchen desian

- · Effortlessly control all cooktops via the 6" touchscreen, for a unified cooking experience
- Includes our Wireless Temperature Sensor for precisely monitoring your food in real time

DIMENSIONS

| Height | 62 mm |
|--------|--------|
| Width | 385 mm |
| Depth | 530 mm |



FEATURES & BENEFITS

Modular Design Freedom

Achieve complete design freedom with our range of modular cooktops. Seamlessly integrate cooktops of various sizes into your cooking space, tailoring the setup to suit your patterns of use. This design flexibility allows you to optimise space and flow, creating a kitchen that perfectly aligns with the way you live, cook and entertain.

Complementary Design

Available in both grey and black finishes, our Minimal style modular cooktops effortlessly complement your kitchen's aesthetics. Designed to match our touchscreen ovens in both style and functionality, they offer a unified cooking experience. The flush installation ensures seamless integration into modern kitchen spaces.


Centralised Touchscreen Control

The 6" touchscreen interface is your centralised hub for all modular cooktops. Effortlessly manage auxiliary cooktops, downdraft and teppan modules, providing a streamlined cooking experience. This single screen allows you to control all cook zones and connected ventilation, ensuring a clean and sleek kitchen aesthetic. Refined on-glass graphics and the absence of physical dials further elevate our Minimal style aesthetic.

Mastery Of Temperature

Fisher & Paykel induction cooktops are designed for precision. With the added advantage of our Wireless Temperature Sensor accessory, you can master temperature in multiple ways. For steaks and proteins, monitor in real-time to achieve your desired doneness. Plus, when sous-vide cooking or poaching, the sensor works in tandem with the cooktop to maintain the ideal water temperature, removing the need for guesswork.

Flexible Cooking Area



QUICK REFERENCE GUIDE > CI392DTTB1

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items, such as a whole fish. SmartZone streamlines the cooking process and allows you to explore different culinary techniques with ease.

Superior Efficiency

Less heat is wasted during induction cooking because only the cookware is heated, not the cooktop surface. This makes induction cooking more energy-efficient than electric or gas cooktops.

Connected Home

Stay connected with the SmartHQ™ app, and easily monitor the status of active cookzones, such as power level, timer settings, and paired wireless temperature sensor readings, directly from your smartphone. The app provides real-time alerts, including timer notifications and temperature milestones, ensuring you're always informed of your cooking progress.

SPECIFICATIONS

| Accessories (included) | |
|-------------------------------|---|
| Wireless temperature sensor | 1 |
| | |
| Cleaning | |
| Flat easy clean glass surface | • |
| | |
| Controls | |
| Intuitive touchscreen display | • |
| Minute timer | • |
| Multi-language display | • |

Smart appliance • Performance • Induction cooking technology • PowerBoost • SmartZone •

Power requirements

| Connection | Power cord, stripped ends, 1 N |
|------------------|-----------------------------------|
| Maximum power | 3.7 kW |
| Service | 16 A |
| Supply | 220-240 V, 50 Hz / 60 Hz |
| Supply frequency | 50 Hz |
| Supply voltage | 220-240 V |

Product dimensions

| Depth | 530 mm |
|--------|--------|
| Height | 62 mm |
| Width | 385 mm |

Safety

| Keylock | |
|----------------------|--|
| Pan detection system | |
| Safety time out | |

Surface hot indicators

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Induction Cooktop
- ↓ 2D-DXF Induction Cooktop
- Service & Warranty

 \downarrow

.

- ↓ Installation Guide Multiple Product with Overhead Ventilation
- ↓ Installation Guide Modular Cooktop Product with Downdraft Ventilation

FISHER & PAYKEL

Planning Guide Modular Cooktop System

_

- ↓ Revit-19 Induction Cooktop
- 🛓 🛛 Rhino 6
- ✓ Sketchup 8
- ↓ User Guide Modular Cooktop System
- User Guide Primary Modular Cooktops

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com