QUICK REFERENCE GUIDE > DD60DI9

Series 9, Integrated Double DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Customise with your own front panel and handle to match your kitchen cabinetry

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 571 mm



FEATURES & BENEFITS

Ease Of Use

Independent Wash

With the ability to use both drawers independently and select different wash programs, the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function – a knock on the front panel will pause the dishwasher.

Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Kickstrip

true

Knife clip and multipurpose clip

•

Accessories (sold separately)

Door panel black stainless steel	ADDD60DPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB
Door panel recessed handle stainless steel	ADDD60STNX

DIMENSIONS

QUICK REFERENCE GUIDE > DD60DI9

Door panel stainless steel	ADDD60DPX	Features		Wash Programs	
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Fan assisted drying	•	Delicate	•
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Flood protection	•	Eco	•
Handle kit Contemporary square fine, black		Flow through detergent dispenser	•	Fast	•
, , , , , , , , , , , , , , , , , , , ,	OBDD-60SB	Motor type	BLDC	Heavy	•
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Quiet operation	•	Medium	•
Handle kit Contemporary square, black	AHD3-OBDD-60B	SmartDrive™ technology	•	Rinse	•
				Wash programs	6
Capacity and loading		Performance			
Accommodates round plates up to	280mm	Noise on standard cycle top drawer	43 dBA	Water connection	
Adjustable height, foldable cupracks	•			Water pressure	30kPa - 1000 kPa
Fold down tines	•			Water supply	3/4" BSP (20mm)
Pitch adjustable tines	•	Power requirements			Connector Water Inlet Hose
Place settings	14	Amperage	10A		
Place settings	14	Supply frequency	50Hz		
Place settings per drawer	7	Supply voltage	220 - 240V	SKU	82367
Consumption		Product dimensions		The product dimensions and specification	ns in this page apply to the specific
Water efficiency (WELS) rating	2 ticks	Depth	571 mm	product and model. Under our policy of continuous improvement, these	
Water usage (per wash cycle)	1.2L/place setting	Height	820 - 880 mm	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
		Width	599 mm		
Controls					
End of cycle beeps	•	Wash Program Modifiers		Other product downloads available at fisherpaykel.com	
Energy saving delay start option of up to 12 hours	•	Extra Dry	•	, , , , , , , , , , , , , , , , , , , ,	
Internal wash selector	•	Quick	•	2D-DWG Integrated Double DishDrawer™ Dishwasher	
Keylock	•	Sanitise	• -		shDrawer™ Dishwasher
Knock to pause	•	Wash modifiers	3	✓ Service & Warranty✓ Installation Guide Double DishDrawer™ Dishwasher	
Rinse aid indicator light	•			w installation Guide Double Dist	IDIAWCI DISHWASHEI

QUICK REFERENCE GUIDE > DD60DI9

- → Planning Guide Integrated Double DishDrawer™ Dishwasher EN
- ↓ Quick Start Guide
- ↓ Revit Double DishDrawer™ Dishwasher
- ↓ Rhino Double DishDrawer™ Dishwasher
- Rhino Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Sketchup Double DishDrawer[™] Dishwasher
- Sketchup Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ User Guide
- ↓ User Guide DishDrawer™ Dishwasher
- User Guide Integrated DishDrawer™ Dishwasher
- ↓ Water Label Integrated Double DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com