QUICK REFERENCE GUIDE > RS7621SRHK1 Date: 20.06.2024 > 1

Integrated Column Refrigerator, 76cm, Water

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with stainless steel interior.*

- · Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill

Internal water dispenser for convenient access to fresh, chilled

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm

FEATURES & BENEFITS

Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Internal Water Dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flushfit design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customised with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel	RD7621R10D (right hinge), RD7621L10D (left hinge)
Handle kit Contemporary square, aluminium	AHD3-RD21
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1524mm	AKRS15210
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810

QUICK REFERENCE GUIDE > RS7621SRHK1 Date: 20.06.2024 > 2

Toe kick stainless steel 2134mm	AKRS21310	Performance	
Toe kick stainless steel 762mm	AKR\$7610	ActiveSmart™ Foodcare	•
Water filter replacement	847200 - FWC3	Dual evaporator	•
		Humidity control system	
		Inverter controlled compressor	•
Capacity		Sabbath mode	•
Total gross capacity	498 L	Variable food modes lower compartment	Pantry; Fridge;
Volume	463 L		Chill
Volume refrigerator	463 L	Variable temperature zones	2
Consumption		Power requirements	
Energy rating	4 star	Rated current	10 A
Energy usage	203kWh/year	Supply frequency	50 Hz
		Supply voltage	230 - 230 V
In-use energy carbon emissions estimate	27.5kgCO2e/year	Supply Voltage	
In-use energy carbon emissions estimate Features	e 27.5kgCO2e/year	Product dimensions	
Features	e 27.5kgCO2e/year		610 mm
Features Adjustable door shelves		Product dimensions	
Features Adjustable door shelves Adjustable glass cantilevered shelves		Product dimensions Depth	610 mm
Features Adjustable door shelves	4	Product dimensions Depth Height	610 mm 2134 mm
Features Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves	4	Product dimensions Depth Height	610 mm 2134 mm
Features Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Covered door shelves	4	Product dimensions Depth Height	610 mm 2134 mm
Features Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Covered door shelves Door alarm	4 • 3 1	Product dimensions Depth Height Width	610 mm 2134 mm
Features Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Covered door shelves Door alarm Gallon door shelves	4 • 3 1	Product dimensions Depth Height Width Warranty	610 mm 2134 mm 756 mm
Features Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Covered door shelves Door alarm Gallon door shelves LED bin lighting	4 • 3 1	Product dimensions Depth Height Width Warranty Parts and labour	610 mm 2134 mm 756 mm
Features Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Covered door shelves Door alarm Gallon door shelves LED bin lighting LED ceiling lighting	4 • 3 1	Product dimensions Depth Height Width Warranty Parts and labour	610 mm 2134 mm 756 mm
Features Adjustable door shelves Adjustable glass cantilevered shelves Adjustable glass shelves Covered door shelves Door alarm Gallon door shelves LED bin lighting LED ceiling lighting LED side lighting	4 • 3 1	Product dimensions Depth Height Width Warranty Parts and labour	610 mm 2134 mm 756 mm

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Energy Label

Energy Label

Service & Warranty

Water Filter Replacement Instructions & Installation Guide EN

Installation Guide Toe Kick

Installation Guide Integrated Column Refrigerator

Revit Refrigerator

Rhino Refrigerator

Rhino Refrigerator with Door Panel and Contemporary Round Handle

Rhino Refrigerator with Door Panel and Contemporary Square Handle

↓ Sketchup Refrigerator

Sketchup Refrigerator with Door Panel and Contemporary Round Handle

Sketchup Refrigerator with Door Panel and Contemporary Square Handle

User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

QUICK REFERENCE GUIDE > RS7621SRHK1 Date: 20.06.2024 > 3

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com