QUICK REFERENCE GUIDE > OR90SPG6X1

90cm Series 9 Professional 5 Burner Dual Fuel Pyrolytic Cooker

Series 9 | Professional

Stainless Steel



Get the best of gas and convection technology with dual fuel. Designed to match our Professional style family of appliances.

- Five burner gas cooktop with three wok burners
- Convection oven with 140L total capacity and nine functions plus Rotisserie, including Pastry Bake, Pizza Mode and Rapid Proof
- · Non-tip full-extension shelves for safe removal of hot dishes

 Pyrolytic self-cleaning oven cycle breaks down food residue for an easy clean

DIMENSIONS

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to a premium freestanding cooker.

Easy Cleaning

The gas cooktop is made from a single piece of stainless steel to contain spills for easy cleaning. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner Power & Control

Instant control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry, or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Even Heat

Accurate, electronically controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Pyrolytic proof shelf runners	1 set
Roasting dish and grill rack set	1 set
Rotisserie set	1 set
Small pot support	l (part 533981 cast)
Step down wire shelf	•
Wok stand	1

Accessories (sold separately)

Kic	k strip,	stainless	steel	(optional) KICKOR90	Χī
-----	----------	-----------	-------	-----------	------------	----

Burner ratings

Dual wok burner inner/outer (LPG)	2.4 - 14.9MJ/h
Dual wok burner inner/outer (natural gas)	2.4 - 16.2MJ/h
Maximum burner power	16.2MJ/h
Semi-rapid burner (LPG)	2.5 - 5.8MJ/h
Semi-rapid burner (natural gas)	2.5 - 6.5MJ/h
Total cooktop power	58.0MJ/h

Triple ring wok burner (LPG) x2	6.5 - 14.4MJ/h	Sabbath mode	•	Grill	•	
Triple ring wok burner (natural gas) x2	6.5 - 14.4MJ/h	Turned stainless steel clock buttons	•	Number of functions	9 + rotisserie	
		Turned stainless steel clock crown (dial)	•	Pastry Bake with Pizza mode	•	
				Pyrolytic self-clean	•	
Capacity				Rapid proof	•	
Shelf positions	6	Installation Dimensions		Roast	•	
Total capacity	140 L	Installation cutout dimensions (Depth)	600 mm	Rotisserie	•	
Usable capacity	120 L	Installation cutout dimensions (Width)	900 mm			
				Oven performance		
Cleaning		Main oven features		CoolTouch door	Quadruple glazed	
Acid resistant graphite enamel	•	Internal light	•	Grill power	4500W	
Dishwasher proof trivets	•			Warming drawer power	202 W	
Drop down grill element	•					
Pyrolytic proof shelf runners	•	Oven features			_	
Pyrolytic self-clean	•	AeroTech™ technology	•	Power requirements		
Removable oven door	•	Automatic rapid pre-heat	•	Amperage	23 A	
Removable oven door inner glass	•	Convection	•	Supply frequency	50 Hz	
Removable shelf runners	•	Electronic oven control	•	Supply voltage	220 - 240 V	
		Full extension telescopic sliding shelves	•			
Controls		Internal light	4 x 25W halogen (2 side & 2 top)	Product dimensions		
Audio feedback	•	Soft open/close door	•	Depth	600 mm	
Automatic cooking/minute timer	•	Twin cavity fans	•	Height	898 - 946 mm	
Automatic pre-set temperatures	•	Warming drawer	•	Width	897 mm	
Celsius/Fahrenheit temperature	•					
Electronic clock	•					
High resolution display	•	Oven functions		Rangetop features		
Laser etched graphics	•	Bake	•	Brass burner spreader (power burner)	•	
- •		Fan bake •		Embossed brass burner cap (power burner) •		
Precise electronic temperature control •		Fan forced • Hob rail		•		
		Fan grill	•			

QUICK REFERENCE GUIDE > OR90SPG6X1 Date: 17.12.2024 > 3

Hob rear trim	60 mm
LPG / Natural Gas compatible	•
Sealed range top	•
Rangetop Performance	
Number of burners	5
Safety	
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
CoolTouch door	•
Flame failure system	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	2.6 L
Warranty	
Parts and labour	2 years
SKU	82725

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

<u>↓</u> 2D-DWG Professional Cooking
 <u>↓</u> 2D-DXF Professional Cooking
 <u>↓</u> Datasheet
 <u>↓</u> Service & Warranty
 ↓ Installation Guide

Where applicable:

User Guide

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

