QUICK REFERENCE GUIDE > DD60SHI9

# Series 9, Integrated Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

### **DIMENSIONS**

Height	410 mm
Width	599 mm
Depth	553 mm



## **FEATURES & BENEFITS**

## **Seamless Integration**

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

#### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

## QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

#### **Knock To Pause**

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

#### **Quiet Performer**

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

#### **SPECIFICATIONS**

## Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

•

#### Accessories (sold separately)

Door panel black stainless steel ADD60SPB

Door panel recessed handle black stainless steel

Door panel recessed handle matte black glass

ADDD60STNB

QUICK REFERENCE GUIDE > DD60SHI9 Date: 17.12.2024 > 2

Door panel recessed handle stainless steel	ADDD60STNX	Internal wash selector	•	Warranty	
Door panel stainless steel	ADDD60SPX	Keylock	•	Parts and labour	5 years
Handle kit Classic	AHCL-DDDW-60X	Knock to pause	•		2,000
Handle kit Contemporary round, aluminiun	n AHS-OBDD-60S	Rinse aid indicator light	•		
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Smart appliance	•	Wash Program Modifiers	
Handle kit Contemporary square fine, blac	k AHD5- OBDD-60SB			Extra Dry Quick	•
Handle kit Contemporary square, aluminiu	m <b>AHD3-OBDD-60S</b>	Features		Sanitise	•
Handle kit Contemporary square, black	AHD3-OBDD-60B	Built-in water softener	•	Wash modifiers	3
		Fan assisted drying	•		
		Flood protection	•		
Capacity and loading		Flow through detergent dispenser	•	Wash Programs	
Accommodates round plates up to	280mm	Motor type	BLDC	Delicate	•
Adjustable height, foldable cupracks	•	Quiet operation	•	Eco	•
Fold down tines	•	SmartDrive™ technology	•	Fast	•
Pitch adjustable tines	•			Heavy	•
Place settings	6			Medium	•
		Performance		Rinse	•
		Noise emissions	43 dBA	Wash programs	6
Consumption					
Energy rating	F				
Energy usage	61kWh/100 cycles	Power requirements		Water connection	
In-use energy carbon emissions estimate	12.1kgCO2e/100	Amperage	5A	Water pressure	100kPa - 1000kPa
	cycles	Supply frequency	50Hz	Water supply	3/4" BSP (20mm)
Water usage (per wash cycle)	7.9L	Supply voltage	220 - 240V		Connector Water Inlet Hose
Controls		Product dimensions			
Electronic fault/Diagnostic indicator	•	Depth	553 mm	SKU	82353
End of cycle beeps	•	Height	410 mm		
Energy saving delay start option of up to 1 hours	•	Width	599 mm		

QUICK REFERENCE GUIDE > DD60SHI9 Date: 17.12.2024 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG Integrated Single DishDrawer™ Dishwasher

, 2D-DXF Integrated Single DishDrawer™ Dishwasher

Data Sheet Integrated Single DishDrawer™ Dishwasher

Declaration of Conformity Single DishDrawer™ Dishwasher

Label Single DishDrawer™ Dishwasher

Service & Warranty

↓ Installation Guide Single DishDrawer™ Dishwasher

Installation Guide Single DishDrawer™ Dishwasher

, Product Information Sheet Single DishDrawer™ Dishwasher

Quick Start Guide

↓ Revit Integrated Single DishDrawer™ Dishwasher

Rhino Integrated Single DishDrawer™ Dishwasher

Rhino Integrated Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

Sketchup Integrated Single DishDrawer™ Dishwasher

Sketchup Integrated Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

User Guide

User Guide Integrated DishDrawer™ Dishwasher

Wash Program Data DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



## A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com