QUICK REFERENCE GUIDE > OR90SCI6X1 Date: 10.07.2024 > 1

Freestanding Cooker, Induction, 90cm, 5 Zones with SmartZone, Selfcleaning

Series 9 | Classic

Stainless Steel



With large oven and cooktops that can be paired to create an expansive cook zone, this freestanding cooker is made for those who love to cook.

• Five cooking zones that can be bridged to form SmartZones


- Convection oven with 140L total capacity, nine oven functions plus rotisserie, including Pastry Bake with pizza mode and rapid proof for making bread
- · Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

SPECIFICATIONS

Accessories (included)

Flat wire shelf

Full extension sliding shelves	2 sets (part 578744)	Controls		Warming drawer	•
Full extension telescopic shelves	2 sets (part	Audio feedback	•		
	578744)	Automatic cooking/minute timer	•	Oven functions	
Grill rack	true	Automatic pre-set temperatures	•	Oven functions	
Roasting dish	1	Celsius/Fahrenheit temperature	•	Bake	•
Rotisserie set	1 set	Electronic clock	•	Fan bake	•
Step down wire shelf	•	High resolution display	•	Fan forced	•
		Laser etched graphics	•	fanGrill	•
		Precise electronic temperature control	•	Grill	•
Accessories (sold separately)		Sabbath mode	•	Number of functions	9
Kick strip, stainless steel (optional)	KICKOR90X1	Toughened fused glass graphics	•	Pastry Bake with Pizza mode	•
		Turned stainless steel clock buttons	•	Rapid proof	•
		Turned stainless steel clock crown (dial)	•	Roast	•
Capacity		(Rotisserie	•
Shelf positions	6				
Shelf positions (main oven)	6	Installation Dimensions			
Total capacity	140 L	Installation cutout dimensions (Depth)	600 mm	Oven performance	
Usable capacity	120 L	Installation cutout dimensions (Width)	900 mm	CoolTouch door	Quadruple glazed
Usable capacity (main oven)	120 L	<u> </u>		Warming drawer power	202 W
		Oven features			-
Cleaning		AeroTech™ technology	•	Power requirements	
Acid resistant graphite enamel	•	Automatic rapid pre-heat	•	Amperage	68 A
Drop down grill element	•	Bright chromed, cast zinc dials with	•	Supply frequency	50 Hz
Flat easy clean glass surface	•	illuminated halos		Supply voltage	220 - 240 V
Pyrolytic self-clean	•	Convection	•		
Removable oven door	•	Electronic oven control	•		
Removable oven door inner glass	•	Full extension telescopic sliding shelves	•	Product details	
Removable shelf runners	•	Internal light	4 x 25W halogen (2 side & 2 top)	Self Cleaning Sf	Yes
		Soft open/close door	•		
		Twin cavity fans	•	Product dimensions	

QUICK REFERENCE GUIDE > OR90SCI6X1

Depth	600 mm	CoolTouch door	•		
Height	898 - 946 mm	Full extension telescopic shelves	2 sets (part		
Width	897 mm		578744)		
		Full extension telescopic sliding shelves	•		
		Non-tip shelves	•		
Rangetop features		Pan detection system	•		
Auto heat reduce	•	Safety time out	•		
Dual colour display	•	Spill containment	12 L		
Gentle heat	•	Spillage auto off	•		
Heat settings	9	Surface hot indicators	•		
Hob rail	•				
Hob rear trim	60 mm				
Induction cooking technology	•	Warranty			
SmartZone	1	Parts and labour	2 years		
Zone bridging	'				
Rangetop Performance		SKU	81693		
Rangetop Performance					
Centre	2300 W	The product dimensions and specifications in this p.	age apply to the specific		
Left front	1600 W	product and model. Under our policy of continuous improvement, these			
Left rear	2100 W	dimensions and specifications may change at any ti			
Number of cooking zones	5	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel			
PowerBoost	•	Appliances Ltd 2020			
Safety		Other product downloads available at fisher	rpaykel.com		
Advanced cooling system	•				
Anti-tilt bracket	•				
Balanced oven door	•	Installation Guide Freestanding Cooker	<u>-</u>		
Catalytic venting system	•				
Child lock	•	→ Revit Induction Cooker→ Rhino Induction Cooker			
		<u> </u>			



Sketchup Induction Cooker



User Guide Freestanding Cooker

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W**www.fisherpaykel.com