QUICK REFERENCE GUIDE > RDV3-488-N

# Dual Fuel Range, 48", 8 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural Gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Beautiful LED halo-illuminated dials provide information at a glance

## **DIMENSIONS**

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "



## **FEATURES & BENEFITS**

#### **Cook With Confidence**

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### **Generous Capacity**

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

## Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

### Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

## **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

## Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

## **SPECIFICATIONS**

## Accessories (included)

Adjustable feet covers •

Branded coin end cap •

Accessories (sold separately)		Dial with illuminated halo	•	Clean	•
Square handle option	AH-R48	Dual control oven dials	•	Convection bake	•
		Electric circuit	4 wire	Convection broil	•
		High resolution display	•	Maxi broil	•
Burner ratings		Metal illuminated dials	•	Number of oven functions	15
Maximum burner power	23500 BTU	Multi-language interface	•	Pizza bake	•
Power back centre	18500BTU	Precise cooking with food probe	•	Rapid proof	•
Power back centre (2)	18500BTU	recipe And Food Based Functions	•	Roast	•
Power back left	18500BTU	Sabbath mode	•	Slow cook	•
Power back right	18500BTU	Smart appliance	•	True convection	•
Power front centre	18500BTU	Tilting touch screen interface	•	Warm	•
Power front centre (2)	18500BTU	Wi-Fi connectivity	•		
Power front left	23500BTU				
Power front right	23500BTU			Oven features	
Total cooktop power	158000 BTU	Gas Requirements		Auto re-ignition system	•
		Fitting and pipe	½ NPT, min. %″ ∑ flex line	Concealed element	•
		Supply Pressure (natural gas)	6" to 9" W.C	Electronic oven control	•
Capacity		Supply Fressure (flatural gas)	0 10 9 W.C	Full extension telescopic sliding shelves	•
Shelf positions (main oven)	5			Internal light	true
Shelf positions (second oven)	5	Main oven features		Self-clean proof side racks	•
Total capacity (main oven)	4.8 cu ft	Concealed Element		Titanium coated, illuminated metal dials	•
Total capacity second oven	2.1 cu ft	Electronic oven control			
Usable capacity (main oven)	3.8 cu ft	Full extension telescopic racks	•	Our for the	
		Internal light	•	Oven functions	
		Self-clean proof side racks		Air fry	•
Cleaning		Self-Clear proof side facks	·	Bake	•
Easy clean porcelain basepan	•			Classic bake	•
Pyrolytic self-clean	•	Main oven functions		Clean	•
		Air fry •		Convection bake	•
		Bake	•	Convection Broil	•
Controls			•	Dehydrate	•
		Classic bake	•		

QUICK REFERENCE GUIDE > RDV3-488-N Date: 28.06.2024 > 3

Dehydrate	•	Height	35 3/4 - 36 3/4 "	Air fry
Maxi Broil	•	Width	47 7/8 "	Bake •
Number of functions	15			Classic bake •
Pastry bake	•			Convection bake •
Pizza bake	•	Rangetop features		Convection broil •
Rapid proof	•	Sealed range top	•	Maxi broil •
Roast	•	Vent trim included	•	Number of secondary oven functions 11
Slow cook	•			Pastry bake •
True convection	•			Pizza bake •
Warm	•	Recommended Back Guards Ventilation		Rapid proof •
		Combustible situation	BGRV3-3048H	Roast •
Oven performance		Non combustible situation	BGRV2-3048 / BGRV2-1248	Warm •
Bake power	4600	Recommended hood	HCB48-12_N	
Broil	3600 W		(48"" Professional	
Main oven - True convection power	2500 W		Range Hood, Dual Blower)	SKU 81896
Power Requirements		Safety		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore
Amperage	50 A	ADA compliant	•	check with Fisher & Paykel's Customer Care Centre to ensure this page
Rated current	50 A			correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Supply frequency	60 Hz	Secondary oven features		Appliances Eta 2020
		3/4 Extension racks	2	Other product downloads available at fisherpaykel.com
Product Details		Concealed element	•	
Self Cleaning Sf	Yes	Electronic oven control	•	↓ 2D-DWG Dual Fuel Range
		Food probe	•	
		Internal light	•	
Product Dimensions		· ·		
Depth	29 1/8 "		_	2D-DWG Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim
Depth (excluding handles)	2918 mm	Secondary oven functions		

QUICK REFERENCE GUIDE > RDV3-488-N	Date: 28.06.2024 > 4
	2D-DXF Dual Fuel Cooker with Backguard-BGRV2-3048

- ↓ ArchiCAD Dual Fuel Range
- ↓ Data Sheet Dual Fuel Cooker with Backguard BGRV2-1248
- Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim
- ↓ Data Sheet Dual Fuel Range

- ↓ Guide d'installation FR
- Planning Guide Professional Style Dial/Handle Accessories
- L Rhino Dual Fuel Cooker
- ↓ Sketchup Dual Fuel Cooker
- ↓ Specification Guide
- ↓ User Guide EN

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

