# QUICK REFERENCE GUIDE > OR30SDG4X1

# Gas Range, 30"

Series 7 | Contemporary

# Stainless Steel | Natural Gas



Add contemporary style to your kitchen, and enjoy the instant response and precision of a gas-fueled oven and cooktop.

- Four burner gas cooktop, with two dual ring wok burners
- Gas oven with 3.5 cu ft total capacity
- Three oven functions: Bake, Convection Bake and Maxi Broil


35 3/4 - 37 5/8 "

# DIMENSIONS

Height

Width

# Depth



# **FEATURES & BENEFITS**

### **Design Quality**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

### Large Capacity Oven

The large 3.5cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

### Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

# Easy Cleaning

29 7/8 "

25 1/4 "

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

# SPECIFICATIONS

## Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Chromed shelf runners	1 set
Full extension telescopic shelves	2 sets (part 578776)
Grill rack	true
Small pot support	1 (part 533981 cast)

# Accessories (sold separately)

ck strip, stainless steel (optional) KICKOR	30X1
/ok grate included	Yes

#### **Burner ratings**

Dual wok burner inner/outer (LPG)	1000 - 18000BTU
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural gas)	1500 - 8000BTU
Total cooktop power	52000 BTU

Capacity

# FISHER & PAYKEL

# QUICK REFERENCE GUIDE > OR30SDG4X1

Shelf positions	7
Total capacity	3.5 cu ft
Usable capacity	2.7 cu ft
Cleaning	
Acid resistant graphite enamel	•
Dishwasher proof trivets	•
Removable oven door	•
Removable shelf runners	
Controls	
Laser etched graphics	
Gas Requirements	
Supply Pressure (LPG)	11″ W.C.P
Supply Pressure (natural gas)	4" W.C.P
Oven features	
Auto re-ignition system	•
Concealed element	•
Convection	•
Electronic ignition	•
Full extension telescopic sliding shelves	•
Internal light	2 x 25W halogen (rear)
Soft open/close door	•
Storage drawer	•

Oven functions	
Bake	•
Convection bake	•
Maxi Broil	•
Number of functions	3
Oven performance	
Bake power	14000 BTU
Broil	11000 BTU
CoolTouch door	Triple glazed
Power requirements	
Connection	3-prong grounding type [NEMA 5-15P plug]
Service	15 A
Supply	120 V, 60 Hz
Product dimensions	
Depth	25 1/4 "
Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Rangetop features	
Hob rail	•
LPG / Natural Gas compatible	•
Sealed range top	•

# **Rangetop Performance**

Number of burners	
Safety	
ADA compliant	
Advanced cooling system	
Anti-tilt bracket	
Balanced oven door	
CoolTouch door	
Full extension telescopic sliding shelves	
Non-tip shelves	
Spill containment	1/2 gallo
Warranty	
Parts and labor	2 yea
SKU	827

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available.  $\ensuremath{\textcircled{}}$  Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG Gas Range  $\overline{\mathbf{1}}$ 

- ↓ 2D-DXF Gas Range
- ↓ Data Sheet Gas Range
- ▲ Service & Warranty
- ↓ Installation Guide EN
- ↓ Guide d'installation FR
- Revit Electric Range
- ↓ Rhino Electric Range
- ↓ Sketchup Electric Range
- User Guide Freestanding Range EN
- ↓ Guide d'utilisation FR

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com