QUICK REFERENCE GUIDE > RS2484SRHK1 Date: 17.12.2024 > 1

24" Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless integration - this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84 "

 Width
 23 3/4 "

 Depth
 24 "



FEATURES & BENEFITS

Variable Temperature Zones

Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

Internal Water Dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient - adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Perfect Fit

Create an understated and clean look in any kitchen. You can hide our Integrated Column models seamlessly behind your cabinetry, fitting flush with only a $\frac{1}{8}$ " gap and no visible hinges or grilles.

SPECIFICATIONS

Accessories (sold separately)		Consumption		Variable temperature zones	2	
Door panel stainless steel Left hinge 84"	RD2484L4D	Energy rating	Energy star			
Door panel stainless steel Right hinge 84"	RD2484R4D	Energy usage	439kWh/year			
Handle kit Classic	AHCLRDSF	In-use energy carbon emissions estimate	160.9kgCO2e/	Power Requirements		
Handle kit Contemporary round, aluminium	AHSRDSF		year	Rated current	10 A	
Handle kit Contemporary square fine, aluminium	AHD5RDSF			Supply frequency Supply voltage	60 Hz 115 V	
Handle kit Contemporary square fine, black	AHD5RDSFB	Features				
Handle kit Professional round flush	AHP3RDSF	Adjustable door shelves	4			
Handle kit Professional round flush, Brass	AHP3RDSFBA	Adjustable glass cantilevered shelves	•	Product Dimensions		
off-stands Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Covered door shelves	1	Depth	24 "	
		Door alarm	•	Height	84 "	
Joiner Kit	AJ-RS84LR	Fruit and vegetable bins	4	Width	23 3/4 "	
Stainless steel door panel	24" Right hinge RD2484R4D	Gallon door shelves	1			
		LED bin lighting	•			
Toe kick stainless steel 24"	AKRS2404	LED ceiling lighting	•	Warranty		
Toe kick stainless steel 42"	AKRS4204	LED lighting	•	Parts and labor	2 years	
Toe kick stainless steel 48"	AKRS4804	LED side lighting	•	Sealed system parts & labor	additional 3 years	
Toe kick stainless steel 54"	AKRS5404	SmartTouch interface at counter height	•			
Toe kick stainless steel 60"	AKRS6004	Soft-close fruit and vegetable bins	•			
Toe kick stainless steel 66"	AKRS6604	Stackable bottle holders	4			
Toe kick stainless steel 72"	AKRS7204			SKU 26		
Toe kick stainless steel 78"	AKRS7804					
Toe kick stainless steel 84"	AKRS8404	Performance		The product dimensions and specifications in this page apply to the specific		
					nd model. Under our policy of continuous improvement, these	
		Dual evaporator	•	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Capacity		Frost free	•			
Total gross capacity	12.4 cu ft	Humidity control system	•			
Volume	12.4 cu ft	Inverter controlled compressor	•			
Volume refrigerator	12.4 cu ft	Sabbath mode	•	Other product downloads available at fisherpaykel.com		
		Variable food modes lower compartment	Pantry; Fridge; Chill			

QUICK REFERENCE GUIDE > RS2484SRHK1 Date: 17.12.2024 > 3

- 2D-DWG Integrated Refrigeration K05 Hinge
- ↓ 2D-DXF Integrated Refrigeration K05 Hinge
- ↓ 2D-DXF Panel Preparation
- ↓ Energy Label
- ↓ Service & Warranty
- Water Filter Replacement Instructions Parts 847200 and 847201 EN

- Water Filter Replacement Instructions Parts 847200 and 847201 FR
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- ↓ Planning Guide EN
- ↓ Planning Guide Integrated Refrigeration FR
- ↓ Planning Guide Integrated Refrigeration SP
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Rhino Integrated Column Refrigerator with Door Panel and Professional Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Professional Square Handle
- Sketchup Integrated Column Refrigerator with Custom Panel
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Professional Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Professional Square Handle
- ↓ User Guide EN
- ↓ User Guide FR

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com

Where applicable: