QUICK REFERENCE GUIDE > OR36SDG4X1

Gas Range, 36", 5 Burners

Series 7 | Contemporary

Stainless Steel | Natural Gas



Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with large 4.9 cu ft total capacity and three functions

DIMENSIONS

Height 35 3/4 - 37 1/4 "

Width 35 7/8 "

Depth 25 1/4 "

FEATURES & BENEFITS

Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Design Quality

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

Large Capacity

The large 4.9 cu ft capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Chromed shelf runners

1 set

Full extension telescopic shelves

2 sets (part 578744)

Grill rack true

Small pot support 1 (part 533981 cast)

Accessories (sold separately)

Kick strip, stainless steel (optional) KICKOR36X1
Wok grate included Yes

Burner ratings

Dual wok burner inner/outer (LPG) 1000 - 18000BTU Dual wok burner inner/outer (natural gas) 1000 - 18000BTU 18000 BTU Maximum burner power Semi-rapid burner (LPG) 1500 - 7600BTU Semi-rapid burner (natural gas) 1500 - 8000BTU 62000 BTU Total cooktop power 6100 - 12000BTU Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 6100 - 14000BTU

Capacity

Shelf positions 7

Total capacity 4.9 cu ft

Usable capacity 3.8 cu ft

Cleaning

Acid resistant graphite enamel

Dishwasher proof trivets

Removable oven door

Removable shelf runners

Controls

Laser etched graphics

QUICK REFERENCE GUIDE > OR36SDG4X1

Gas Requirements		Amperage	15 A	Warranty
Supply Pressure (LPG)	11" W.C.P	Supply frequency	60 Hz	Parts and labor 2 years
Supply Pressure (natural gas)	4" W.C.P	Supply voltage	120 V	
Oven features		Product Dimensions		SKU 82761
Auto re-ignition system	•	Depth	25 1/4 "	
Concealed element	•	Height	35 3/4 - 37 1/4 "	The product dimensions and specifications in this page apply to the specific
Convection	•	Width	35 7/8 "	product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore
Electronic ignition	•			check with Fisher & Paykel's Customer Care Centre to ensure this page
Full extension telescopic sliding shelves	•	Banashan fashuus		correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Internal light	4 x 25W halogen (2 side & 2 top)	Rangetop features Hob rail	•	Appliances Eta 2020
Soft open/close door	•	LPG / Natural Gas compatible	•	Other product downloads available at fisherpaykel.com
Storage drawer	•	Sealed range top	•	Other product downloads available at hisherpayker.com
Oven functions		Rangetop Performance		 ✓ Service & Warranty ✓ Installation Guide EN ✓ Guide d'installation FR
Bake	٠	Number of burners	5	→ Revit Gas Range
Convection bake	•			→ Rhino Gas Range
Maxi Broil	•			↓ Sketchup Gas Range
Number of functions	3	Safety		↓ User Guide Freestanding Range EN
		ADA compliant	•	
0		Advanced cooling system	•	Where applicable:
Oven performance		Anti-tilt bracket	•	All appliances use energy, and energy usage typically generates
Bake power	17000 BTU	Balanced oven door	•	carbon emissions. Fisher & Paykel Appliances' In-use Energy
Broil	13000 BTU	CoolTouch door	•	Carbon Emissions Estimate indicates carbon emissions from a
CoolTouch door	Quadruple glazed	Full extension telescopic shelves	2 sets (part 578744)	product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for
		Full extension telescopic sliding shelves	•	energy in your country or region.
Power Requirements		Non-tip shelves	•	

Spill containment

5/8 gallon

QUICK REFERENCE GUIDE > OR36SDG4X1

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com