QUICK REFERENCE GUIDE > OR36SDG4X1

Gas Range, 36", 5 Burners

Series 7 | Contemporary

Stainless Steel | Natural Gas



Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with large 4.9 cu ft total capacity and three functions

DIMENSIONS

Height 35 3/4 - 37 1/4 "

Width 35 7/8 "

Depth 25 1/4 "

FEATURES & BENEFITS

Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Design Quality

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

Large Capacity

The large 4.9 cu ft capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

Small pot support

2-pc grill system (Broil pan and Grill rack)

Broil pan

Chromed shelf runners

1 set

Full extension telescopic shelves

2 sets (part 578744)

Grill rack

true

cast)

1 (part 533981

Accessories (sold separately)

Kick strip, stainless steel (optional) KICKOR36X1
Wok grate included Yes

Burner ratings

Dual wok burner inner/outer (LPG) 1000 - 18000BTU Dual wok burner inner/outer (natural gas) 1000 - 18000BTU 18000 BTU Maximum burner power Semi-rapid burner (LPG) 1500 - 7600BTU Semi-rapid burner (natural gas) 1500 - 8000BTU 62000 BTU Total cooktop power 6100 - 12000BTU Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 6100 - 14000BTU

Capacity

Shelf positions 7

Total capacity 4.9 cu ft

Usable capacity 3.8 cu ft

Cleaning

Acid resistant graphite enamel

Dishwasher proof trivets

Removable oven door

Removable shelf runners

Controls

Laser etched graphics

QUICK REFERENCE GUIDE > OR36SDG4X1

Gas Requirements		Amperage
Supply Pressure (LPG)	11" W.C.P	Supply frequency
Supply Pressure (natural gas)	4" W.C.P	Supply voltage
Oven features		Product Dimensions
Auto re-ignition system	•	Depth
Concealed element	•	Height
Convection	•	Width
Electronic ignition	•	
Full extension telescopic sliding shelves	•	
Internal light	4 x 25W halogen (2 side & 2 top)	Rangetop features Hob rail
Soft open/close door	•	LPG / Natural Gas compatible
Storage drawer	•	Sealed range top
Oven functions		Rangetop Performance
Bake	•	Number of burners
Convection bake	•	
Maxi Broil	•	
Number of functions	3	Safety
		ADA compliant
		Advanced cooling system
Oven performance		Anti-tilt bracket
Bake power	17000 BTU	Balanced oven door
Broil	13000 BTU	CoolTouch door
CoolTouch door	Quadruple glazed	Full extension telescopic shelves
		Full extension telescopic sliding shelves
Power Requirements		Non-tip shelves

Warranty

15 A

60 Hz

120 V

25 1/4 "

35 7/8 "

5

2 sets (part

5/8 gallon

578744)

35 3/4 - 37 1/4 "

Parts and labor 2 years

SKU 82761

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Service & Warranty

Installation Guide EN

Guide d'installation FR

Revit Gas Range

Rhino Gas Range

Sketchup Gas Range

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Spill containment

QUICK REFERENCE GUIDE > OR36SDG4X1

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com