QUICK REFERENCE GUIDE > DD60DHI9

Integrated Double DishDrawer Dishwasher, Sanitise

Series 9 | Integrated

Panel Ready



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes


 Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 553 mm



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers, making loading dishes simple. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer $^{\text{TM}}$ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

KNOCK TO PAUSE

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

QUIET PERFORMER

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

QUICK REFERENCE GUIDE > DD60DHI9

		Controls		Product dimensions	
Accessories (included)		Electronic fault/Diagnostic indicator	•	Depth	553 mm
Cutlery basket	•	End of cycle beeps	•	Height	820 - 880 mm
Kickstrip	true	Energy saving delay start option of up to 12	•	Width	599 mm
Knife clip and multipurpose clip	•	hours			
		Internal wash selector	•		
		Keylock	•	Warranty	
Accessories (sold separately)		Knock to pause	•	Parts and labour	2 years
Door panel black stainless steel	ADDD60DPB	Rinse aid indicator light	•		
Door panel stainless steel	ADDD60DPX	Smart appliance	•		
Handle kit Contemporary round, aluminium A	HS-OBDD-60S	Wi-Fi connectivity	•	Wash Program Modifiers	
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX			Extra Dry	•
		Features		Quick	•
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB	Built-in water softener	_	Sanitise	•
Handle kit Contemporary square, aluminium AHD3-OBDD-60S			•	Wash modifiers	3
Handle kit Contemporary square, black AHD3-OBDD-60B		Fan assisted drying Flood protection			
		Flow through detergent dispenser	•		
		Quiet operation	•	Wash Programs	
Capacity and loading		SmartDrive™ technology	•	Delicate	•
Accommodates round plates up to	280mm	SmartDrive technology	•	Eco	•
Adjustable height, foldable cupracks	•			Fast	•
Fold down tines	•	Performance		Heavy	•
Pitch adjustable tines	•	Noise on standard cycle top drawer	43 dBA	Medium	•
Place settings per drawer	6	Noise off standard cycle top drawer	43 UDA	Rinse	•
				Wash programs	6
		Power requirements			
Consumption		Amperage	10A		
Energy rating	E	Supply frequency	50Hz	Water connection	
Energy usage	54kWh/100	Supply voltage	220 - 240V	Water pressure	100kPa - 1000kPa
	cles per drawer	Supply voltage	220 - 240 V	Water supply	3/4" BSP (20mm) Connector Water
Water usage (per wash cycle)	7.8L per drawer				Connector water Inlet Hose

QUICK REFERENCE GUIDE > DD60DHI9 Date: 02.07.2024 > 3

SKU 82360

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Double DishDrawer™ Dishwasher
- J 2D-DWG Double DishDrawer™ Dishwasher
- , 2D-DXF Integrated Double DishDrawer™ Dishwasher
- 2D-DXF Double DishDrawer™ Dishwasher
- Let Energy Rating DishDrawer™ Dishwasher EN
- ↓ Service & Warranty
- Installationsvejledning DA
- ↓ Installationsanleitung DE
- J. Installation Guide EN
- Asennusopas FI
- ↓ Guide d'installation FR
- T MAXIM MAXIMHE
- J. Guida D'Installazione IT
- Installasjonsveiledning NOR
- ↓ Guía de instalación ES
- J. Installationsquide SV
- Planning Guide Integrated Double DishDrawer™ Dishwasher
- L Quick Start Guide DishDrawer™ Dishwasher EN
- Quick Start Guide DishDrawer™ Dishwasher DUT
- ↓ Quick Start Guide DishDrawer™ Dishwasher ES
- Quick Start Guide DishDrawer™ Dishwasher FIN
- Quick Start Guide DishDrawer™ Dishwasher HEB

- Quick Start Guide DishDrawer™ Dishwasher ITA
- ↓ Revit Integrated Double DishDrawer™ Dishwasher
- Rhino Integrated Double DishDrawer™ Dishwasher
- ♣ Rhino Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- J. Sketchup Integrated Double DishDrawer™ Dishwasher
- Sketchup Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- J Specification Guide Double DishDrawer™ Dishwasher EN
- User Guide Integrated DishDrawer™ Dishwasher
- ↓ Wash Program Data DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000886605 Wwww.fisherpaykel.com