

Integrated Column Refrigerator, 30"

Series 9 | Integrated

Panel Ready | Right Hinge




<p>Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with white interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84 "
Width	29 3/4 "
Depth	24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

Handle kit Classic	AHCLRDSF	In-use energy carbon emissions estimate	30.5kgCO2e/year	Supply voltage	115 V
Handle kit Contemporary round, aluminium	AHSRDSF	<hr/>			
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Features		Product dimensions	
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable door shelves	4	Depth	24 "
Handle kit Professional round flush	AHP3RDSF	Adjustable glass cantilevered shelves	•	Height	84 "
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Covered door shelves	1	Width	29 3/4 "
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Door alarm	•	<hr/>	
Joiner Kit	AJ-RS84LR	Fruit and vegetable bins	4	Product information	
Stainless steel door panel	30" Right hinge RD3084R4D	LED bin lighting	•	Packaged weight	309 lbs
Toe kick stainless steel 30"	AKRS3004	LED ceiling lighting	•	Unpackaged weight	294 lbs
Toe kick stainless steel 48"	AKRS4804	LED lighting	•	<hr/>	
Toe kick stainless steel 54"	AKRS5404	LED side lighting	•	Warranty	
Toe kick stainless steel 60"	AKRS6004	SmartTouch interface at counter height	•	Parts and labor	2 years
Toe kick stainless steel 66"	AKRS6604	Soft-close fruit and vegetable bins	•	Sealed system parts & labor	additional 3 years
Toe kick stainless steel 72"	AKRS7204	Stackable bottle holders	4	<hr/>	
Toe kick stainless steel 78"	AKRS7804	Performance		SKU	26129
Toe kick stainless steel 84"	AKRS8404	ActiveSmart™ Foodcare	•	<hr/>	
Water filter replacement	847200 - FWC3	Dual evaporator	•	<p>The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020</p>	
Capacity		Humidity control system	•		
Total gross capacity	16.3 cu ft	Inverter controlled compressor	•		
Volume	16.3 cu ft	Sabbath mode	•		
Volume refrigerator	16.3 cu ft	Variable food modes	Pantry; Fridge; Chill		
<hr/>		Variable temperature zones	2	<hr/>	
Consumption		Power requirements		Other product downloads available at fisherpaykel.com	
Energy rating	Energy star	Rated current	10 A	↓ 2D-DWG Integrated Column Refrigerator	
Energy usage	247kWh/year	Supply frequency	60 Hz		

- [↓ 2D-DXF Integrated Column Refrigerator](#)
- [↓ Data Sheet Integrated Column Refrigerator](#)
- [↓ Data Sheet Integrated Column Refrigerator Dual Install \(18" + 30"\)](#)
- [↓ Data Sheet Integrated Column Refrigerator Dual Install \(24" + 30"\)](#)
- [↓ Data Sheet Integrated Column Refrigerator Dual Install \(30" + 30"\)](#)
- [↓ Energy Label](#)
- [↓ Service & Warranty](#)
- [↓ Installation Guide](#)
- [↓ Installation Guide Toe Kick](#)
- [↓ Guide d'installation - Instructions de Remplacement du Filtre à Eau FR](#)
- [↓ Guide d'installation FR](#)
- [↓ Installation Guide](#)
- [↓ Guide d'installation FR](#)
- [↓ Key Purchase Decisions Integrated Column Refrigerator](#)
- [↓ Planning Guide Integrated Column Refrigerator](#)
- [↓ Revit Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ Rhino Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ SketchUp Refrigerator](#)
- [↓ Specification Guide Integrated Column Refrigerator](#)
- [↓ User Guide EN](#)
- [↓ Guide d'utilisation FR](#)
- [↓ User Guide](#)
- [↓ Guide d'utilisation FR](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
 T 1.888.936.7872 W www.fisherpaykel.com