Series 9, Integrated Single DishDrawer Dishwasher

| Series 9 Integrated |
|-------------------------------------|
| Panel Ready |
| |
| |
| |
| |
| |
| |
| and the second second second second |
| |
| |
| |
| |
| |
| |


Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

Customise with your own front panel and handle to match your kitchen cabinetry

DIMENSIONS

| Height | 410 mm |
|--------|--------|
| Width | 599 mm |
| Depth | 553 mm |



FEATURES & BENEFITS

Ease Of Use

DishDrawer[™] Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A double knock on the front panel will pause the dishwasher which can be restarted again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

| A | Accessories (included) | |
|---|----------------------------------|--|
| (| Cutlery basket | |
| ł | Knife clip and multipurpose clip | |

Accessories (sold separately)

| Door panel black stainless steel | ADDD60SPB |
|--|--------------------|
| Door panel stainless steel | ADDD60SPX |
| Handle kit Classic | AHCL-DDDW-24X |
| Handle kit Contemporary round, aluminium | AHS-OBDD-60S |
| Handle kit Contemporary square fine, aluminium | AHD5- OBDD-60SX |
| Handle kit Contemporary square fine, black | AHD5- OBDD-60SB |
| Handle kit Contemporary square, aluminium | AHD3-OBDD-60S |
| Handle kit Contemporary square, black | AHD3-OBDD-60B |

FISHER & PAYKEL

QUICK REFERENCE GUIDE > DD60SI9

| Handle kit Professional round flush | AHP3-DWDD-60S |
|--|-----------------|
| Capacity and loading | |
| Accommodates round plates up to | 280mm |
| Adjustable height, foldable cupracks | • |
| Fold down tines | • |
| Pitch adjustable tines | • |
| Place settings | 7 |
| Place settings | 7 |
| Consumption | |
| Energy rating | 3.5 star |
| Energy usage | 136kWh/year |
| In-use energy carbon emissions estimate | 88.6kgCO2e/year |
| Water consumption (per wash cycle) | 6.9L |
| Water rating | 4.5 star (WELS) |
| Controls | |
| Electronic fault/Diagnostic indicator | • |
| End of cycle beeps | • |
| Energy saving delay start option of up to 12 hours | • |
| Internal wash selector | • |
| Keylock | • |
| Knock to pause | • |
| Rinse aid indicator light | • |
| Smart appliance | • |

| Features | |
|----------------------------------|------------|
| Fan assisted drying | |
| Flow through detergent dispenser | • |
| Quiet operation | • |
| SmartDrive™ technology | • |
| Performance | |
| Noise emissions | 43 dBA |
| Power requirements | |
| Amperage | 5A |
| Supply frequency | 50Hz |
| Supply voltage | 220 - 240V |
| Product dimensions | |
| Depth | 553 mm |
| Height | 410 mm |
| Width | 599 mm |
| Warranty | |
| Parts and labour | 2 years |
| Wash Program Modifiers | |
| Extra Dry | • |
| | |

Wash Programs

| Delicate | • |
|----------|---|
| Eco | • |
| Fast | • |
| Heavy | • |
| Medium | • |
| Rinse | • |
| | |

Water connection

| Water pressure Water supply | 30kPa - 1000 kPa 3/4" BSP (20mm) Connector Water Inlet Hose |
|--------------------------------|--|
| SKU | 82321 |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Single DishDrawer™ Dishwasher
- ↓ 2D-DXF Integrated Single DishDrawer[™] Dishwasher
- \checkmark Data Sheet Integrated Single DishDrawer^m Dishwasher
- ↓ Energy and Water Label
- ↓ Service & Warranty

Quick

Sanitise

- J Installation Guide Single DishDrawer™ Dishwasher
- ↓ Planning Guide Integrated Single DishDrawer™ Dishwasher
- ↓ Quick Start Guide
- ↓ Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Sketchup Single DishDrawer™ Dishwasher
- ↓ Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- J Specification Guide Single DishDrawer™ Dishwasher
- J User Guide DishDrawer™ Dishwasher
- J Wash Program Data DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1300 650 590 Wwww.fisherpaykel.com