QUICK REFERENCE GUIDE > OB60SD16PLX1

60cm Series 7 Contemporary Pyrolytic Oven, 16 Function

Series 7 | Contemporary

Stainless Steel




With beautiful Contemporary styling and a generous 85L total capacity capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 16 oven functions including Pastry Bake, Roast, Dehydrate and Rapid Proof
- · Moisture level control with ActiveVent technology

- Pyrolytic self-cleaning function breaks down food residue for an easy clean
- Guided cooking capability offers helpful tips for different food types

DIMENSIONS

Height 598 mm
Width 596 mm
Depth 565 mm



FEATURES & BENEFITS

Multi-Function Flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has 16 functions including Pastry Bake, Roast, Fan Grill, Dehydrate and Rapid Proof, allowing you to use a variety of cooking styles.

Generous Capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Cook With Confidence

The intuitive 2.4" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out. Cook by food type and allow your oven to guide you through steps, or change temperature and heat type automatically, depending on your selection.

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech™ circulates heat evenly for a consistent temperature.

Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design Freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

QUICK REFERENCE GUIDE > OB60SD16PLX1

SPECIFICATIONS		Controls		Fan forced	•
		Adjustable audio and display settings	•	Fan grill	•
Accessories (included)		Audio feedback	•	Grill	•
	1	Automatic cooking/minute timer	•	Number of functions	16
Full extension sliding shelves	1 set	Automatic pre-set temperatures	•	Pastry Bake	•
Grill rack	1 set	Celsius/Fahrenheit temperature	•	Pizza bake	•
Pyrolytic proof shelf runners	•	Delay start	•	Pyrolytic self-clean	•
Roasting dish	1	Electronic clock	•	Rapid proof	•
Smokeless grill tray	1	Electronic oven control	•	Roast	•
Step down wire shelf	1	Food probe	•	Slow cook	•
Wired temperature sensor	1	Guided cooking by food types	•	Vent bake	•
		Halogen lights	•	Warm	•
Capacity		Intuitive touchscreen display	•		
Shelf positions	6	Multi-language display	UK English, US English,	Performance	
Total capacity	85 L		Simplified Chinese, Français,	ActiveVent™ system	•
Usable capacity	72 L		Español	AeroTech™ technology	•
		Sabbath mode with Federation of Synagogues certification	•	Automatic rapid pre-heat	•
				Grill power	3000 W
Cleaning		Smart appliance	•	Temperature range	35°C - 280°C∏
Acid resistant graphite enamel	•	Soft close doors	•	Whisper Quiet Cooking	•
Pyrolytic proof shelf runners	•	True convection oven	•	·	
Pyrolytic self-clean	•	Turned stainless steel dials with illuminated halos	•		
Removable oven door	•	Wireless temperature sensor compatible	•	Power requirements	
Removable oven door inner glass	•			Amperage	15 A
Removable shelf runners	•			Rated current	15 A
		Functions		Supply frequency	50 Hz
		Air fry	•	Supply voltage	220-240 V
Consumption		Bake	•		
Energy rating	Α	Classic bake	•		
Energy usage	0.94kWh/cycle	Dehydrate	•	Product dimensions	
In-use energy carbon emissions estimate	0.2kgCO2e/cycle	Fan bake	•		

QUICK REFERENCE GUIDE > OB60SD16PLX1 Date: 24.09.2024 > 3

Depth	565 mm	Datasheet Oven
Height	598 mm	Declaration of Conformity Oven
Width	596 mm	
Safety		
•		
Balanced oven door	•	↓ Rhino Oven
Catalytic venting system	•	 ↓ SketchUp Oven
Control panel key lock	•	→ Preliminary Specification Guide Wall Oven
CoolTouch door	•	
Non-tip shelves	•	
Safety thermostat	•	Where applicable:

Warranty

Parts and labour 5 years

SKU 82556

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



2D-DWG Oven



2D-DXF Oven



ArchiCAD Oven

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

