QUICK REFERENCE GUIDE > DD60STX6I1

Series 11, Integrated Tall Single DishDrawer Dishwasher

Series 11 | Integrated

Panel Ready




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel .*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware

- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- Premium stainless steel interior, and soft-close drawer with knock to pause function
- With Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

Height 454 mm
Width 599 mm
Depth 553 mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 43dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Efficient Performance

QUICK REFERENCE GUIDE > DD60STX6I1 Date: 17.12.2024 > 2

With 3.5 star energy rating and 5.5 star (WELS) water rating, this DishDrawer™ Dishwasher uses the energy it needs without compromising on wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket
Knife clip and multipurpose clip

Accessories (sold separately)

Assisted opening accessory kit OPEX1 Door panel black stainless steel ADDD60STPB Door panel recessed handle black stainless ADDD60STNB steel Door panel recessed handle matte black ADDD60STZB Door panel recessed handle stainless steel ADDD60STNX Door panel stainless steel ADDD60STPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5aluminium OBDD-60SX AHD5-Handle kit Contemporary square fine, black OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Contemporary square, black AHD3-OBDD-60B Handle kit Professional round flush AHP3-DWDD-60S

Capacity and loading

Accommodates round plates up to 310mm

Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7
Wine glass supports with stemware grippers	•

Consumption

Energy rating 3.5 star
Energy usage 137kWh/year
In-use energy carbon emissions estimate 89.2kgCO2e/year
Water consumption (per wash cycle) 5.7L
Water rating 5.5 star (WELS)

Controls

End of cycle beeps

Energy saving delay start option of up to 12 hours

Internal wash selector

Intuitive capacitive touch controls

Keylock

Knock to pause

Rinse aid indicator light

Smart appliance

Spray arm sensing

Features

Fan assisted drying
Flood protection

Flow through detergent dispenser	•
Internal tub material	Stainless steel
Quiet operation	•
SmartDrive™ technology	•
Soft close drawer	•

Performance

Noise emissions 43 dBA

Power requirements

Amperage 5A
Supply frequency 50Hz
Supply voltage 220 - 240V

Product dimensions

Depth 553 mm
Height 454 mm
Width 599 mm

Warrantv

Parts and labour 2 years

Wash Program Modifiers

Dry +
Quiet
Sanitise

QUICK REFERENCE GUIDE > DD60STX6I1 Date: 17.12.2024 > 3

Wash modifiers	3
Wash Programs	
60 min	•
Auto	•
Eco	•
Glassware	•
Heavy	•
Light	•
Medium	•
Rinse	•
Wash programs	8

Water	connc	nction
vvatei	COLLIE	CLIUII

Water pressure	30kPa - 1000 kPa
Water supply	3/4" BSP (20mm) Connector Water Inlet Hose

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

\overline{ullet}	2D-DWG DishDrawer™ Dishwasher
\underline{ullet}	2D-DXF DishDrawer™ Dishwasher
\underline{ullet}	Archicad Integrated Single DishDrawer™ Dishwasher
\underline{ullet}	Energy & Water Label
\underline{ullet}	Service & Warranty
\underline{ullet}	Installation Guide Single DishDrawer™ Dishwasher
\underline{ullet}	Planning Guide Integrated Single DishDrawer $^{\text{\tiny{TM}}}$ Dishwasher
\underline{ullet}	Revit Integrated Single DishDrawer™ Dishwasher
\underline{ullet}	Rhino Integrated Single DishDrawer $^{\text{\tiny{TM}}}$ Dishwasher
\underline{ullet}	Sketchup Integrated Single DishDrawer™ Dishwasher
\underline{ullet}	User Guide DishDrawer™ Dishwasher
<u></u>	Standards Data and Wash Program Data DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

