QUICK REFERENCE GUIDE > RS6121WRUK2

Integrated Refrigerator Freezer, 61cm, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

 Customise with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm

FEATURES & BENEFITS

VARIABLE TEMPERATURE ZONE

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

PANTRY MODE

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

SOFT FREEZE MODE

Soft freeze is for food that requires a gentle freeze and quick thawing, perfect for items that will be consumed soon. It allows easy portioning and the ability to heat, cook or serve straight from the compartment, without waiting for it to thaw.

Activesmart Foodcare

ActiveSmart Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal water dispenser and ice maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

Complementary design

Both the 61cm and 76.2cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

DESIGN QUALITY

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily

Clever Energy

Your refrigerator adapts to daily use by cooling and defrosting only when necessary. This means your refrigerator uses the energy it needs without compromising on food care.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm

Door panel stainless steel Right hinge
610mm

RD6121WLD

RD6121WRD

Handle kit Classic AHCLRD6121W

QUICK REFERENCE GUIDE > RS6121WRUK2

Handle kit Contemporary round, aluminium	AHSRD6121W	LED ceiling lighting	•	Noise emissions class	D
Handle kit Contemporary square fine, aluminium	AHD5RD6121W	LED side lighting	•	Sabbath mode	•
Handle kit Contemporary square fine, black	AHD5RD6121WR	SmartTouch interface at counter height	•	Variable temperature zones	2
Handle kit Professional round flush	AHP3RD6121W	Stackable bottle holders	4		
Joiner kit	AJ-RS21LR	Ultra slim water dispenser	•	B	
Toe kick stainless steel 1220mm	AKRS12210			Power requirements	
Toe kick stainless steel 1372mm	AKRS13710	Freezer Festures		Rated current	10 A
Toe kick stainless steel 1828mm	AKRS18310	Freezer Features		Supply frequency	50 Hz
Toe kick stainless steel 1981mm	AKRS19810	Automatic ice maker	•	Supply voltage	230 V
Toe kick stainless steel 610mm	AKRS06110	Bottle chill	•		
Water filter replacement	847200 - FWC3	Door alarm	•	5	
Water like replacement	01,200 1,000	Door shelves	1	Product dimensions	
		Freezer bins	2	Depth	610 mm
Capacity		Freezer trays	1	Height	2134 mm
Total gross capacity	371 L	Ice Boost	•	Width	603 mm
Volume	342 L	LED bin lighting	•		
Volume freezer	115 L	LED ceiling lighting	•		
Volume refrigerator	227 L	LED Lighting	•	Warranty	
volume remigerator	227 L	LED side lighting	•	Parts and labour	5 years
		Slide Out Pastry Tray	•	Sealed system parts only	5 years
Consumption		SmartTouch interface at counter height	•		
Energy rating	D				
Energy usage	205kWh/year	Performance		SKU	26650
		ActiveSmart™ Foodcare	•		
Features		Adaptive defrost	•	The product dimensions and specifications in this page apply to the specific	
Adjustable door shelves	4	Dual evaporator		product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore	
Adjustable door shelves Covered door shelves	1	Frost free	•	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
	1	Humidity control system	•		
Door alarm	•	Inverter controlled compressor	•	PP 1	
Gallon door shelves	1	Noise emissions	42 dBA		
LED bin lighting	•				

QUICK REFERENCE GUIDE > RS6121WRUK2

Other product downloads available at fisherpaykel.com

↓ Declaration of Conformity Refrigeration with WiFi Capability

Energy Label

↓ Water Filter Replacement Instructions & Installation Guide EN

Installation Guide Integrated Column Refrigerator

Revit Refrigerator Freezer

Rhino Refrigerator Freezer

Rhino Refrigerator Freezer with Door Panel and Contemporary Round Handle

Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Black Handle

Rhino Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle

Rhino Refrigerator Freezer with Door Panel and Contemporary Square Handle

↓ Sketchup Refrigerator Freezer

Sketchup Refrigerator Freezer with Door Panel and Contemporary Round Handle

Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Fine Handle

Sketchup Refrigerator Freezer with Door Panel and Contemporary Square Handle

↓ Brugervejledning DA

↓ User Guide Integrated Refrigerator Freezer

J. Käyttöopas FI

↓ MMMMMHE

↓ Energy Label

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000886605 Wwww.fisherpaykel.com