QUICK REFERENCE GUIDE > RS6019S2R1 Date: 20.06.2024 > 1

# Integrated Dual Zone Refrigerator, 60cm

Series 9 | Integrated

Panel Ready | Right Hinge



Pair with the Integrated Dual Zone Freezer for the ultimate kitchen solution – this model features two independent food zones taking cooling flexibility to a new level.

- Flush fit design with 4mm gaps and custom height installation
- Two independent food zones with adjustable temperature from 1 to  $6^{\circ}\text{C}$
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

· Easy-to-use touch-control panel and Wi-Fi capability

# **DIMENSIONS**

Height 1870 mm
Width 592 mm
Depth 576 mm

# **FEATURES & BENEFITS**

#### Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

## Independent Food Zones

When it comes to optimal food preservation, one temperature does not fit all. With two independent food zones, you can create the perfect climate for storing different foods. Each zone has adjustable temperature from 1°C to 6°C, ideal for items such as fruit and vegetables, dairy products, meats and leftovers.

## Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

# **Clever Energy**

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

# Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension veggie bins.

#### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

#### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the refrigerator door is family safe with a soft-close mechanism.

## **SPECIFICATIONS**

## Accessories (included)

Hinge change (from right hinge to left hinge)

## Accessories (sold separately)

Door panel stainless steel RD6019 (right & left hinge)

Handle kit Contemporary round, aluminium AHSRDSF

Handle kit Contemporary square fine, aluminium

Handle kit Contemporary square fine, black AHD5RDSFB

Handle kit Professional round flush	AHP3RDSF	Installation Dimensions	
Joiner Kit	AJRS19LR	Minimum inside width of cabinetry frame	600 mm
Toe kick stainless steel 1200mm	AKRS12010	Minimum internal depth of cabinetry	600 mm
Toe kick stainless steel 1800mm	AKRS18010	Minimum internal height of cabinetry	1880 mm
Toe kick stainless steel 600mm	AKRS06010		
		Performance	
Capacity		ActiveSmart™ Foodcare	
Total gross capacity	338 L	Adaptive defrost	
Volume	314 L	Dual evaporator	
Volume refrigerator	314 L	Frost free	
		Humidity control system	
		Humidity controlled crisper bins	2
Consumption		Inverter controlled compressor	
Energy rating	E	Sabbath mode	
Energy usage	101kWh/year		
In-use energy carbon emissions estimate	20.1kgCO2e/year	_	
		Power requirements	
F		Amperage	10 A
Features		Supply frequency	50 Hz
Adjustable door shelves	4	Supply voltage	230 V
Adjustable glass cantilevered shelves	•		
Covered door shelves	1		
Door alarm	•	Product dimensions	
LED ceiling lighting	•	Depth	576 mm
Smart appliance AU NZ	•	Height	1870 mm
Smart appliance EU	•	Width	592 mm
Smart appliance UK IE	•		
SmartTouch control panel	•		
Stackable bottle holders	2	Warranty	
Wi-Fi connectivity	•	Parts and labour	5 years

Sealed system parts only	5 years
SKU	26206

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

$\underline{ullet}$	2D-DWG Refrigerator
$\underline{ullet}$	2D-DWG Refrigerator with Custom Panel
	2D-DXF Refrigerator
<u>↓</u>	2D-DXF Refrigerator with Custom Panel
$\overline{\downarrow}$	Archicad 23 Refrigerator
$\underline{ullet}$	Data Sheet Refrigerator
	Data Sheet Refrigerator with Custom Panel
$\overline{\downarrow}$	Declaration of Conformity
<u>↓</u>	Declaration of Conformity Refrigeration with WiFi Capability
$\underline{ullet}$	Energy Rating
$\underline{ullet}$	Service & Warranty
$\underline{ullet}$	Installation Guide Integrated Refrigeration
$\underline{ullet}$	Planning Guide Refrigeration
$\underline{ullet}$	Product Information Sheet Integrated Dual Zone Refrigerator
$\underline{ullet}$	Revit 18 Refrigerator
$\underline{ullet}$	Rhino 5 Refrigerator
<u></u>	Rhino 5 Refrigerator with Custom Panel
$\underline{ullet}$	Rhino 5 Refrigerator Door with Classic Round Handle

Rhino 5 Refrigerator Door with Contemporary Round Handle

**QUICK REFERENCE GUIDE >** RS6019S2R1 Date: 20.06.2024 > 3

- Rhino 5 Refrigerator Door with Professional Round Flush Handle
- Rhino 5 Refrigerator Door with Square Fine Black Handle
- ↓ Rhino 5 Refrigerator Door with Square Fine Handle
- ↓ Sketchup 8 Refrigerator
- ↓ Sketchup 8 Refrigerator with Custom Panel
- Sketchup 8 Refrigerator Door with Classic Round Handle
- Sketchup 8 Refrigerator Door with Contemporary Round Handle
- Sketchup 8 Refrigerator Door with Professional Round Black Handle
- ↓ Sketchup 8 Refrigerator Door with Square Fine Black Handle
- ↓ Sketchup 8 Refrigerator Door with Classic Fine Handle
- ↓ User Guide Integrated Refrigerator & Freezer

## Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com