QUICK REFERENCE GUIDE > RS2474BRU1 Date: 21.10.2025 > 1

24" Series 9 Integrated Refrigerator Freezer, Ice & Water

Series 9 | Integrated



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 3/16\ gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- · Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

| Height | 73 5/8 " |
|--------|------------|
| Width | 23 5/16 " |
| Depth | 22 11/16 " |

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 3/16" gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximize internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

Hinge change (from right hinge to left hinge)

Accessories (sold separately)

| Door panel set stainless steel | Right hinge RD2474BR, Left hinge RD2474BL |
|--|---|
| Handle kit Classic | AHCLRDB |
| Handle kit Contemporary round, aluminium | AHSRDB74 |
| Handle kit Contemporary square fine, aluminium | AHD5RDB74 |
| Handle kit Contemporary square fine, black | AHD5RDB74B |
| Handle kit Professional round flush | AHP3RDB74 |
| Joiner Kit | AJRS74LR |

QUICK REFERENCE GUIDE > RS2474BRU1 Date: 21.10.2025 > 2

| Toe kick stainless steel 23" | AKRS2304 | Water tank capacity | 30.7 oz | Power Requirements | | |
|--|-------------------------------|---|------------------------|--|------------------------|--|
| Toe kick stainless steel 47" | AKRS4704 | | | Rated current | 10 A | |
| Toe kick stainless steel 71" | AKRS7104 | | | Supply frequency | 60 Hz | |
| Water filter replacement | 847200 - FWC3 | Freezer Features | | Supply voltage | 115 V | |
| | | Automatic ice maker | • | | | |
| | | Bottle chill | • | - | | |
| Capacity | | Door alarm | • | Product Dimensions | | |
| Volume | 10.7 cu ft | Fast freeze | • | Depth | 22 11/16 " | |
| Volume freezer | 4.3 cu ft | Freezer bins | 3 | Height | 73 5/8 " | |
| Volume refrigerator | 6.4 cu ft | Ice Boost | • | Width | 23 5/16 " | |
| | | Ice making rate per day | 2.2 lbs | | 20 0, 10 | |
| | | LED bin lighting | • | | | |
| Consumption | | LED ceiling lighting | • | | | |
| Energy rating | Energy star Most efficient | LED side lighting | • | SKU | 26205 | |
| Energy usage | 382kWh/year | | | | | |
| In-use energy carbon emissions estimate 134.7kgCO2e/year | | The product dimensions and specifications in this page apply to the s Installation Dimensions product and model. Under our policy of continuous improvement, the | | | | |
| | | Minimum inside width of cabinetry frame | 23 5/8 " | dimensions and specifications may change at a | | |
| | | Minimum internal depth of cabinetry | 23 3/8 | check with Fisher & Paykel's Customer Care Ce correctly describes the model currently availab | · - | |
| Features | | Minimum internal height of cabinetry | 2 4 74 ″ | Appliances Ltd 2020 | ne. 9 i isher a rayker | |
| Adjustable door shelves | 4 | Millimum internal height of Cabinetry | 74 | | | |
| Adjustable glass cantilevered shelves | • | | | | | |
| Covered door shelves | 1 | Performance | | Other product downloads available at f | isherpaykel.com | |
| Door alarm | • | ActiveSmart™ Foodcare | | | | |
| Internal water dispenser | • | | • | | - K08 Hinge | |
| LED bin lighting | • | Adaptive defrost | • | | | |
| LED ceiling lighting | • | Dual evaporator | • | | | |
| LED lighting | • | Frost free | • | | | |
| LED side lighting | • | Humidity control system | • | 2D-DXF Integrated Refrigeration - Panel Preparation ↓ 2D - DXF Refrigerator Freezer | | |
| Smart appliance | • | Inverter controlled compressor | • | | | |
| SmartTouch control panel | • | Sabbath mode | • | ↓ ArchiCAD 23 Refrigerator Freezer | | |
| Stackable bottle holders | 2 | | | | | |

QUICK REFERENCE GUIDE > RS2474BRU1 Date: 21.10.2025 > 3

- ↓ Installation Guide Integrated Fridge Freezer EN
- ↓ Guide d'installation FR
- ↓ Planning Guide Integrated Refrigeration
- ↓ Revit
- ↓ Rhino
- L Rhino
- Right To Repair Declaration (English, Canadian French)
- ↓ Sketchup 8 Refrigerator Freezer with Custom Panel
- Sketchup 8 Refrigerator Freezer Door with Classic Round Handle
- Sketchup 8 Refrigerator Freezer Door with Contemporary Round Handle
- Sketchup 8 Refrigerator Freezer Door with Professional Round Flush Handle
- Sketchup 8 Refrigerator Freezer Door with Square Fine Black
- Sketchup 8 Refrigerator Freezer Door with Square Fine
- ↓ User Guide Integrated Refrigerator & Freezer EN
- ↓ User Guide (Canadian French)
- ↓ Guía del usuario ES

1

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com