QUICK REFERENCE GUIDE > OR30SCI6X1

30" Series 9 Classic 4 Zone Induction Self-Cleaning Range

Series 9 | Classic

Stainless Steel



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height 35 3/4 - 37 5/8 "

Width 29 7/8 "

Depth 25 1/4 "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Generous Capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578776)

Full extension telescopic shelves

2 sets (part 578776)

Accessories (sold separately)

Kick strip, black (optional)

Kick strip, red (optional)

Kick strip, stainless steel (optional)

Kick strip, white (optional)

Kick strip, white (optional)

Wok grate included

KICKOR30X1

KICKOR30W1

Capacity

Shelf positions 7
Total capacity 3.5 cu ft
Usable capacity 2.9 cu ft

QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 17.12.2024 > 2

Cleaning		Automatic rapid pre-heat	•	Supply	120 / 240 V or
Acid resistant graphite enamel	•	Electronic oven control	•		120 / 208 V, 60 Hz
Drop down grill element		Full extension telescopic sliding shelves	•		
Flat easy clean glass surface	•	Internal light	2 x 25W halogen (rear)	Product Details	
Pyrolytic proof shelf runners	•	Soft open/close door	(rear)	Self Cleaning Sf	Yes
Pyrolytic self-clean	•	True convection	•	Self Cleaning Si	163
Removable oven door	•	True convection	·		
Removable shelf runners	•			Product Dimensions	
		Oven functions		Depth	25 1/4 "
Controls		Aero Broil	•	Height	35 3/4 - 37 5/8 "
		Aero™ Bake	•	Width	29 7/8 "
Audio feedback	•	Aero™ Pastry with Pizza mode	•	····	20 7,0
Automatic cooking/minute timer	•	Bake	•		
Automatic pre-set temperatures	•	Number of functions	9	Rangetop features	
Celsius/Fahrenheit temperature	•	Pyrolytic self-clean	•	Auto heat reduce	•
Electronic clock	•	Rapid proof	•	Gentle heat	
High resolution display	•	Roast	•	Heat settings	9
Laser etched graphics	•	True Aero	•	Induction cooking technology	•
Precise electronic temperature control	•	True convection	•	induction cooking technology	·
Sabbath mode	•	True convection			
Toughened fused glass graphics	•			Rangetop Performance	
Turned stainless steel clock buttons	•	Oven performance		PowerBoost	•
Turned stainless steel dials with illuminated halos	•	Broil power	4050 W	. 6.46. 2.666	
nuios		CoolTouch door	Triple glazed		
		Warming drawer power	220 W	Safety	
Main oven functions				ADA compliant	•
Warm	•			Advanced cooling system	•
		Power Requirements		Anti-tilt bracket	•
Oven features		Connection	4-prong [NEMA 14-50P power cord]	Balanced oven door	•
				Catalytic venting system	•
		Service	40 A	Child lock	•

QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 17.12.2024 > 3

CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU 81961

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ Service & Warranty

Installation Guide EN

Revit Induction Cooker

, Rhino Induction Cooker

Sketchup Induction Cooker

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com