QUICK REFERENCE GUIDE > OR30SDE6X1

Electric Range 30" - Ceramic Radiant

Series 7 | Contemporary

Stainless Steel




A refined electric range with multiple oven functions for perfect cooking of anything from a large roast to baking bread and pastry.

- · Electric radiant cooktop with four cook elements
- Nine oven functions including Roast, Aero[™] Pastry with Pizza mode, and Rapid Proof for baking bread
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height 35 3/4 - 37 5/8 "
Width 29 7/8 "
Depth 25 1/4 "



FEATURES & BENEFITS

Cooking Flexibility

Accurate, electronically-controlled oven heat, ensures a great result every time with 9 functions and pre-set temperatures including bake, grill, pastry bake with pizza mode and fan forced, for a variety of cooking styles.

A Modern Legacy

A refined, minimalist style with attention to the smallest details. High-performance cooking technology offers multiple cooking functions.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, machined stainless dials and glowing halo dials all add up to an exceptional, premium range.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Easy To Clean

Cleaning up spills is effortless. The flat ceramic cooktop is easily wiped after use, and the self-cleaning oven breaks down food residue at a very high temperature leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time. Dishes on the top shelf turn out as perfectly as the ones on the bottom due to our AeroTech™ convection system that circulates air evenly throughout the entire oven.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension telescopic shelves

2 sets (part 578776)

Accessories (sold separately)

Hob rear trim 3 1/8" (part 81656)

Kick strip, stainless steel (optional)

KICKOR30X1

Capacity		Oven features		Product Dimensions	
Shelf positions	7	AeroTech™ technology	•	Depth	25 1/4 "
Total capacity	3.5 cu ft	Automatic rapid pre-heat	•	Height	35 3/4 - 37 5/8 "
Usable capacity	2.9 cu ft	Concealed element	•	Width	29 7/8 "
		Electronic oven control	•		
		Full extension telescopic sliding shelves	•		
Cleaning		Internal light	2 x 25W halogen	Rangetop Performance	
Acid resistant graphite enamel	•		(rear)	Number of cooking zones	4
Drop down broil element	•	Soft open/close door	•		
Drop down grill element	•	True convection	•		
Flat easy clean glass surface	•	Turned stainless steel clock dial	•	Safety	
Pyrolytic proof shelf runners	•			ADA compliant	•
Pyrolytic self-clean	•	Oven functions		Advanced cooling system	•
Removable oven door	•			Anti-tilt bracket	•
Removable shelf runners	•	Aero™ Bake	•	Balanced oven door	•
		Aero™ Pastry with Pizza mode	•	Catalytic venting system	•
		Number of functions	9	CoolTouch door	•
Controls		Rapid proof	•	Full extension telescopic sliding shelves	•
Audio feedback	•	Roast	•	Hi-light high speed ribbon elements	•
Automatic cooking/minute timer	•	True convection	•	Individual hot surface indicators	•
Automatic pre-set temperatures	•			Non-tip shelves	•
Celsius/Fahrenheit temperature	•	Oven performance		Spill containment	68.13 L
Electronic clock	•	·		Spill containment	1/8 gallon
High resolution display	•	Broil power	4050 W		
Laser etched graphics	•	CoolTouch door	Triple glazed		
Precise electronic temperature control	•	Warming drawer power	220 W	200	04=04
Sabbath mode	•			SKU	81721
Toughened fused glass graphics	•	Dower Dogwirements			
Turned stainless steel clock buttons	•	Power Requirements			
Turned stainless steel dials with illuminated	•	Amperage	50 A		
halos		Supply frequency	60 Hz		

QUICK REFERENCE GUIDE > OR30SDE6X1

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



Other product downloads available at fisherpaykel.com

↓ 2D-DWG Electric Range

↓ 2D-DXF Electric Range

↓ Data Sheet Electric Range

↓ Service & Warranty

↓ Installation Guide Freestanding Cooker EN

Rhino Electric Range

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.