QUICK REFERENCE GUIDE > WL8058G1

# Top Loader Washing Machine, 8kg, UV Sanitise

Series 5 | Top load

White



This top loader is easy-to-load and has a specially designed pillow drum for gentle wash action to help you take better care of your clothes.

- Specialised UV Sanitise wash modifier to kill more than 99.99% of bacteria\*
- Auto load sensing uses just the right amount of water for best wash results
- Impressive 4.5 star energy and 4 star water rating

- Pillow drum design is gentle on clothes while a low profile agitator helps minimise tangling.
- Eco wash option reduces energy and water consumption for a more optimised wash

# **DIMENSIONS**

Height 1020 mm
Width 580 mm
Depth 600 mm

# **FEATURES & BENEFITS**

# **Auto Load Sensing**

Intelligent sensors determine load size and soil level before using just the right amount of water for best wash results and optimal fabric care.

# Star-Rated Energy And Water

This top loader washing machine boasts a 4.5-star energy rating and a 4-star water rating.

## Efficient Water And Energy Usage

The Eco wash option uses less energy and water during a wash cycle making this top loader a great eco-friendly option. A bionic lint filter helps prevent lint, fibres and other debris going back into grey water, for more efficient cleaning and rinse cycles.

## Easy To Use

This machine has a cycle to suit every type of load including Bulky, Extra Care and Wool. Select a cycle with the easy to use SmartTouch™ control dial.

## Soft-Close Lid

The tough glass lid delivers quality and durability. Its soft close mechanism makes it family safe, avoids slamming and allows for hands-free operation.

#### Easy Installation

Self-levelling feet make installation easy and ensure the washer stays level, to reduce vibration and keep noise to a minimum.

## **SPECIFICATIONS**

## Capacity

Capacity 8 kg

# Consumption

Energy rating 4.5 star
Energy usage 219kWh/year
In-use energy carbon emissions estimate 42.7kgCO2e/year
Water consumption per cycle 82L
Water rating 4 star (WELS)

## Controls

Control type Capacitive touch display

#### Features

Advanced out of balance detection

Agitator

Auto out of balance correction

Automatic water level

QUICK REFERENCE GUIDE > WL8058G1

Delay start	Child/Keylock	•	Maximum spin speed	750 rpm
Double lint filter         Medium, High           Enabled for downloadable cycles         Extra rinse option         • Product dimensions           Fabric softener dispenser         • Depth         600 mm           Favourite mode         • Height         1020 mm           Front levelling feet         • Height         1020 mm           Hot and cold water inlets         • Width         580 mm           Optimize wash         Sanitise, Eco         • Warranty           Power on indicator         • Parts and labour         2 years           Rinse + Pogress indicator         • Parts and labour         2 years           Rinse + Options         2         Parts only SmartDrive™ motor         10 years           Rinse options         2         Parts only SmartDrive™ motor         10 years           Rinse options         2         Parts only SmartDrive™ motor         10 years           Soak         • Parts only SmartDrive™ motor         10 years           Soak         • Wash Cycles         • Cottons         • Delicate         • D	Delay start	•	Number of spin speeds	4
Enabled for downloadable cycles  Extra rinse option  Fabric softener dispenser  Favourite mode Front levelling feet Hot and cold water inlets Optimize wash Sanitise, Eco Pillow drum Power on indicator Progress indicator Progress indicator Rinse + Potts and labour Fishes + Parts and labour Sanitise beto Salitise beto Soak Soft close lid Soft close lid Soft close lid Soft in go	Detergent dispenser	•	Spin performance	No Spin, Low,
Extra rinse option         Product dimensions           Fabric softener dispenser         0         Depth         600 mm           Favourite mode         1         Depth         600 mm           Front levelling feet         1         Height         1020 mm           Hot and cold water inlets         2         Width         580 mm           Optimize wash         Sanitise, Eco         Portranty         Portranty           Plllow drum         1         Warranty         2           Power on indicator         1         Parts and labour         2 years           Progress indicator         2         Parts only SmartDrive <sup>11</sup> motor         10 years           Rinse +         1         Parts only SmartDrive <sup>11</sup> motor         10 years           Rinse options         2         Years         10 years           Solf adjusting back feet         1         Wash Cycles         10 years           Solf close lid         1         Bulky         1           Solf talless steel drum         0         Cottons         1           Tempered glass lid         0         Delicate         1           UV Sanitise         2         Extra Care         1           Water supply         Hot & Cold	Double lint filter	•		Medium, High
Patric softener dispenser   Patric softener   Patric softener dispenser   Patric sof	Enabled for downloadable cycles	•		
Fabric softener dispenser         •         Depth         600 mm           Favourite mode         •         Height         1020 mm           Front levelling feet         •         Width         580 mm           Hot and cold water inlets         •         Width         580 mm           Optimize wash         Sanitise, Eco         —         —           Pillow drum         •         Warranty         —           Power on indicator         •         Parts and labour         2 years           Progress indicator         •         Parts only SmartDrive™ motor         10 years           Rinse •         •         Parts only SmartDrive™ motor         10 years           Rinse options         2         —           Soak         •         —           Soak         •         Bulky         •           Soak         •         Bulky         •           Stainless steel drum         •         Cottons         •           Stainless steel drum         •         Delicate         •           UV Sanitise         •         Easy Iron         •           UV Sanitise         •         Easy Iron         •           Water supply         Hot & Cold<	Extra rinse option	•	Product dimensions	
Favourite mode Front levelling feet	Fabric softener dispenser	•		
Front levelling feet Hot and cold water inlets Optimize wash Optimize wash Sanitise, Eco Pillow drum Power on indicator Progress indicator Progress indicator Progress indicator Parts and labour Parts and labour Parts only SmartDrive <sup>th</sup> motor 10 years 10 years Parts only SmartDrive <sup>th</sup> motor 10 years 10 yea	Favourite mode	•	•	
Flot and cold water inlets   Optimize wash Sanitise, Eco   Pillow drum Warranty   Power on indicator Parts and labour 2 years   Progress indicator Parts only SmartDrivel™ motor 10 years   Rinse + • Parts only SmartDrivel™ motor 10 years   Rinse options 2   Self adjusting back feet Wash Cycles   Soak • Bulky •   Soft close lid • Bulky •   Stainless steel drum • Cottons •   Tempered glass lid • Delicate •   Time to go Drum Clean •   UV Sanitise • Easy Iron •   Wash + • Extra Care •   Water supply Hot & Cold Heavy •   Water supply Hot & Cold Heavy •   Water temperature controls 5 Hygiene •   Wi-Fi capable Mixed •   Wi-Fi capable Mixed •   Performance Rinse •   Load sensing Sheets •	Front levelling feet	•		
Pillow drum *** Warranty   Power on indicator *** Parts and labour 2 years   Progress indicator *** Parts only SmartDrive™ motor 10 years   Rinse + *** Parts only SmartDrive™ motor 10 years   Rinse options 2 ***   Self adjusting back feet *** Wash Cycles   Soak *** Bulky ***   Soft close lid *** Cottons ***   Stainless steel drum *** Delicate ***   Tempered glass lid *** Delicate ***   Time to go *** Drum Clean ***   UV Sanitise *** Easy Iron ***   Wash + *** Extra Care ***   Water supply Hot & Cold Heavy ***   Water temperature controls *** Hygiene ***   Wiref capable *** Number of wash cycles ***   Wired *** Number of wash cycles ***   Performance Rinse ***   Load sensing *** Sheets ***	Hot and cold water inlets	•	Width	580 mm
Power on indicator  Progress indicator  Progress indicator  Rinse +  Rinse options  Self adjusting back feet  Soak  Soft close lid  Stainless steel drum  Tempered glass lid  Time to go  UV Sanitise  Wash	Optimize wash	Sanitise, Eco		
Power on indicator  Progress indicator  Rinse +  Rinse options  2  Self adjusting back feet  Soak  Soft close lid  Stainless steel drum  Tempered glass lid  UV Sanitise  UV Sanitise  Wash  Wa	Pillow drum	•	Warranty	
Rinse + Rinse options 2 Self adjusting back feet Soak Soft close lid Stainless steel drum Tempered glass lid Time to go UV Sanitise Wash Cycles  Wash Cycles  Load sensing Parts only SmartDrive™ motor  Wash Cycles   Wash Cycles  Wash Cycles   Wash Cycles   Wash Cycles   Foliate  Foliate  Pelicate  Pelicate  Porum Clean  Porum Clean  Easy Iron  Easy Iron  Extra Care  Heavy  Heavy  Water supply  Water temperature controls  Wi-Fi capable  Performance  Rinse  Sheets	Power on indicator	•	•	
Rinse options       2         Self adjusting back feet       Wash Cycles         Soak       Bulky         Soft close lid       Bulky         Stainless steel drum       Cottons         Tempered glass lid       Delicate         Time to go       Drum Clean         UV Sanitise       Easy Iron       •         Wash +       Extra Care       •         Water supply       Hot & Cold       Heavy       •         Water temperature controls       5       Hygiene       •         Wi-Fi capable       Mixed       •         Performance       Rinse       •         Load sensing       Sheets       •	Progress indicator	•		
Self adjusting back feet         Wash Cycles           Soak         •           Soft close lid         •         Bulky         •           Stainless steel drum         •         Cottons         •           Tempered glass lid         •         Delicate         •           Time to go         •         Drum Clean         •           UV Sanitise         •         Easy Iron         •           Wash +         •         Extra Care         •           Water supply         Hot & Cold         Heavy         •           Water temperature controls         5         Hygiene         •           Wi-Fi capable         •         Mixed         •           Wi-Fi capable         •         Number of wash cycles         14           Quick         •           Performance         Rinse         •           Load sensing         Sheets         •	Rinse +	•	Parts only SmartDrive™ motor	10 years
Soak         Wash Cycles           Soft close lid         Bullky         *           Stainless steel drum         Cottons         *           Tempered glass lid         Delicate         *           Time to go         Drum Clean         *           UV Sanitise         Easy Iron         *           Wash +         Extra Care         *           Water supply         Hot & Cold         Heavy         *           Water temperature controls         5         Hygiene         *           Wi-Fi capable         Mixed         *           Wi-Fi capable         Mixed         *           Performance         Rinse         *           Load sensing         Sheets         *	Rinse options	2		
Soak         •         Bulky         •           Soft close lid         •         Bulky         •           Stainless steel drum         •         Cottons         •           Tempered glass lid         •         Delicate         •           Time to go         •         Drum Clean         •           UV Sanitise         •         Easy Iron         •           Water supply         Hot & Cold         Heavy         •           Water temperature controls         5         Hygiene         •           Wi-Fi capable         •         Mixed         •           Wi-Fi capable         •         Number of wash cycles         14           Quick         •           Performance         Rinse         •           Load sensing         •         Sheets	Self adjusting back feet	•	Wash Cycles	
Soft close lid  Stainless steel drum  Tempered glass lid  Time to go  UV Sanitise  Wash +  Water supply  Water temperature controls  Wi-Fi capable  Performance  Load sensing  Cottons  Pelicate  Drum Clean  Easy Iron  Easy Iron  Feavy  Heavy  Heavy  Heavy  Mixed  Number of wash cycles  Quick  Rinse  Sheets	Soak	•	•	
Tempered glass lid  Time to go  UV Sanitise  Wash +  Water supply  Water temperature controls  Wi-Fi capable  Performance  Load sensing  Delicate  Drum Clean  Easy Iron  Easy Iron  Heavy  Heavy  Heavy  Hot & Cold  Heavy  Mixed  Number of wash cycles  Quick  Rinse  Sheets	Soft close lid	•	•	•
Time to go  UV Sanitise  Wash +  Water supply  Water temperature controls  Wi-Fi capable  Performance  Load sensing  Drum Clean  Easy Iron  Easy Iron  Heavy  Heavy  Hot & Cold  Heavy  Hot & Cold  Number of wash cycles  It All  Number of wash cycles  Sheets	Stainless steel drum	•		•
UV Sanitise  Wash +  Water supply  Hot & Cold  Water temperature controls  Wi-Fi capable  Performance  Load sensing  Easy Iron  Extra Care  Heavy  Heavy  Hot & Cold  Heavy  Hot & Cold  Number of wash cycles  Quick  Performance  Sheets	Tempered glass lid	•		•
Wash +  Water supply  Hot & Cold  Water temperature controls  Wi-Fi capable  Wi-Fi capable  Performance  Load sensing  Extra Care  Heavy  Hot & Cold  Heavy  Hot & Cold  Hot &	Time to go	•		•
Water supply Water temperature controls Wi-Fi capable  Performance Load sensing  Hot & Cold Heavy Heavy Hygiene Hygiene  Mixed Number of wash cycles Quick Rinse Sheets  Heavy Heavy Heavy Heavy Hot & Cold Hygiene  Quick Nixed Number of wash cycles Sheets	UV Sanitise	•		•
Water temperature controls  Wi-Fi capable  Wi-Fi capable  Number of wash cycles  Quick  Performance  Load sensing  Hygiene  Number of wash cycles  Rinse  Sheets	Wash +	•		•
Wi-Fi capable  Mixed  Number of wash cycles  Quick  Performance  Load sensing  Mixed  Number of wash cycles  Sheets  A Sheets	Water supply	Hot & Cold		•
Number of wash cycles  Quick  Performance  Load sensing  Number of wash cycles  Author Sheets  Number of wash cycles  Sheets	Water temperature controls	5		•
Quick • Performance Rinse • Load sensing • Sheets •	Wi-Fi capable	•		•
Performance Rinse • Load sensing • Sheets •				14
Load sensing • Sheets •				•
Load sensing •	Performance			•
Spin •	Load sensing	•		•
			Spin	•

Wool

SKU 92298

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

Energy & Water Label Top Loader Washing Machine

↓ Service & Warranty

Quick Installation Reference

Installation Guide Top Loader Washing Machine

User Guide Top Loader Washing Machine

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > WL8058G1

