QUICK REFERENCE GUIDE > OR36SCI6B1 Date: 17.12.2024 > 1

# 36" Series 9 Classic 5 Zone Induction Self-Cleaning Range, 2 SmartZones

Series 9 | Classic

Black



Heritage styling meets modern performance, including an induction cooktop with the ability to pair zones to create a large cook zone.

- Five induction cooking zones that can be bridged to form two "SmartZones"
- Convection oven with 4.9 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

## **DIMENSIONS**

Height 35 3/4 - 37 1/4 "

Width 35 7/8 "

Depth 25 1/4 "

### **FEATURES & BENEFITS**

### **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake. The AeroTech™ system circulates air evenly throughout the entire oven, perfect for multi-shelf cooking.

#### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### **Quality And Durability**

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

#### Large Capacity

The large 4.9 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

### Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

#### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a quadruple-glazed CoolTouch door, and a child lock. Induction cooktops heat only the cookware, not the elements, so they are much safer in family kitchens.

#### **SPECIFICATIONS**

### Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578755)

Full extension telescopic shelves

2 sets (part 578744)

Grill rack

true

## Accessories (sold separately)

Hob rear trim	3" (part 81654)
Kick strip, black (optional)	KICKOR36B1
Kick strip, red (optional)	KICKOR36R1
Kick strip, stainless steel (optional)	KICKOR36X1
Kick strip, white (optional)	KICKOR36W1

#### Capacity

Shelf positions 7

QUICK REFERENCE GUIDE > OR36SCI6B1 Date: 17.12.2024 > 2

Cleaning		Automatic rapid pre-heat	•	Power requirements	
Acid resistant graphite enamel	•	Bright chromed, cast zinc dials with illuminated halos	•	Connection	4-prong [NEMA
Drop down broil element	•	Concealed element			14-50P power cord]
Flat easy clean glass surface	•	Convection	•	Service	40 A
Pyrolytic proof shelf runners	•	Electronic oven control	•	Supply	120 / 240 V or
Pyrolytic self-clean	•	Full extension telescopic sliding shelves	•		120 / 208 V, 60
Removable oven door	•	Internal light	4 x 25W halogen		Hz
Removable shelf runners	•	internal light	(2 side & 2 top)		
		Soft open/close door	•	Product dimensions	
		Turned stainless steel clock dial	•	Donth	25 1/4 "
Consumption		Twin cavity fans	•	Depth	,
Energy usage	455kWh/year	Warming drawer	•	Height	35 3/4 - 37 1/4 "
				Width	35 7/8 "
Controls		Oven functions		Dangatan faaturas	
Audio feedback	•	Aero Broil	•	Rangetop features	
Automatic cooking/minute timer	•	Aero™ Bake	•	Auto heat reduce	•
Automatic pre-set temperatures	•	Aero™ Pastry with Pizza mode	•	Dual zones	•
Celsius/Fahrenheit temperature	•	Bake	•	Gentle heat	•
Electronic clock	•	Number of functions	9	Heat settings	9
High resolution display	•	Rapid proof	•	Induction cooking technology	•
Laser etched graphics	•	Roast	•	SmartZone	1
Precise electronic temperature control	•	Self-clean function	•	Zone bridging	•
Sabbath mode	•	True Aero	•		
Toughened fused glass graphics	•				
Turned stainless steel clock buttons	•			Rangetop Performance	
Turned stainless steel clock crown (dial)	•	Oven performance		Centre	5500 W
rumed stainless steel clock crown (dial)	-	Broil power	4300 W	Left front	3700 W
		CoolTouch door	Quadruple glazed	Left rear	3700 W
Oven features		Warming drawer power	220 W	Number of cooking zones	5
		vidining drawer power	220 VV	PowerBoost	•
AeroTech™ technology	•				

QUICK REFERENCE GUIDE > OR36SCI6B1 Date: 17.12.2024 > 3

## Safety

•
•
•
•
•
•
•
•
•
•
•
1/8 gallon
•
•

SKU 81966

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

 $\overline{\mathbf{\Lambda}}$ 

Energy Label Dual Fuel / Induction Range



Service & Warranty



Installation Guide EN

#### Installation Guide FR

T

Revit Induction Range



Rhino Induction Range



Sketchup Induction Range



User Guide Freestanding Range EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com